

Non-Native Plant Species in Yosemite

<i>Agrostis capillaries*</i>	colonial bentgrass
<i>Agrostis gigantean*</i>	redtop
<i>Agrostis stolonifera*</i>	creeping bentgrass
<i>Ailanthus altissima*</i>	tree-of-heaven
<i>Aira caryophyllea</i>	European hairgrass
<i>Amaranthus albus*</i>	prostrate pigweed
<i>Anagallis arvensis</i>	scarlet pimpernel
<i>Anthemis cotula</i>	stinkweed
<i>Anthriscus caucalis</i>	burr chervil
<i>Arabidopsis thaliana</i>	mouse ear cress
<i>Arundo donax*</i>	giant reed
<i>Avena barbata</i>	slender wild oat
<i>Avena fatua</i>	wild oat
<i>Bidens tripartita</i>	threelobe beggarticks
<i>Brassica nigra</i>	black mustard
<i>Brassica rapa</i>	field mustard
<i>Briza minor</i>	little quaking grass
<i>Bromus arenarius</i>	Australian brome
<i>Bromus catharticus</i>	rescue grass
<i>Bromus diandrus</i>	riggut brome
<i>Bromus hordeaceus*</i>	soft brome
<i>Bromus inermis</i> ssp. <i>inermis*</i>	smooth brome
<i>Bromus japonicus</i>	field brome
<i>Bromus madritensis</i> ssp. <i>rubens</i>	foxtail chess
<i>Bromus secalinus</i>	rye brome
<i>Bromus sterilis</i>	poverty brome
<i>Bromus tectorum</i>	cheat grass
<i>Capsella bursa-pastoris</i>	shepherd's purse
<i>Carduus pycnocephalus</i>	Italian thistle
<i>Centaurea cyanus</i>	bachelor's button
<i>Centaurea maculosa</i>	spotted knapweed
<i>Centaurea melitensis</i>	Tocolote
<i>Centaurea solstitialis</i>	yellow star-thistle
<i>Cerastium fontanum</i> ssp. <i>vulgare</i>	big chickweed
<i>Cerastium glomeratum</i>	sticky chickweed
<i>Chamomilla suaveolens</i>	pineapple weed
<i>Chenopodium album*</i>	lambs quarters
<i>Chenopodium botrys*</i>	Jerusalem oak
<i>Cirsium vulgare*</i>	bull thistle
<i>Cnicus benedictus</i>	blessed thistle
<i>Convolvulus arvensis</i>	Field bindweed
<i>Coreopsis lanceolata*</i>	lanceleaf tickseed
<i>Crepis capillaris</i>	smooth hawksbeard
<i>Cynodon dactylon</i>	bermuda grass
<i>Cynoglossum officinale*</i>	gypsyflower
<i>Cynosurus echinatus</i>	hedgehog dogtail
<i>Dactylis glomerata*</i>	orchard grass
<i>Dianthus barbatus</i> ssp. <i>barbatus</i>	sweet William
<i>Digitalis purpurea*</i>	foxglove
<i>Digitaria ischaemum</i>	smooth crabgrass
<i>Digitaria sanguinalis</i>	hairy crabgrass
<i>Echinochloa crus-galli*</i>	barnyard grass
<i>Epipactis helleborine</i>	broadleaf helleborine
<i>Eragrostis cilianensis</i>	lovegrass

<i>Erigeron annuus</i>	eastern daisy fleabane
<i>Erigeron strigosus</i>	prairie fleabane
<i>Erodium botrys</i>	long-beaked stork's bill
<i>Erodium brachycarpum</i>	short fruit stork's bill
<i>Erodium cicutarium</i>	redstem stork's bill
<i>Festuca arundinacea</i> *	tall fescue
<i>Festuca pratensis</i> *	meadow fescue
<i>Filago gallica</i>	narrow-leaved herba impia
<i>Gaillardia pulchella</i>	firewheel
<i>Galium parisiense</i>	wall bedstraw
<i>Genista monspessulana</i>	French broom
<i>Geranium dissectum</i>	cutleaf geranium
<i>Geranium robertianum</i>	Robert geranium
<i>Glechoma hederacea</i>	ground ivy
<i>Hedera helix</i>	English ivy
<i>Herniaria hirsuta</i> ssp. <i>cinerea</i>	rupture wort
<i>Herniaria hirsuta</i> ssp. <i>hirsuta</i>	hairy rupture wort
<i>Hirschfeldia incana</i>	shortpod mustard
<i>Holcus lanatus</i> *	common velvet grass
<i>Hordeum marinum</i> ssp. <i>gussoneanum</i>	mediterranean barley
<i>Hordeum murinum</i> ssp. <i>glaucum</i>	smooth barley
<i>Hordeum murinum</i> ssp. <i>leporinum</i>	leporinum barley
<i>Hordeum murinum</i> ssp. <i>murinum</i>	wall barley
<i>Humulus lupulus</i>	hops
<i>Hypericum perforatum</i>	common St. Johnswort
<i>Hypochaeris glabra</i> *	smooth cat's ear
<i>Hypochaeris radicata</i> *	hairy cat's ear
<i>Lactuca serriola</i> *	prickly lettuce
<i>Lamium amplexicaule</i>	henbit dead nettle
<i>Lathyrus latifolius</i>	perennial sweet pea
<i>Lepidium latifolium</i> *	perennial pepperweed
<i>Lepidium virginicum</i> var. <i>virginicum</i>	Virginia pepperweed
<i>Leucanthemum vulgare</i> *	oxeye daisy
<i>Lolium multiflorum</i>	Italian ryegrass
<i>Lolium perenne</i> *	perennial ryegrass
<i>Lolium temulentum</i>	darnel
<i>Lunaria annua</i>	annual honesty
<i>Lychnis coronaria</i>	rose campion
<i>Malva nicaeensis</i>	bull mallow
<i>Malva parviflora</i>	cheeseweed
<i>Marrubium vulgare</i> *	horehound
<i>Medicago lupulina</i>	black medick
<i>Medicago polymorpha</i> *	California burclover
<i>Medicago sativa</i>	alfalfa
<i>Melilotus alba</i>	white sweetclover
<i>Melilotus indica</i> *	sourclover
<i>Melilotus officinalis</i> *	yellow sweetclover
<i>Mentha spicata</i> var. <i>Spicata</i> *	spearmint
<i>Mollugo verticillata</i>	carpet-weed, indian chickweed
<i>Muhlenbergia schreberi</i> *	nimblewell
<i>Nicotiana acuminata</i> var. <i>multiflora</i>	manyflower tobacco
<i>Nicotiana glauca</i> *	tree tobacco
<i>Oxalis corniculata</i>	creeping woodsorrel
<i>Panicum miliaceum</i>	broomcorn millet
<i>Parapholis incurva</i>	curved sickle grass
<i>Parthenocissus vitacea</i> *	woodbine, Virginia creeper

<i>Phleum pretense</i> *	cultivated timothy
<i>Plantago lanceolata</i>	English plantain
<i>Plantago major</i> *	common plantain
<i>Poa annua</i>	annual bluegrass
<i>Poa bulbosa</i>	bulbosa bluegrass
<i>Poa compressa</i> *	Canada bluegrass
<i>Poa nemoralis</i>	wood bluegrass
<i>Poa palustris</i> *	fowl bluegrass
<i>Poa pratensis</i> ssp. <i>pratensis</i> *	Kentucky bluegrass
<i>Polycarpon tetraphyllum</i>	four-leaved allseed
<i>Polygonum arenastrum</i>	common knotweed
<i>Polygonum convolvulus</i> *	black bindweed
<i>Polygonum persicaria</i>	spotted ladythumb
<i>Polygonum ramosissimum</i>	bushy knotweed
<i>Polypogon maritimus</i>	Mediterranean beard grass
<i>Polypogon monspeliensis</i> *	annual beard grass
<i>Portulaca oleracea</i>	little hogweed
<i>Ranunculus muricatus</i>	spinyfruit buttercup
<i>Raphanus raphanistrum</i>	jointed charlock
<i>Raphanus sativus</i> *	Radish
<i>Robinia pseudoacacia</i> *	black locust
<i>Rubus discolor</i> *	Himalayan blackberry
<i>Rubus laciniatus</i> *	cutleaf blackberry
<i>Rudbeckia hirta</i> var. <i>pulcherrima</i> *	blackeyed Susan
<i>Rumex acetosella</i> *	sheep sorrel
<i>Rumex conglomeratus</i>	Dock
<i>Rumex crispus</i> *	curly dock
<i>Saponaria officinalis</i> *	Bouncingbet
<i>Scirpus cyperinus</i>	Woolgrass
<i>Secale cereale</i>	cereal rye
<i>Senecio vulgaris</i>	common groundsel
<i>Setaria pumila</i>	yellow foxtail
<i>Setaria viridis</i>	green bristlegrass
<i>Silene gallica</i>	common catchfly
<i>Silene latifolia</i> ssp. <i>alba</i>	bladder campion
<i>Sinapis arvensis</i>	charlock mustard
<i>Sisymbrium altissimum</i> *	tall tumbledustard
<i>Sisymbrium irio</i>	London rocket
<i>Sisymbrium officinale</i>	hedge mustard
<i>Soliva sessilis</i>	field burrweed
<i>Sonchus asper</i> ssp. <i>asper</i> *	prickly sow thistle
<i>Sonchus oleraceus</i>	common sow thistle
<i>Spergularia rubra</i>	red sandspurry
<i>Stellaria media</i>	common chickweed
<i>Tanacetum parthenium</i> *	feverfew
<i>Taraxacum officinale</i>	dandelion
<i>Torilis arvensis</i> *	spreading hedge-parsley/miner's lice
<i>Tragopogon dubius</i>	yellow salsify
<i>Tribulus terrestris</i>	puncture vine
<i>Trifolium dubium</i>	little hop clover
<i>Trifolium hirtum</i>	rose clover
<i>Trifolium pratense</i>	red clover
<i>Trifolium repens</i> *	white clover
<i>Triticum aestivum</i>	common wheat
<i>Urtica urens</i>	Dwarf nettle
<i>Verbascum blattaria</i>	moth mullein

<i>Verbascum Thapsus</i> *	common mullein
<i>Veronica anagallis-aquatica</i>	water speedwell
<i>Veronica arvensis</i>	corn speedwell
<i>Veronica persica</i>	Persian speedwell
<i>Vicia benghalensis</i>	purple vetch
<i>Vicia cracca</i>	bird vetch
<i>Vinca major</i>	greater periwinkle
<i>Viola arvensis</i>	European field pansy
<i>Vitis vinifera</i> *	wine grape
<i>Vulpia bromoides</i>	brome fescue
<i>Vulpia myuros</i> var. <i>myuros</i>	foxtail fescue

* Potential to occur in wetlands — obligative wetland species, facultative wetland species, or facultative species. Obligate wetland species almost always occur in wetlands. Facultative wetland species usually occur in wetlands (estimated probability 67 to 99 percent). Facultative species are equally likely to occur in wetlands or non-wetlands (estimated probability 34 to 66 percent).