



# United States Department of the Interior

## NATIONAL PARK SERVICE

National Capital Region

1100 Ohio Drive, S.W.

Washington, D.C. 20242

IN REPLY REFER TO:

### PUBLIC GATHERING PERMIT

Permit: 20-1357

Date: December 10, 2020

In accordance with Park Regulations as contained in C.F.R., Title 36, Chapter 1, Section 7.96, permission is granted to conduct a public gathering to the following:

Person(s) and/or Organization(s): Rob Weaver-Jericho March

Dates(s): Friday, December 11, 2020

To: Saturday, December 12, 2020

Time: Starting: 12:01 AM

Ending: At Midnight

Location(s): The Mall, Gravel Panel #23 & Center Turf Panel #22

Purpose: First Amendment faith-based rally

Anticipated Number or Participants: 5,000

Person(s) in Charge: Rob Weaver & Stephen Brown

Address(es): (b) (6)

Phone Number: (b) (6)

Mobile Number:

On-Site Contact:

Mobile Number:

This permit is granted subject to the following conditions:

1. Permittee and all participants authorized therein must comply with all of the conditions of this permit and with all reasonable directions of the United States Park Police.
2. All sidewalks, walkways, and roadways must remain unobstructed to allow for the reasonable use of these areas by pedestrians, vehicles and other park visitors.

PERMITTEE IS RESPONSIBLE FOR READING AND ADHERING TO ATTACHED  
ADDITIONAL CONDITIONS.

### Additional Conditions

Permit No: 20-1357

Person(s) In Charge: Rob Weaver & Stephen Brown

Organization: Rob Weaver-Jericho March.org

The Mall-Center Turf Panel #22, Mall and Gravel Panel #23, @ 9<sup>th</sup> Street

December 11-12, 2020 (12:01 a.m.-12:00 a.m.)

**Event Overview:** Permittee will assemble on the Mall, gravel panel #23 and turf panel #22, to conduct a prayer and worship demonstration, consisting of a peaceful protest, prayer and fasting, in support of election integrity, transparency and reform. Activity will involve speeches, prayers and worship, interspersed with videos and music. Permittee has indicated that civil disobedience is not a part of the planned demonstration. Permittee has estimated a maximum crowd size of approximately (5,000) participants.

### **TIMELINE:**

#### **December 11, 2020**

12:01 a.m.-09:00 p.m.

Deliveries/Setup Event Site

09:00 p.m.-11:59 p.m.

Overnight Site Security

#### **December 12, 2020**

12:00 a.m.-08:00 a.m.

Overnight Security

08:00 a.m.-09:30 a.m.

Permittee Onsite/Finale Set & Prep/Sound Checks

**09:30 a.m.-04:00 p.m.**

**Demonstration (See Attached Run of Show)**

04:30 p.m.-12:00 a.m.

Tear down/Load out/Cleanup/Depart

### **EQUIPMENT LIST:**

#### **The Mall-Gravel Panel #23 & Turf Panel #22**

Ground Cover

One (1) Generator

One (1) Podium

One (1) Camera on Platform

One (1) Hand-Washing Station

One (1) Medical Tent (10' x 10')

One (1) Stageline 320 (40' x 32')

One (1) Sound Engineer Tent (10' x 10')

Nineteen (19) Portable Toilets (16-Reg. & 3-ADA)

One (1) Small Trailer-Mounted Video Screen

One (1) VIP Tent (40' x 60') **No Sides/Panels**

One (1) Holding Tent (20' x 20') **No Sides/Panels**

One (1) Sound System w/Supporting Equipment

Additional Conditions  
Permit 20-1357

**This permit authorizes Rob Weaver, Jericho March.org, the use of The Mall-Center Turf Panel #22, and Gravel Panel #23 at 9<sup>th</sup> Street, and may be amended to reflect changing conditions. This permit is applicable only for the use of the areas designated above, and during the times designated above.**

**GENERAL CONDITIONS:**

The Permittee agrees to be fully responsible for the management, performance, use and safety within the permit area involved in this authorization until the work is completed, inspected, and accepted. The Permittee hereby agrees to accept responsibility and assume liability for any and all tort claims arising from the actions or omissions of its representatives or employees directly or indirectly connected with the work performed, the maintenance of, or the use of this facility to the greatest extent permitted by law.

Permittee is responsible for providing all necessary equipment/objects to conduct this activity. All equipment must be removed from park property immediately following the conclusion of the event. Items left on park property will be considered abandoned property and will not be the responsibility of the National Park Service.

Permittee and all participants authorized therein must comply with all of the conditions of this permit and with all reasonable directions of the National Park Service and United States Park Police personnel.

All sidewalks, walkways, and roadways must remain unobstructed during the construction activities to allow for the reasonable use of these areas by pedestrians, vehicles, and other park visitors.

Prior to beginning construction or placement of all facilities, Permittee is responsible for contacting its contractors or agents, to coordinate all specific logistical requirements.

Permittee and its representatives will follow instructions provided by National Park Service and United States Park Police personnel with regard to accessing park property and will take all precautions to protect park resources.

All requests, correspondence and meetings with the National Park Service pertaining to this permit shall be scheduled by the Permittee only. All contractors, subcontractors or consultants must channel their requests through the recognized representatives of the Permittee, who in turn will contact the National Park Service.

Additional Conditions  
Permit 20-1357

Permittee shall insure that all logistical equipment/structures placed on park property adhere to all applicable codes, standards, and regulations including but not limited to BOCA, OSHA, USPHS, NFPA 101, IBC 2006, IFC 2006 and ADA, covering requirements including but not limited to safe construction practices and grounding of generators.

All activities pursuant to this permit shall be in compliance with the requirements of Title VI of the Civil Rights Act of 1964 (78 Stat. 252; 42 U.S.C. 200d et seq.); Title V, Section 504 of the Rehabilitation Act of 1973 (87 Stat. 394; 29 U.S.C. 794); the Age Discrimination Act of 1975 (89 Stat. 728; 42 U.S.C. 6101 et seq.); and with all other Federal laws and regulations prohibiting discrimination on grounds of race, color, national origin, handicap, religion, or sex in employment and in providing facilities and services to the public. Nothing in advertising for employees shall be done which will prevent those covered by these laws from qualifying for employment.

Permittee shall require all employees and/or contractors to exercise all normal and reasonable safety precautions and to protect park visitors and property. Suitable devices such as barricades, fences, lanterns, etc. necessary for employee and public safety, shall be provided and adequately maintained. Such devices require the concurrence of the NPS Permit Specialist or designated representative.

Throughout the course of this permit, Permittee, its contractors and agents are responsible for taking all necessary precautions to minimize resource damage throughout the permitted area. In addition, Permittee must supervise their contractors and employees during set-up and teardown to assure that there is no damage to park resources.

No wires or cables are to be attached to trees or other vegetation or flown aerially. Any wires or cables required in support of permitted activities must be run on the ground, in troughs or yellow jackets, to prevent tripping hazards. Troughs covering pedestrian walkways must be ADA compliant.

All laws, rules and regulations applicable to the area covered by this permit remain in effect.

The Permittee shall be responsible for the cost and repairs to any structures, facilities, roadways, sidewalks, infrastructures, sod, soils, or landscape vegetation on park land damaged by the work authorized under this permit.

The area must be left in substantially the same condition as it was prior to the activities authorized herein, and all litter shall be placed in the trash containers provided.

Additional Conditions  
Permit 20-1357

This permit is applicable only for the use of the areas designated above, and during the times designated above. All video screens, sound towers, tents, generators and portable toilets, constructed or placed under this permit will be **removed by Midnight, December 12, 2020.**

The National Park Service reserves the right to immediately revoke this permit at any time should it reasonably appear that the activity presents a clear and present danger to the public safety, good order or health, or if any conditions of this permit are violated.

A copy of this permit shall be available on site for inspection by National Park Service and United States Park Police personnel.

All proposed amendments or additions to this permit and all proposed locations of vehicles, equipment, storage, installations of any kind, areas of activity, work and power plans shall be submitted to the NPS for prior written approval prior to the installation of facilities. These proposals shall be in map or diagram form suitable for on the ground inspection.

Permittee will provide an on-site coordinator to be accessible to the National Park Service and the United States Park Police personnel at all times during construction or set-up activities and during dismantling of facilities post-event. **Permittee has identified Stephen Brown, Production Manager(b) (6) as the onsite coordinator.**

Permittee, contractors and agents, are required to meet OSHA guidelines regarding employee/subcontractor work schedules. No employee/subcontractor is to work no more than 10 hours within a 24hour period. Any work required beyond the 10-hour limitation will need to be requested to the NPS in advance for review and approval by the Superintendent, National Mall & Memorial Parks.

**SPECIFIC CONDITIONS FOR THE MALL PERMIT SITE:**

**Resource Protection:**

Throughout the course of this permit, the Permittee will require its employees/volunteers, and contractors, to exercise special care and attention to protect the resources of The National Mall, and its' environs.

In addition, Permittee must supervise their contractors and employees during set-up and teardown to assure that there is no damage to park resources.

Additional Conditions  
Permit 20-1357

Pursuant to 36 CFR 7.96(g)(5)(xii), 2.31(a)(2),(3) the destruction, defacement, damaging, alteration, or removal of park resources or facilities is prohibited. No item, including signs or banners, may be attached to park trees, plantings, benches, statues, walls, fences, or other park property.

**Walkways:** Stages, stands and other facilities approved for placement on gravel and/or cement walkways, must be supported by 3/4 inch plywood or similar material. *Material to be used must be approved in advance by NPS.*

Digging or trenching is prohibited on parkland in conjunction with this permitted event.

**Landscape:** Lawn, trees, shrubs, and the irrigation system, curbs, electric conduits, and water mains located within the permit area, shall be protected from adverse impacts associated with event activities.

**Heavy Equipment near Trees and Shrubs:** Prior to construction activity, the NPS must approve the use of any heavy equipment (crane, back hoe, etc.) placed under or near trees or shrubs. Please note that approval for this type of activity is rare.

If approval is granted, the permit holder must comply with a number of regulations. These include (but are not limited to) the application of 6" to 8" inches of wood chips (shredded or chipped hardwood, with particles not to exceed 1/2 x 6 inches, with uniform texture free from soil, stones, weeds, sticks, clay, or other materials undesirable for the intended or injurious to growth), on top of geotextile fabric. On top of the wood chips, a metal plate, or other rigid plates designed for this purpose (Matrax LD or approved equivalent), shall be placed to distribute the load. Equipment must remain on top of the plate.

**Structures on Tree Panels:** To minimize soil compaction and to protect the continued health of the trees, neither structures nor parking or operation of equipment, is permitted within any tree canopy (root zone) area or in any of the Tree Panels. This includes but is not limited to stages, booths, audio/visual towers, tents and lighting. As a condition of the permit, the Permittee may be required to install tree-protection fencing.

**Turf Protection:** For the purpose of protection, any area not paved shall be treated as lawn. No heavy equipment (cranes, backhoes, etc.), vehicles or stock piling of materials is permitted on turf areas without the approval of the NPS. Limited activity of this sort may only take place with prior, written approval from the NPS, in defined areas and with load spreading techniques.

Additional Conditions  
Permit 20-1357

If allowed, vehicles moving heavy equipment on turf must be supported by some form of heavy-duty plastic material that clicks or snaps together to avoid movement of material and tripping hazards. ***Material to be used must be approved in advance by NPS.***

Temporary turf cover materials used for vehicular travel (load-in and load-out) should be removed as soon as possible to prevent damage to turf.

The temporary covering of turf for events allows for pedestrian walkways, temporary flooring, structure, support, and vehicle access, with special permission from NPS

Permittee is encouraged to secure products such as Terraplas, Terratile, Clear Road and Matrax LD or equal that is ADA-compliant, interlocking mats that are translucent and allow UV light to pass through to the grass below. The products must either be perforated or ribbed, allowing for ventilation and some moisture access to the turf below. Material to be used must be approved in advance by NPS. **NOTE: In case of freezing on interlocking mats, permittee is authorized to use “Propellant #49, Peladon and/or any other Calcium Chloride product to melt ice.”**

Display vehicles, stored equipment, materials, etc., on walkway areas shall be supported by 3/4 inch plywood or temporary interlocking protective material heavy enough to support the wheels and jacks of all vehicles/mobile units.

Parking of Permittee(s) employee's or subcontractors' private vehicles for conduct of this permit's activities, in tree panels and/or on turf or walkway areas is prohibited.

**Inclement Weather Turf Protection:**

No vehicles or personnel of any type related to a permitted event are allowed on any NAMA Turf Zone as Designated in the Turfgrass Management and Special Events Guide, for the purpose of setting up, rehearsing, enactment, or tearing down a permitted event during a **Wet Weather, Frost, Frozen Soil, or Snow Event**, as to be determined prior to initiation or operation by NAMA Turf Manager, Mr. James Snell, (202) 738-7434.

**In case of freezing on interlocking mats, permittee is authorized to use “Propellant #49, Peladon and/or any other Calcium Chloride product to melt ice.”**

**Site Furnishings:**

Permittee may not move or otherwise harm existing site furnishings, including but not limited to posts and chains, benches, waste receptacles, and drinking fountains. No attachments may be made to, pass through, or be affixed to existing site furnishings.

Additional Conditions  
Permit 20-1357

Additional temporary site furnishings may be provided by the Permittee; however, these furnishings must meet the guidelines set forth in this document. No permanent installation of site furnishings is permitted.

**Hard Surfaces:**

Temporary protection of all hard surfaces affected by the construction or erection of staging elements, sound towers, camera equipment, cranes, lighting structures, miscellaneous equipment, or scaffolding must be provided. All protective pads or cushioning devices shall be non-staining.

**Oil or Hydraulic Fluid Leaks:** Temporary protection of hard surfaces shall be used where motorized vehicles are operating to avoid oil and/or hydraulic fluid leaks. Should a leak of this type occur, the permit holder shall be held liable for clean-up, at no expense to the NPS.

**Structures:**

To protect the turf areas, it is strongly encouraged that structures be placed on hardscape areas where it would not impact the turf. The NPS may allow under permit the use of turf areas, however, if the structure and its equipment use the turf protection measures as detailed throughout this permit. All structures must minimize all points that come in contact with the turf.

All structures must be able to withstand a minimum wind gust of 30 mph.

All structures must follow the guidelines below and adhere to National Fire Protection Association codes.

Any temporary structure exceeding over 500 square feet require the submission of engineered drawings stamped by a structural engineer licensed in the United States. Drawings should include tent support lines identified by flagging.

All screws and fasteners used in the construction of structures should be policed during the build and retained during removal. Screws and fasteners should be made of a non-aluminum metal, enabling a post-event magnet sweep to ensure all pieces are removed from the site.

**Tents:**

Permittee shall provide a certification statement confirming all temporary structures comply with the following requirements: local building/life safety codes, ASCE 7-05, NFPA-101, IBC 2006 and IFC 2006.

Additional Conditions  
Permit 20-1357

To protect the turf, tents should be located on hardscape surfaces including gravel, asphalt, concrete, granite, wood, etc. tents and other similar structures must be secured using cement blocks and/or water-filled ballast tanks. No stakes are permitted on hardscape surfaces. *With a site “radar” utility survey and NPS approval, tent stakes no more than thirty-six inches (36”) may be used to anchor tents in the turf.*

Non-freezing, no-staining liquid approved by the NPS (water treated with bio-degradable antifreeze) in plastic containers shall be used as weighing elements. No sand bags are permitted for this purpose.

At takedown, all water filled ballast tanks must **NOT** be pumped to the nearest catch basin (located within the curbs) or to the area drains located throughout the hardscape. Tanks may not be drained into the turf or pumped in gravel areas. This prevents creation of muddy puddles and soft areas in the turf and also limits runoff of gravel into area drains. *All water filled ballast tanks must be removed/transported from parkland.*

Tents must be constructed of fire-retardant material. A certificate of fire retardant material must be provided as confirmation to the NPS. Smoking is prohibited in any tent.

Tents should be placed at least 10 feet apart.

**Stages, Lighting, and Audio & AV Towers:**

Stages, lighting trusses, video walls/screens and any scaffold towers used to support them must be constructed to conform to architectural plans stamped by a licensed structural engineer. Permittee is responsible for installing a barricade, bike rack and/or fencing around all lighting, audio and AV towers to secure them from the general public.

If authorized by permit stages may only have skirting on the audience-facing area and only during the event, to allow maximum light and air to reach the turf, thereby limiting damage.

**NOTE:** Permittee is responsible for providing (2) portable fire extinguishers, minimum rating 2A: 10BC by each stage exit

**Fencing:**

Any fencing or other physical barriers planned for the event must be shown on the site plan and called out by type.

Fencing must be designed in such a way that it does not prevent safe egress from the event.

Fencing located on turf areas may not be staked into the ground unless authorized by permit.

Additional Conditions  
Permit 20-1357

If authorized, stakes must be no longer than thirty-six inches (36") driven into the ground. Stakes must avoid all underground pipes and fixtures. In the event chain linked fencing is used, security barbed wire is prohibited.

Concrete barriers (such as jersey barriers) are permitted only on hardscape areas.

Tree protection fencing may be required as a condition of the permit.

**Specific Conditions for Mall-Center Turf Panels-3<sup>rd</sup> to 14<sup>th</sup> Street:**

To protect the turf areas, it is strongly encouraged that structures be placed on the Mall's hardscape areas where it would not impact the turf. The NPS may allow under permit the use of turf areas, however, if the structure and its equipment use the turf protection measures as detailed throughout this permit. All structures must minimize all points that come in contact with the turf.

**Logistical vehicles accessing the Mall with appropriate Vehicle Access Passes must drive at least five feet (5') away from the Mall center panel's granite curbs.**

**Event vehicles of any kind (delivery, cranes, forklifts, golf carts, trailers, exhibit trailers, etc. are not allowed on the Mall turf of curbs.**

**Back of house, trailers, bone yards, generators portable toilets etc. are not permitted on the turf panels or curbs.**

**Vehicle mounted signs, LED screens, media towers and light towers are not permitted on the turf panels or curbs.**

**Equipment used for set up must be kept at least five feet (2.5') away from the granite curbs.**

**All temporary facilities approved for placement on the Mall center panels must be hand carried onto the panels from the gravel walkways.**

**Stakes required for anchoring tents, scaffolding and other structures approved for placement on the Mall center turf panels must be thirty-six inches (36") or smaller.**

**No staking within the designated "No-staking Zone" to protect irrigation lines. The no staking zone is the area at least ten feet (10') away from the edge of the granite curbs and at least ten feet (10') away from either side of the center line of the Mall turf panel. Specific areas must be designated on approved site plan prior to staking.**

**Planting strips, along the 3<sup>rd</sup> and 7<sup>th</sup> Street edges of the turf panel, are no staking zones.**

**Water filled ballast tanks and/or cement blocks may not be used on the turf.**

**Appropriate turf cover/ground protection material approved by NPS, is required for the setup of chairs or other seating on the turf panels.** Permittee is encouraged to secure products such as Terraplas, ArmorDeck 1, Supa Trac Translucent, Clear Road, Groundshield, RGT Panel Pedestrian or equal that is ADA-compliant, interlocking mats that are translucent and allow UV light to pass through to the grass below. The products must either be perforated or ribbed, allowing for ventilation and some moisture access to the turf below. Material to be used must be approved in advance by NPS. **Plywood cannot be used as turf cover/ground protection. NOTE: In case of freezing on interlocking mats, permittee is authorized to use “Propellant #49, Peladon and/or any other Calcium Chloride product to melt ice.**

**Structures on Tree Panels:** To minimize soil compaction and to protect the continued health of the trees, neither structures nor parking or operation of equipment, is permitted within any tree canopy (root zone) area or in any of the Tree Panels. This includes but is not limited to stages, booths, audio/visual towers, tents and lighting. As a condition of the permit, the Permittee may be required to install tree-protection fencing.

**Crate Storage and Bone Yards on the Mall:**

Crate storage, bone yards and staging areas may never be located within the tree panels and turf panels; they must be located on hardscape areas or off-site

Bone yards may not be located on Madison or Jefferson Drives.

Staging areas for pallets must be designated for set up and take down only. Off-site preparation and construction in bone yards is strongly encouraged. On-site staging areas are to be used for no more than two (2) days; staging and storage requiring lengths of greater than two (2) days must occur off-site.

**Logistical Vehicles/Site Access – The Mall-Gravel Walkways:**

Commercial vehicle access to the Mall gravel walkways for set-up, event, and tear down will be allowed on a reasonable basis to be monitored by NPS/USPP. Commercial logistical vehicle access onto the Mall gravel walkways must be coordinated with Sgt. Zakiyya Mahasin and/or Sgt. Eddie Burnett, United States Park Police. Permittee must contact SSgts. Mahasin and/or Burnett at (202) 610-7092 to acquire any/all vehicle access passes. **Permittee will be issued (6) USPP Logistical Vehicle Access Passes.**

Site access for general delivery and hauling of materials shall be from adjacent roadways as demonstrated by the Permittee's site plan and approved by NPS.

Additional Conditions  
Permit 20-1357

Access shall be along gravel walks and every effort must be made to avoid operating vehicle through tree groupings or near individual trees.

**Access onto the gravel walks will be from 7<sup>th</sup> Street.** Logistical vehicles entering/exiting the Mall are not permitted to enter/exit walkways from Madison Drive nor Jefferson Drive.

***Extreme*** caution must be exercised when driving on the gravel walks. Pedestrian access must be maintained at all times, however, if for safety reasons, an area has to be temporarily closed to the public, Permittee, will make their request to NPS for approval.

Parking of Permittee(s) employee's or subcontractors private vehicles for conduct of this permit's activities, in tree panels and/or on turf or walkway areas is prohibited.

**Except when being driven on established public vehicular roadways: Logistical equipment and vehicles, including gas and electric carts, must not exceed 5-mph. All trucks with a GVW of over 7500 pounds, and equipment such as bucket trucks, platform lifts, forklifts, and cranes, must be accompanied by a walking spotter when moving or operating in an area accessible to the public.**

Vehicles must have headlights on while in motion. All individuals operating Golf Carts on NPS property must have a Valid Driver's License. All Golf Carts operating after dusk, must have fixed and/or portable illumination. **Driving on Mall turf is prohibited.**

**Emergency Access:**

All pathways and roadways must remain open and unobstructed. A minimum twenty foot (20') drive aisle must remain open at all times for emergency vehicle egress. No temporary or permanent structures may be located within the egress lane. The egress drive aisle must be called out on the site plan.

Permittee must receive prior, written approval from the NPS/USPP if traffic is to be blocked at any time during preparation for, during the course of, and after a special event or demonstration (at any location in the immediate vicinity of the National Mall). If District of Columbia streets are to be blocked, the appropriate authorities must be notified as well.

**THE AREA MUST BE CLEAR OF LOGISTIC VEHICLES NO LATER THAN ONE HOUR PRIOR TO THE OPENING OF THE EVENT EACH DAY.**

The Permittee will be responsible for any injuries and/or damage to government property occurring as a result of non-compliance with the permit conditions contained herein.

### **PARKING PERMITS**

Permittee is responsible for parking in available public parking spaces. No overnight parking is permitted.

Unloading and loading of all other equipment must take place from the street curb only. All vehicles must park in designated, available public spaces. Madison and Jefferson Drives are metered parking areas. Permittee is responsible for paying \$2.00 per hour, during the hours of 7:00 a.m.-8:00 p.m. each day. **Note: Parking on Madison Drive and Jefferson Drive on Saturday, December 12, 2020 is prohibited.**

### **PARKING - MEDIA**

On December 12, 2020, satellite trucks (no crew vehicles) will be directed to park on the south curb of Madison Drive, on a space available basis. No vehicles permitted on the grass or pedestrian walks. All satellite trucks must be parked by 9a.m. All cable running to the press stand must be covered to avoid tripping hazards.

Permittee does not have exclusive use of the area including sidewalks and roadways. No interference with the pedestrian traffic and no blocking entrances, sidewalks, nor driveways allowed. No impeding vehicular traffic permitted. All areas remain open to the general public at all times.

### **Electricity:**

**All electrical appliances, fixtures, equipment, or wiring shall be installed and maintained in accordance with NFPA 70, National electrical Code, NFPA 1:11.1.2**

No electricity is available on site. Permittee may provide own gasoline and/or solar powered generator. Generators will be installed in accordance with the site plan, D.C. Fire Department guidelines, and safely installed per manufacturer requirements. **The fueling/refueling of gasoline powered generators on parkland is prohibited.**

**The storage of additional fuel is prohibited.** At a minimum, for hand carted generators, 1" professional outdoor grade plywood, or similar material must be placed underneath the generator to protect the underlying surfaces from potential weight and vibration damage and fluid leakage. Generators must be encased with a secondary drip containment unit.

Tow plant generator(s) must have an internal secondary drip containment unit and/or placed in containment troughs and be fenced in or closed in with bike rack.

Additional Conditions  
Permit 20-1357

To reduce the potential for accidental contact, **generators and /or light towers must be enclosed within a security fence/barricade at least 48-inches in height.**

Generators and other internal combustion power sources shall be separated from temporary membrane structures and tents, by a minimum of (5) feet.

All portable electrical generators shall have a portable fire extinguisher, mounted nearby with a minimum rating of 60BC and a secondary containment unit maintained clear from any debris, oil or rain water.

All wires must be covered by mats and/or yellow jackets to prevent tripping hazards. The cord must be in good condition, of sufficient gauge to accommodate the electrical load of equipment and must be properly grounded.

All cables, power lines, etc. shall be run in an orderly manner and contained in matted yellow jackets that provide for safety and ADA accessibility. No power lines can be strung between trees.

Balloons and glass beverage containers are prohibited on parkland.

Special attention is drawn to the last sentence, item #7, last page of this permit, concerning sound amplification. All sound amplification equipment shall be limited such that it will not unreasonably disturb nonparticipating persons in, or in the vicinity of, the area.

### **OVERNIGHT SECURITY**

Permittee is responsible for providing security for any equipment left on parkland overnight. **Security must be unarmed.** Coordinate security needs with Sgt. Zakiyya Mahasin and/or Sgt. Eddie Burnett, U. S. Park Police, 202-610-7092. Permittee has indicated that **Archangel Global Security LLC** (b) (6) will provide overnight security.

**CAMPING IS PROHIBITED.** Camping is defined as the use of the park land for living accommodation purposes such as sleeping activities, or making preparations to sleep (including the laying down or bedding for the purpose of sleeping), or storing personal belongings, or making any fire, or using any tents or shelter or other structure or vehicle for sleeping or doing any digging or earth breaking or carrying on cooking activities. The above-listed activities constitute camping when it reasonably appears, in light of all the circumstances that the participants, in conducting these activities, are in fact using the area as a living accommodation regardless of the intent of the participants or the nature of any other activities in which they may also be engaging.

Additional Conditions  
Permit #20-1357

### **PORTABLE RESTROOMS**

If attendance is expected to exceed the capacity of nearby NPS public comfort facilities, or if none exist in or near the requested park area, the Permittee must provide portable, temporary toilets with sufficient capacity to accommodate anticipated attendance. The general guideline is a minimum of one (1) portable toilet per three hundred (300) people, of which at least twenty percent (20%) must be handicapped accessible.

All portable toilets must be placed in groups of (5) or less, with a (6') clearance between each group.

### **HEALTH, MEDICAL AND SAFETY PLAN**

The NPS adheres to the District of Columbia Department of Health, Health Emergency Preparedness & Response Administration guidelines established according to the number of people anticipated at an event. To ensure the safety and wellbeing of all who participate, Permittee is responsible for developing an event health, medical and safety plan. The plan must contain an overview of the event and the health, medical and safety procedures that will be utilized in an emergency during the event. The following guidelines, established according to the number of people anticipated at an event, will ensure that appropriate medical coverage is provided throughout the event:

#### **Parade & Other Outside Venue Event:**

**An anticipated crowd size of less than 2,500** – Permittee is required to have CPR & 911 Access and recommended to have One (1) Basic Life Support (BLS) Medical Aid Station and One (1) Mobile Medical Team.

**An anticipated crowd size of 2,500-15,000** – Permittee is required to have CPR & 911 Access and One (1) Basic Life Support (BLS) Medical Aid Station and One (1) Mobile Medical Team. One (1) Advanced Life Support (ALS) Medical Aid Station and One (1) Basic Life Support Ambulance is recommended.

Permittee is responsible for ensuring that all contracted Emergency Medical Services Agencies that provides EMS services during a permitted event must be certified as a District EMS Agency, whether or not it operates an ambulance or response vehicle. An Emergency Medical Services Agency certification shall not be transferable.

Permittee has indicated that **GW Emergency Medical Response Group**, will provide first aid/medical service onsite. (See Site Plan) Medical assets will include:

**One medical tent staffed by (1) DC-certified NRP & (1) DC-certified EMT. Providers will have necessary medical supplies, equipment, and communications capability.**

Additional Conditions  
Permit #20-1357

**Permittee has developed a COVID-19 mitigation plan. Permittee is responsible for monitoring and administering the Jericho March plan as outlined in the plan below.**

Participants are expected to follow applicable health and safety protocols as recommended by the C.D.C. and local D.C. agencies, including the use of social distancing and a mandatory face masks policy while in public, and to monitor government orders that may impact travel. Anyone with symptoms consistent with COVID-19 should refrain from participating in person.

**Attending Jericho March Roar event:**

**Preparation-**

- Stay home if you have been diagnosed with COVID-19 (symptoms of COVID19), if you are waiting for COVID-19 test results or may have been exposed to someone with COVID-19.
- Bring supplies to help stay healthy—for example, masks hand sanitizer with at least 60% alcohol, and bring drinking water.

**Using social distancing and limiting physical contact:**

- Maintain a distance of at least 6 feet or more from people you don't know. Be particularly mindful in areas, such as check-in areas, and routes of entry and exit.
- Wearing masks is mandatory.
- Wash your hands with soap and water for at least 20 seconds or use hand sanitizer immediately after touching any common surfaces like door handles, and toilets.

**Protection of the Public & General Welfare:**

Event fence, chain link fence and/or bike rack shall be erected by the Permittee to contain the event areas and provide necessary resource protection, security and buffer zones. The Permittee(s) is responsible for encircling generators, light and sound towers, jombotrons etc. with event fence and/or bike rack.

**Means of Egress:** No furnishings, decorations, or other objects shall obstruct exits or their access thereto, egress therefrom, or visibility thereof.

**All personal/private security for VIP's, speakers and other guests, must be unarmed.**

The possession of firearms on National Park Service property, is subject to local and state firearms laws. Pursuant to D.C. Code §7-2509.07, pistols may not be carried at any point at a distance less than 1,000 feet from a demonstration and/or special event. Any person failing to adhere to this law, is subject to arrest and prosecution.

Additional Conditions  
Permit #20-1357

This permit serves as notice of this provision. It is the responsibility of permittee and visitors to understand and comply with all applicable Federal, state and local firearms laws and regulations, including laws authorizing or prohibiting open carry, before entering a National Park. Permittee must notify participants, marshals and volunteers using electronic and/or printed notices of all applicable firearms laws in the District of Columbia.

Any person who must carry a firearm as part of an official law enforcement duty in support of a permitted event, must contact the United States Park Police, Special Events Office, (202) 610-7092.

Intentional or reckless harassment of park visitors with physical contact is prohibited.

The creation or maintenance of a hazardous or physically offensive condition on parkland is prohibited.

Using, possessing, storing, or transporting explosives, blasting agents, explosive materials, fireworks and firecrackers on parkland is prohibited.

Lighting or maintaining a fire, or the use of open-flame decorative devices, waxed candles, oil lamps, torches and gas lights are not authorized by this permit.

**Event Security and Public Safety:**

NPS Permits Management Specialist and/or Event Monitors may be assigned for on-site supervision each day of the event. In addition, U.S. Park Police officers may also be assigned to provide for public safety. All reasonable instructions given by authorized NPS or U.S. Park Police personnel must be obeyed promptly. Failure to comply with all the terms and conditions of the event permit may constitute grounds for revocation of the permit and immediate termination of the event and/or citation against the violator.

Beginning with event set-up and continuing throughout the permit term until tear-down is completed, the Permittee is responsible for ensuring that no equipment or materials are left unattended at any time, including overnight. This can be accomplished by providing qualified persons from the Permittee's organization, by contracting with a commercial security firm, or by making prior arrangements with the U.S. Park Police for their services.

The Permittee is responsible for additional safety and crowd management and selecting a contract security company to provide 24-hour security of equipment for the event, from installation through load out.

Additional Conditions  
Permit #20-1357

Security personnel can be assigned to security posts at VIP access points and exhibit areas. This can also include office, program, and storage areas. Be advised no armed security is allowed at any time.

All services, including, but not limited to, VIP access control, VIP protection, and overnight security rounds, must be provided by employees of licensed, incorporated security companies. All other security functions must be provided by the U. S. Park Police. Contracted security firms must meet the following criteria:

**All security personnel must be unarmed.**

Contractor must provide appropriate insurance.

All contracted security personnel must possess a current District of Columbia Security Guard License.

All contracted security personnel must wear proper uniforms, and identification, and display a professional and courteous attitude.

Contractor must have the ability to supply additional personnel as required.

Contractor must attend scheduled briefing and operational meetings.

Contractor must abide by all relevant laws and rules of conduct.

Security fencing and crowd control measures must be shown on the site plan.

**Permittee has indicated that they have contracted Archangel Global Security LLC, (b) (6), to provide overnight and onsite security, and transportation security will be provided by Limousines Unlimited, LLC, (b) (6)**

**Credentials:**

All staff, volunteers and vendors involved in the construction and teardown of the temporary structures and all event components must have some form of identification. The credentials will identify the person by name and category and include any event logo. Colored copies of all credentials will be provided to the NPS Permits Management Specialist and U.S. Park Police in advance of the construction, event and tear-down.

Relevant credentials to include:

- Press
- VIP
- Artist
- Security
- Production Staff
- All Access

**Demonstration Marshals:**

Permittee will provide approximately (100) demonstration marshals who will wear (**Jericho March Lanyards**). Each of your demonstration marshals will help maintain order among your participants. Demonstration marshals should be aware of their responsibilities and location(s) where they will be stationed and have received from demonstration organizers, adequate training and instructions.

Demonstration marshals should be aware of the time and location of the assembly and any march routes, the location of any first aid stations, water and toilets, be knowledgeable of the NPS permit conditions, be able to communicate with law enforcement, as well as what to do if they think they observe any problems. While demonstration marshals do not act as police, they do help maintain order among participants, explain to non-participants that a particular area may be under permit, and be able to alert their supervisor and the United States Park Police in the event that they observe a problem on Federal parkland.

**Reunification:**

Permittee shall provide a reunification tent/trailer for lost persons. The reunification tent/trailer location will be determined, based upon the site plan, by the Permit Management Specialist and the United States Park Police supervisor. A power supply should be provided for a land line.

**Accessibility:**

The Americans with Disabilities Act (ADA) applies to temporary services, programs, and activities. Temporary facilities and structures must comply with the ADA Standards.

Policies and operations for the event must meet the nondiscrimination requirements of the ADA, including, but not limited to provision of accessible parking, routes through site, food service, toilet, facilities, and assembly seating.

**FILMING/PHOTOGRAPHING**

Permittee may film and/or photograph this event for documentary and/or historical purposes.

Cameras, equipment, crew, and participants in this filming may not be situated on sidewalks, paths, or roadways that prohibit the passage of pedestrians and/or vehicles. No equipment may be attached and/or affixed to any plant materials (i.e. trees and shrubs) or structures. Running cables thru trees is prohibited.

Additional Conditions  
Permit 20-1357

All equipment will be portable and self-contained with all stands using rubber tips or matting as a base. All equipment must be hand carried/hand carted to filming location(s).

All satellite/microwave trucks must be parked on Madison Drive. All cable running to press stands and other coverage locations must be covered to avoid tripping hazards. **No cables can be run through trees.** Permittee will be responsible for informing the media about covering their cables. Any cables not properly covered will be removed. All satellite/microwave trucks must be parked by 9a.m.

Cabling across entrances and handicapped accessible ramps must be ADA approved and cannot impair or prevent access. All cables must be covered to prevent tripping hazards.

**Under no circumstances will any equipment, including lighting, be allowed to be placed and/or attached to any trees, planters, light poles, structures, etc.**

**TRASH COLLECTION/REMOVAL:**

Permittee has indicated that trash and debris generated as a result of this permitted activity will be bagged in clear plastic bags and placed in a dumpster backstage.  
Permittee has indicated that Mark Nash 443 875 3255, will provide trash services.

**GLASS:** No glass bottles and/or containers are permitted on parkland

**BALLOONS:** No balloons of any type are permitted on parkland.

**Evening Work:**

Evening work may be conducted for both load in and load out periods with prior permission by the Superintendent. For work conducted during evening hours a portable lighting system is required. In addition all motor vehicles including golf cart(s) must have lights. Generally night work is not allowed after 10:00 pm and prior to 6:00 am.

**Adverse Weather Policy:**

When there is a threat to public health or safety, the Superintendent and/or his/or her designee, may close the National Mall or an event being held there for such duration as determined necessary to ensure the safety and wellbeing of the public. Such situations have occasionally occurred in the past where park areas have been closed due to severe weather warning of heavy snow and thunderstorms with lighting and high winds.

Additional Conditions  
Permit 20-1357

Where an area is ordered closed due to a weather-related public safety threat, pursuant to 36 CFR 2.32(2) people must comply with official directions to leave the closed area and relocate to safer sheltered locations.

Closing or canceling a Permitted Event is a last resort. However, while most events will be held despite the weather, the Permittee is responsible for providing updated information in the event schedules and drop-off points may change. **If a snow emergency is declared, programs may be closed early or canceled.**

The Permittee agrees to save and hold harmless the United States of America, and its agents and employees, from any and all claims, damages, suits at law or equity, of whatever kind or nature, for damages to or loss of property, or injury or death to persons resulting directly or indirectly from, or attributable to the Permittee or its participants (service providers) in conjunction with activities authorized by this permit.

**ADDITIONAL PERMITS**

Permittee is responsible for contacting the Metropolitan Police Department, (202) 671-6522, and DCEMA (202) 727-6161 and the United States Capitol Police (202-224-8891, to obtain the necessary paperwork and/or permit for those portions of this activity that fall within each respective jurisdiction.

Permittee is also responsible for contacting Inspector Krista Giaccio, (202) 479-2975, the Supreme Court of the United States, Office of Threat Assessment & Intelligence, to coordinate the use of the Supreme Court sidewalk.

**GOV. CONTACTS:**

Contact Leonard D. Lee, Division of Permits Management, National Park Service, 202-245-4715 to finalize permit logistics.

Contact James Snell, Division of Facility Maintenance, 202-738-7434, to finalize turf protection and/or snow removal logistics.

Contact Sgt. Zakiyya Mahasin and/or Sgt. Eddie Burnett, U.S. Park Police, (202) 610-7092, to finalize U.S. Park Police logistics.

Contact Officer Scott C. Earhardt, Metropolitan Police Department, (202) 671-6529, to finalize MPD planning and logistics.

Contact Sgt. Blane Endale, United States Capitol Police (202-302-2343, to finalize planning and logistics for the use of U.S. Capitol property.

Additional Conditions  
Permit 20-1357

If the Permittee decides to cancel or substantially modify its event, the Permittee must immediately advise both the United States Park Police Special Events Sergeant at (202) 610-7092 and the Division of Park Programs at (202) 245-4715.

**A copy of this permit must be on hand while under the authority granted.**

**Event Production person(s) in charge:**

Stephen Brown. (b) (6)

JT Thomas. (b) (6)

Frank Snipes (b) (6)

Joey Davis (b) (6)

Eric Rung. (b) (6)

Mark Nash (b) (6)

**ATTACHMENTS:**

Mall Site Plan


Run of Show

Marshall ID Lanyard

VIP Motor Vehicle Placard

3. All laws, rules and regulations applicable to the area covered by this permit remain in effect.
4. No fee may be collected, donation solicited, or commercial activity conducted. No items may be sold or offered for sale except for books, newspapers, leaflets, pamphlets, buttons and bumper stickers which contain a message related to your demonstration or special event. No other merchandise may be sold or offered for sale. A stand or structure used for the sale of permitted items may not exceed one table per site, which may be no larger than 2 1/2 feet by 8 feet or 4 feet by 4 feet. The dimensions of the sales site may not exceed 6 feet wide by 15 feet long by 6 feet high.
5. The area should be left in substantially the same condition as it was prior to the activities authorized herein, and all litter shall be placed in the trash containers provided.
6. This permit is applicable only for the use of the area designated above, and during the times designated above, or in any area as may hereafter be designated by the United States Park Police.
7. The use of sound amplification equipment, other than hand-portable sound amplification equipment to be used for crowd control purposes only, is prohibited on the White House Sidewalk (South 1600 Pennsylvania Avenue, NW, sidewalk between East Executive Avenue and West Executive Avenue). All sound amplification equipment shall be limited so that it will not unreasonably disturb nonparticipating persons in, or in the vicinity of, the area.
8. The National Park Service reserves the right to immediately revoke this permit at any time should it reasonably appear that the public gathering presents a clear and present danger to the public safety, good order or health, or if any conditions of this permit are violated.

Lisa Mendelson-Ielmini  
Acting Regional Director  
Region 1-National Capital Area



By:

Leonard D. Lee  
Division of Permits Management  
National Mall & Memorial Parks