



IN REPLY REFER TO:

United States Department of the Interior

NATIONAL PARK SERVICE

National Capital Region

1100 Ohio Drive, S.W.

Washington, D.C. 20242

PUBLIC GATHERING PERMIT

Permit: 21-0365

Date: September 8, 2021

In accordance with Park Regulations as contained in C.F.R., Title 36, Chapter 1, Section 7.96, permission is granted to conduct a public gathering to the following:

Person(s) and/or Organization(s): Sean Feucht Ministries

Dates(s): Thursday, September 9, 2021

To: Sunday, September 13, 2021

Time: Starting: 06:30 AM

Ending: 08:00 AM

Location(s):

Mall: Center Turf Panel, 10th - 12th Street

Mall: Center Turf Panel, 9th - 10th Street

Purpose: Gathering churches across the region to worship and pray for America

Anticipated Number or Participants: 30000

Person(s) in Charge: Mary Auxier

Address(es): (b) (6)

Phone Number: (b) (6)

Mobile Number:

On-Site Contact: Whitney Whitt

Mobile Number: (b) (6)

On-Site Contact: Josiah Canzanella

Mobile Number: (b) (6)

This permit is granted subject to the following conditions:

1. Permittee and all participants authorized therein must comply with all of the conditions of this permit and with all reasonable directions of the United States Park Police.
2. All sidewalks, walkways, and roadways must remain unobstructed to allow for the reasonable use of these areas by pedestrians, vehicles and other park visitors.

PERMITTEE IS RESPONSIBLE FOR READING AND ADHERING TO ATTACHED ADDITIONAL CONDITIONS.

PERMIT # 21-0365

ISSUED TO: SEAN FEUCHTS MINISTRIES

LOCATION: NATIONAL MALL CENTER EAST WEST GRAVEL WALKWAYS AND CENTER TURF PANELS
FROM 9TH -10TH STREETS

SEPTEMBER 9-13,2021 (06:30 A.M. – 08:00 A.M.)

Activity Overview: Sean Feucht's Ministries will conduct a gathering churches across the region to worship and pray for America. The Ministry will conduct a Day of Prayer for America on September 11 featuring Sean Feucht, Jentzen Franklin and Jay Koopman. Let Us Worship will take place on September 12 and feature the same artist. In addition to the stage activities the organization will host baptisms near David's Tent, provide bible giveaways and sell books. The estimated number of participants for September 11 are 30,000 and 15,000 for September 12, 2021.

Timeline**Thursday, September 9, 2021**

6:30 am - 5:30 pm	Delivery/Set up Production Turf Protection
-------------------	--

5:30 pm - 11:59 am	Overnight security
--------------------	--------------------

Friday, September 10,201

12:00 am – 7:00 am	Overnight security continued
7:00 am - 8:00 pm	Continue load in Sound, Staging, Production
8:00 pm – 10:00 pm	Production EOD
8:00 pm - 11:59 pm	Overnight security

Saturday, September 11

12:00 am – 12:00 pm	Overnight Security continued
12:00 pm – 4:00 pm	Final set and prep
4:00 pm – 6:00 pm	Doors Open
6:00 pm – 9:00 pm	Program: Day of Prayer for America
9:00 pm – 9:30 pm	Crowd disperse
9:30 pm – 11:30 pm	Load out of Audio delay towers
9:00 pm – 11:59 pm	Overnight Security

Sunday, September 12

12:00 am – 6:00 am	Overnight Security continued
5:00 am – 6:00 am	Final set up and prep
5:00 am	Staff/Volunteers report
7:00 am	Crowd Gathers
10:00 am	Sound Check
11:00 am - 12:00 pm	Video Loop
5:00 pm – 9:00 pm	Program: Let Us Worship
9:00 pm – 9:30 pm	Audience disperses
9:30 pm - 11:59 pm	Teardown/Loadout

Monday, September 13

12:00 am – 08:00 am	Continued removal of equipment: turf protection, portable restrooms, folk lifts etc
---------------------	---

PERMIT # 21-0365

ISSUED TO: SEAN FEUCHTS MINISTRIES

LOCATION: NATIONAL MALL CENTER EAST WEST GRAVEL WALKWAYS AND CENTER TURF PANELS
FROM 9TH -10TH STREETS

SEPTEMBER 9-13,2021 (06:30 A.M. – 08:00 A.M.)

Mall 7th-12th Streets

Authorized structural equipment permitted to setup on center turf with the use of Matrax translucent 4 x4 squares flooring only between 9th - 10th Streets:

1. 1- Tier 8' x 8' x4' Media riser
2. (4)- 4' x 4' x 2' Camera towers
3. Matrax translucent protective flooring (must cover entire panel) with ramps
4. 60 VIP Chairs
5. Bike racks
6. Cable ramps
7. Jib camera
8. Audio and lighting towers

Authorized structural equipment permitted to setup on north/south gravel and east/west gravel walkway only at 7th and 12th Street:

1. Stageline 320 Mobile Stage- 40' x 40 x 36'(H)
2. 20' x 40' VIP & Guest Tent anchored with concrete
3. 10' x 10' Tent (Books and Sticker Sales Tent)
4. 10' x 10' Tent (Bible giveaway)
5. Bike racks
6. Cables ramps
7. (5) Generators
8. Delay towers
9. 2- Light Towers
10. 2 – 10' x 00' Tents (Medical -North/South)
11. Standard Portable restrooms
12. ADA Portable restrooms
13. Trash bins with liners
14. Fire Extinguishers
15. (2) Production Truck (north of stage)
16. 2 Ambulances
17. 2 Step and repeat signs (8'x'8x1')
18. 4 Baptism tanks 3' x 8'
19. Roll off dumpster (Outer gravel walkway)

Other authorized equipment used in designated areas (gravel walkways)

Portable restrooms with locks

Tables

Chairs

Laptops

Signs

Banners

Trash bags

AV equipment : microphone , speakers, DJ equipment, mixing board, cables

Cameras

ADA compliant cable ramps

Sandbags

Brochures/handouts

Instruments

PERMIT # 21-0365

ISSUED TO: SEAN FEUCHTS MINISTRIES

LOCATION: NATIONAL MALL CENTER EAST WEST GRAVEL WALKWAYS AND CENTER TURF PANELS
FROM 9TH -10TH STREETS

SEPTEMBER 9-13,2021 (06:30 A.M. – 08:00 A.M.)

General Conditions:

- A. This permit authorizes the Sean Feucht's Ministries use of the Mall Center panels, east west gravel walkways between 9th street -10th Street on September 9 at 6:30 am and concluding at 8:00 am on September 13, 2021. **THIS PERMIT DOES NOT AUTHORIZE ANY ROAD CLOSURES OF JEFFERSON OR MADISON DRIVES.**
- B. Additional Permits: The Permittee is responsible for obtaining the necessary permissions and/or permits from the Metropolitan Police Department (202-671-6522), or from other federal, state or local agencies or departments for the use of public lands other than those under the jurisdiction of the National Park Service.
- C. Permittee must provide an onsite representative to coordinate specific logistical requirements. Permittee and its representatives will follow instructions provided by these individuals with regard to accessing park property and will take all precautions to protect park resources.
- D. Individuals regardless of vaccination status over the age of two years are must wear masks, when a physical distance of 6 feet or more is not possible in crowded outdoor areas unless actively eating or drinking in all park areas. Masks must cover the nose and mouth and fit snugly around the nose and chin with no large gaps around the sides of the face. Novelty/non-protective masks, masks with ventilation valves, or face shields do not meet the Center for Disease Controls recommendations. Permittee is required to inform all participants at event of this requirement and ensure compliance.
- E. Permittee is required to submit a COVID-19 Safety Plan detailing the implementation of COVID-19 prevention measures to protect themselves, event participants, and other park users. The COVID-19 Safety Plan must include wearing of masks, six-foot social distancing, disinfection and/or one-person use of all equipment, use of hand sanitizer and/or handwashing, and/or other measures as needed. It is recommended the permittee consult the CDC guidance on public gatherings to develop mitigation plan.
- F. Permittee will be responsible for reimbursing the park for the cost of any damage to NPS property—whether natural or man-made—resulting from Permittee's activities under this permit.
- G. If Permittee or its agents/representatives/contractors/subcontractors cause any injury or damage to park system resources, they may be liable for costs and damages in accordance with the System Unit Resource Protection Act, 54 USC §§ 100721-100725.
- H. Permittee will be responsible for any injury to, loss of, or damage to federally owned or controlled lands, waters, or resources (natural or cultural resources or facilities) resulting from Permittee's activities under this permit.
- I. **The permittee shall be responsible for any injuries and/or damages to government property occurring as a result of this permitted activity, including but not limited to stains, turf ruts, burned turf, damaged post and chain created by installing above facilities. If and only if the conditions outlined within the permit are not followed. To avoid or minimize any potential damage, it is recommended if the permittee needs to deviate from agreed upon conditions the permittee should contact the NPS Representative.**
- J. All request, correspondence and meetings with the National Park Service pertaining to this permit shall be scheduled by the permittee in writing only. All contractors, subcontractors or consultants must channel their request through the recognized representatives of the permittee who in turn will contact the National Park Service representative.

PERMIT # 21-0365

ISSUED TO: SEAN FEUCHTS MINISTRIES

LOCATION: NATIONAL MALL CENTER EAST WEST GRAVEL WALKWAYS AND CENTER TURF PANELS
FROM 9TH -10TH STREETS

SEPTEMBER 9-13,2021 (06:30 A.M. – 08:00 A.M.)

- K. The Permittee is responsible for providing all necessary equipment/objects to conduct this activity. All equipment must be removed from the park immediately following the conclusion of the event on September 13,2021 at 8:00 am. Items left in the park will be considered abandoned property and will not be the responsibility of the National Park Service.
- L. All request, correspondence and meetings with the National Park Service pertaining to this permit shall be scheduled by the permittee only. All contractors, subcontractors or consultants must channel their request through the recognized representatives of the permittee who in turn will contact the National Park Service representative.
- M. The permittee shall insure that all facilities and structures placed on park property adhere to all applicable codes, standard, and regulations including but not limited to BOCA, OSHA, USPHS and ADA, covering requirements including but not limited to safe handling of all chemicals, proper disposal techniques and grounding of generators. Permittee will submit to the NPS structural evaluation and design specification for all structures, e.g. arks, tents, stages, cable trusses, audio and video towers, etc. for NPS review and approval.
- N. All activities pursuant to this permit shall be in compliance with the requirements of Title VI of the Civil Rights Act of 1964 (78 Stat. 252; 42 U.S.C. 200d ed seg.); Title V, Section 504 of the Rehabilitation Act of 1973 (87 Stat. 394; 29 U.S.C 794); the Age Discrimination Act of 1975 (89 Stat. 728; 42 U.S.C. 6101 et seg.); and with all other Federal laws and regulations prohibiting discrimination of grounds of race, color, national origin, handicap, religion, or sex in employment and in providing facilities and services to the public. Nothing advertising for employees shall be done which will prevent those covered by these laws from qualifying for employment.
- O. All proposed amendments or additions to this permit and all proposed locations of vehicles, equipment, storage, installations of any kind, areas of activity, work and power plans shall be submitted to the NPS for prior written approval prior to the installation of facilities. These proposals shall be in map or diagram form suitable for on the ground inspection.
- P. The permittee shall require all employees and/or contractors to exercise all normal and reasonable safety precautions and to protect park visitors and property. Suitable devices such as barricades, fences, lanterns, etc. necessary for employee and public safety, shall be provided and adequately maintained. Such devices require the concurrence of the permit specialist or designated representative.
- Q. Throughout the course of this permit, the permittee, is responsible for taking all necessary precautions to minimize resource damage throughout the permitted area. In addition, permittee must supervise their contractors and employees during set-up and teardown to assure that there is no damage to park resources. All staff, volunteers, artists/participants, and vendors involved in the construction and teardown of the art installation and other structures will be issued some form of identification.

General Permittee Conditions

- R. No interference with the pedestrian traffic and no blocking of entrances, sidewalks, or driveways is allowed. No impediment to or disruption of vehicular traffic is permitted. All areas are to remain open to the general public at all times.
- S. Throughout the course of the permit, the Permittee will require employees/volunteers, and contractors, to exercise special care and attention to protect the resources of the National Mall at 8th-10th Streets and its environs. In addition, the Permittee must supervise their contractors, volunteers, and employees during setup and teardown to assure that there is no damage to park resources.

PERMIT # 21-0365

ISSUED TO: SEAN FEUCHTS MINISTRIES

LOCATION: NATIONAL MALL CENTER EAST WEST GRAVEL WALKWAYS AND CENTER TURF PANELS
FROM 9TH -10TH STREETS

SEPTEMBER 9-13,2021 (06:30 A.M. – 08:00 A.M.)

- T. The permittee shall require all employees and/or contractors to exercise all normal and reasonable safety precautions and to protect park visitors and property. Suitable devices such as barricades, fences, lanterns, etc. necessary for employee and public safety, shall be provided and adequately maintained. Such devices require the concurrence of the NPS Coordinator or designated representative.
- U. The Permittee is responsible for providing all necessary equipment/objects to conduct this activity. All equipment must be removed from the park immediately following the conclusion of the event. Items left in the park will be considered abandoned property and will not be the responsibility of the National Park Service.
- V. **Setup of any type equipment including but not limited to, staging, tents, chairs, bicycle rack, card board recycling or trash containers, exhibits, displays etc. is not permitted on the center panels of the Mall at 9th-10th Streets without the approved turf protection flooring.**
- W. **The collection of entry/registration fee is prohibited on parkland.**
- X. **Balloons of any kind, glass containers and alcoholic beverages are not permitted.**
- Y. **Accessibility:** The Americans with Disabilities Act (ADA) states that people with disabilities must be able to obtain or enjoy “the same goods, services, facilities, privileges, advantages, or accommodations” that are provided to other members of the public. The ADA applies to temporary facilities, structures, services, programs, and activities associated with this permitted event. Permittee is responsible for providing the following:
 - a. Permittee’s policies and operations for the event must meet the nondiscrimination requirements of the ADA, including, but not limited to provision of accessible parking, routes through site, food service, toilet, facilities, and assembly seating.
 - b. Permittee is responsible for providing auxiliary aids and services as requested. Permittee is responsible for providing promotional material explaining how the public can request a particular auxiliary aid or service and be informed of when specific auxiliary aids and services may be available for all Welcome Celebration activities held on parkland.
 - c. Service animals, as defined by the Americans with Disabilities Act (ADA), are permitted under proper supervision. The ADA defines a service animal as any guide dog, signal dog, or other animal individually trained to provide assistance to an individual with a disability. If they meet this definition, animals are considered service animals under the ADA regardless of whether they have been licensed or certified by a state or local government.
 - d. The Permittee must consider elements of accessibility when designing the layout of the event. Potential items for inclusion are:
 - 1. Addition of temporary curb ramps where needed to provide an accessible route
 - 2. Location of structures and tents along an accessible route
 - 3. Provision of auxiliary aids and services
 - 4. Provision of and an accessible route from transit stops to the event location
 - 5. Provision of tactile braille signage
 - 6. Provision of portable wheelchair lifts to access stages or other elevated areas.

PERMIT # 21-0365

ISSUED TO: SEAN FEUCHTS MINISTRIES

LOCATION: NATIONAL MALL CENTER EAST WEST GRAVEL WALKWAYS AND CENTER TURF PANELS
FROM 9TH -10TH STREETS

SEPTEMBER 9-13,2021 (06:30 A.M. – 08:00 A.M.)

- Z. **Accessible Route:** Permittee is responsible for providing individuals who use wheelchairs or walking aids or who walk with difficulty, an accessible route of travel throughout the event site. A successful accessible route connects site arrival points and parking with all exterior and interior event exhibits and activities, including public amenities, such as toilet rooms, water coolers, and concessions.

This single continuous path should:

1. Be smooth, but not slippery.
 2. Be as level and as wide as possible without low or overhanging hazards or obstructions.
 3. Not require the use of stairs.
- b. **Space Requirements for Wheelchairs:** Permittee is responsible for establishing accessible routes to ensure that people who use mobility aids can successfully navigate through the environment/event site. A space that is a minimum of 30 inches wide by 48 inches long is necessary to park a wheelchair in a stationary position. The space necessary for people using wheelchairs to make a 180-degree turn is a circle with a diameter of 60 inches.
- c. All ADA areas should be clearly marked.
- AA. **Portable Restrooms:** If attendance is expected to exceed the capacity of nearby NPS public comfort facilities, or if none exist in or near the requested park area, the Permittee must provide portable, temporary toilets with sufficient capacity to accommodate anticipated attendance. The general guideline is a minimum of (1) portable toilet per (300) people, of which at least twenty percent (%20) must be handicapped accessible. All portable restrooms must be located on the outer gravel walkways next to either Jefferson or Madison Drives. **The restrooms should be grouped in banks of five with a six foot clearance between each bank. 33 Standard Units plus 10 ADA Units. Portable restrooms should be secure with locks until event day.**
- a. **ADA Accessible Portable restrooms:** 20% of the total number of portable toilets used to support the event must be ADA accessible.

- i. Where clusters of portable units are provided at various locations around the event site, twenty percent of the units in each cluster should be accessible. They should be equipped with all the accessible elements required by the Standards such as maneuvering space, grab bars, toilet paper dispensers within reach, etc. In addition, when all units are not accessible, the International Symbol of Accessibility must be posted on the units that are.
- ii. Accessible portable toilet units must be positioned on a level area that connects with an accessible route and have adequate space just outside the entrance door for people in wheelchairs to maneuver into position to open the door and enter. On steeply sloping sites, a temporary platform may be needed to provide this level area.
- iii. The door threshold must be accessible. Outdoor surfaces are often uneven and may require a small bevel to level out the transition between the ground surface and door threshold. Units can be placed on or adjacent to parking lots or other paved surfaces.

PERMIT # 21-0365

ISSUED TO: SEAN FEUCHTS MINISTRIES

LOCATION: NATIONAL MALL CENTER EAST WEST GRAVEL WALKWAYS AND CENTER TURF PANELS
FROM 9TH -10TH STREETS

SEPTEMBER 9-13,2021 (06:30 A.M. – 08:00 A.M.)

BB. The use of temporary structures for camping is prohibited. 36 CFR 7.96(5)(iv) allows temporary structures as part of a permitted demonstration “for the purpose of symbolizing a message or meeting logistical needs such as first aid facilities, lost children areas or the provision of shelter for electrical and other sensitive equipment or displays.” However, [t]emporary structures may not be used outside designated camping areas for living accommodation activities such as sleeping, or making preparation to sleep (including the laying down of bedding for the purpose of sleeping), storing personal belongings, or making fire, or doing any digging or earth breaking or carrying on cooking activities. The above-listed activities constitute camping when it reasonably appears, in light of all the circumstances, that the participants, in conducting these activities, are in fact using the area as a living accommodation regardless of the intent of the participants or the nature of any other activities in which they may also be engaging...” In addition, to allow for visual inspection and monitoring, all temporary structures must continue to have at least one open side.

CC. **NOTE: CAMPING IS PROHIBITED.** Camping is defined as the use of the park land for living accommodation purposes such as sleeping activities, or making preparations to sleep {including the laying down or bedding for the purpose of sleeping), or storing personal belongings, or making any fire, or using any tents or shelter or other structure or vehicle for sleeping or doing any digging or earth breaking or carrying on cooking activities. The above-listed activities constitute camping when it reasonably appears, in light of all the circumstances that the participants, in conducting these activities, are in fact using the area as a living accommodation regardless of the intent of the participants or the nature of any other activities in which they may also be engaging.

DD. **Site Security:** Permittee will be responsible for providing site and overnight security. Individual(s) must be properly identified and unarmed. Permittee must contact Sgt. Z. Mahasin and Sgt. Eddie Burnett, USPP, 202- 610-7092, to finalize all security logistics.. Colorado Security Agency will provide overnight and event security from September 9-13,2021. Two security per night.

EE. **Crate Storage and Bone Yards Prohibited:** Crate storage, bone yards, and staging areas may never be located within turf areas; they must be located on hardscape areas or off-site. Bone yards may not be located on NPS roads. Approved staging locations for pallets must be designated, and used during set up and take down only. Off-site preparation and construction in bone yards may be needed to support this. On-site staging areas are to be used for no more than two (2) days; staging and storage requiring lengths of greater than two (2) days must occur off-site.

FF. **Commercial Advertising Signage:** Consistent with long-standing NPS regulations and policy, and Public Law 108-108, Title I, §145, the erection, placement, or use of structures and signs bearing commercial advertising is prohibited for any special event. The recognition of special events sponsors, however, may be allowed if it has been specifically authorized by this permit.

- a. A permit may be issued that authorizes the recognition of sponsors of special events, if the NPS determines that the size and form of the recognition is consistent with the special nature and sanctity of the National Mall or any other requested

park area, and if the lettering or design identifying the sponsor is no larger than one- third the size of the lettering or design identifying the special event. Further, to the maximum extent practicable for such special events, public use of and, access to the National Mall and other parkland is not to be restricted.

PERMIT # 21-0365

ISSUED TO: SEAN FEUCHTS MINISTRIES

LOCATION: NATIONAL MALL CENTER EAST WEST GRAVEL WALKWAYS AND CENTER TURF PANELS
FROM 9TH -10TH STREETS

SEPTEMBER 9-13,2021 (06:30 A.M. – 08:00 A.M.)

- b. The Permittee shall submit a sign plan for NPS review and approval. Any request seeking NPS approval for sponsor recognition must be submitted to the NPS at least 14 days prior to the proposed event, and if approved by the NPS, will be authorized within the terms of the special event permit. Authorized sponsor recognition must be in keeping with NPS policy, regulations, and laws and be appropriate to the scale and theme of the special event. Further, the overall size, number, and design of any signs or banners shall be appropriate to the park setting and lettering or design identifying the special event. Signs and banners may not be affixed to existing trees or other NPS facilities or structures.
- c. Only signs and/or banners specifically identifying and/or announcing the event or portion of the event are permitted. Commercial sponsors may be recognized on these same banners by letters and/or logos not to exceed one-third the height and width of the primary lettering identifying the event.

There are no commercial sponsors or signage associated with this activity.

GG. Distribution and Giveaways: Distribution or give-away of any commercial product is limited to only those that may be consumed on the event site such as juices or popcorn. Soliciting personal information such as names, addresses, telephone numbers, zip codes, etc., or any other information which may be used for future solicitation, or marketing purposes is strictly prohibited. A list of all giveaway items will be provided to the National Park Service for approval. **Permittee will distribute bibles.**

HH. Fire Hazards: To prevent potential fire hazards permittee must adhere to the following:

- a. Flammable and Combustible Clearance: A minimum of 10 ft. clearance of all flammable or combustible materials or tall vegetation and trees.
- b. Source of Ignition: Sources of ignition, including matches and lighters, shall not be used within 20 ft. (6m) of areas used for fueling, servicing fuel systems of internal combustion engines, or receiving or dispensing of Class I and Class II liquids –examples include gasoline, diesel fuel, lacquers paint thinner
- c. No Smoking: Smoking shall not be permitted especially in areas where combustible materials are located. Plainly visible “ No Smoking” must be visible.

II. Fire Hydrants: A minimum 36 in. of clear space shall be maintained to permit access to and operation of fire protection equipment, fire department inlet connections, or fire protection system control valves. Vehicles must maintain a 15 ft. clearance of all fire hydrants.

JJ. Generators: The Permittee may provide a generator for electrical power. Refueling of diesel/gasoline powered generators on parkland is permitted pursuant to the following conditions. No storage of fuels is allowed on National Park service property, unless NPS approves. At a minimum the following materials must be placed underneath the generator to protect the underlying surface from potential weight and vibration damage and fluid leakage:

- ¾” plywood, or other material (with approval of NPS)
- Plastic fuel impermeable tarp on the properly rated flooring
- Absorbent material on top of tarp
- Drip pan under fueling nozzle
- **Refueling of generator(s) is only permitted between the 5:00 am – 8:00 am and 10:00 pm – 12:00 am daily. Absolutely no refueling during peak visitation hours and event hours.**
- Separation from tents: Generators and other internal combustion power sources shall be separated from temporary membrane structures and tents by a minimum of 5ft. and shall be protected from contact by fencing, enclosure, bike rack or other approved means. Barriers must be at least 3ft high.

PERMIT # 21-0365

ISSUED TO: SEAN FEUCHTS MINISTRIES

LOCATION: NATIONAL MALL CENTER EAST WEST GRAVEL WALKWAYS AND CENTER TURF PANELS
FROM 9TH -10TH STREETS

SEPTEMBER 9-13,2021 (06:30 A.M. – 08:00 A.M.)

- Exhaust should be directed at least 5ft. in any direction away from any openings or air intakes and away from buildings.
- Fire extinguisher for Class B Hazards such as portable generators must meet the following UL rating requirements based on the maximum fuel capacity of the class B hazard:

Type of Hazard	Amount of Fuel	Fire Ext. Type	Max Travel Distance
Low-Hazard	Less than 1 gl. Fuel	5B Fire Ext.	30 ft. apart
NFPA 10:5.4.1.1		10B Fire Ext.	50 ft. apart
Ordinary-Hazard	Less than 1-5gl. Fuel	10B Fire Ext.	30 ft. apart
NFPA 10:5.4.1.2		20B Fire Ext.	50 ft. apart
High- Hazard	More than 5gl.	40B Fire Ext.	30 ft. apart
NFPA 10:5.4.1.3		80B Fire Ext.	50ft apart

The spillage of deleterious substances such as engine oil, gasoline, etc. is prohibited. In the event of such an occurrence, the District of Columbia Fire Department must be called immediately, by dialing 911 emergency numbers, followed by a call to the National

Park Duty Officer, 202-528-9610. Corrective action will be taken in accordance with EPA Hazardous Material guidelines.

Flexible cords or cables accessible to the public shall be arranged to minimize the tripping hazard. To reduce the possibility of tripping hazards, all cords and cables must be covered with non-conductive matting and/or high visibility Yellow Jackets TM or equivalent product. The cord must be in good condition and of sufficient gauge to accommodate the electrical load of the equipment and must be properly grounded.

All cables, power lines, etc. shall be run in an orderly manner and contained in matted ADA cable troughs that provide for safety and accessibility. No cords or cables can be strung in trees.

A National Park Service Representative must be present before the installation of any grounding rods. Grounding rods are not permitted to be staked in the gravel under any circumstances. Grounding of the generator is permitted 10 feet into adjacent tree panel from where the generator is located. The grounding rod cannot be placed under directly at the tree root.

Generators are not permitted on the turf even with the use of the turf protection flooring. All generators must be located on the gravel walkways and at least 2 1/2 feet from the edge of the granite curb.

The permittee shall ensure that all fire extinguishers are properly rated for hazards involved. All fire extinguishers shall be easily accessible and in plain view as directed by the National Park Service Safety Officer.

- KK. **Ground & Floor Surfaces:** Accessible routes of travel must avoid irregular, soft loose surfaces, such as sand, gravel, cobblestones and similar uneven brick or concrete pavers. Such surfaces are uncomfortable and can cause wheelchairs to rock and tilt. Unstable and uneven surfaces also can be a problem for people who walk using crutches or canes, often causing a loss of balance or falls. Accessible routes must also avoid tall, wet grass, which is often slippery and difficult to roll a wheelchair across.

PERMIT # 21-0365

ISSUED TO: SEAN FEUCHTS MINISTRIES

LOCATION: NATIONAL MALL CENTER EAST WEST GRAVEL WALKWAYS AND CENTER TURF PANELS FROM 9TH -10TH STREETS

SEPTEMBER 9-13,2021 (06:30 A.M. – 08:00 A.M.)

Permittee is responsible for establishing accessible routes of travel through site, food service, toilet, facilities, and assembly seating, using compact, stable, surfaces, free of loose debris. Appropriate turf cover/ground protection material approved by NPS, is required for ADA accessible routes established on the turf. Permittee is encouraged to secure products that are ADA-compliant, interlocking mats that are translucent and allow UV light to pass through to the grass below. The products must either be perforated or ribbed, allowing for ventilation and some moisture access to the turf below. Material to be used must be approved in advance by NPS. Plywood cannot be used as turf cover/ground protection. The following flooring products are approved for use on the turf in the following areas:

The following Matrax LD with accessible ramps is flooring product(s) is approved for use in following areas:

1. Mall Center Turf Panel between 7th-9th Streets

Pedestrian flooring shall follow the guidelines below:

- Comprised of single-sided or double sided high density translucent polypropylene.
- Not result in turf damage during removal.
- The cavity back (if specified) must have appropriate clearance above crown of grass (not compress the turf, approximately 1.75” to 2.25”); this depends on the time of year and ground conditions.
- Cavity back must have holes for air, light, and water to permeate the product.
 - No fabric or other obstructions to turf decking covering holes or blocking light will be allowed below the protective decking.

LL. **Light/Delay/Audio Towers:** Light tower or another source of illumination are required when working in low light or dark conditions. In addition, portable illumination sources are required during low light or night events to facilitate safe egress and ingress of participants. At a minimum the following materials must be placed underneath the generator to protect the underlying surface from potential weight and vibration damage and fluid leakage:

- i. Properly graded approved flooring or other material (with approval of NPS)
- ii. Plastic fuel impermeable tarp
- iii. Absorbent material on top of tarp
- iv. Drip pan under fueling nozzle
- v. Temporary bike rack or fencing must be placed around towers

MM. **Portable Fire Extinguishers:** Permittee shall ensure that all fire extinguishers are properly rated for hazards involved. All fire extinguishers shall be easily accessible and in plain view as directed by the National Park Service Safety Officer. Permittee is responsible for ensuring fire extinguisher meet the following guidelines:

- i. At minimum 2 portable fire extinguishing equipment of approved types shall be furnished and maintained in all tents and cooking booths.
- ii. The maximum travel distance to extinguisher should not exceed 75 ft. for class A-hazard.
- iii. Fire extinguisher height: Fire extinguishers under 40lbs weight, its top shall be mounted no higher than 5ft from the floor, or bottom, no less than 4 in. from the floor.
- iv. Should not be obstructed or obscured from view.
- v. Hydrostatic test should not be intervals exceeding more than 1 year.

PERMIT # 21-0365

ISSUED TO: SEAN FEUCHTS MINISTRIES

LOCATION: NATIONAL MALL CENTER EAST WEST GRAVEL WALKWAYS AND CENTER TURF PANELS FROM 9TH -10TH STREETS

SEPTEMBER 9-13,2021 (06:30 A.M. – 08:00 A.M.)

NN. Sales: Special attention is drawn to item #4, on the last page of this document, concerning solicitation and sales. No fee may be collected, donation solicited, or commercial activity conducted. No items may be sold or offered for sale except for books, newspapers, leaflets, pamphlets, buttons and bumper stickers which contain a message related to your demonstration or special event.

- i. Book and bumpers stickers are permitted to be sold within the 10x10 tent located South of the stage.
- ii. A stand or structure used for the sale of permitted items may not exceed one table per site, which may be no larger than 2 1/2 feet by 8 feet or 4 feet by 4 feet. The dimensions of the sales site may not exceed 6 feet wide by 15 feet long by 6 feet high.

OO. Sound: Particular attention is called to item #7, on the last page of this permit concerning sound amplification. All sound amplification equipment shall be limited so that it will not unreasonably disturb nonparticipating persons in, or in the vicinity of, the area. **Sound checks cannot begin prior to 7:00 am.**

PP. PARKING: Permittee is responsible securing parking on Madison and/or Jefferson Drives between 7th -10th Streets. Permittee must adhere to parking meter requirements along Madison and Jefferson Drives. Parking meters are in operation from 7 am – 8:00 pm. **Permittee is responsible for securing assigned parking with cones or bike rack and placing placards in the window with the event logo.**

QQ. BUSES: Buses are not permitted to unload or load participants along the Mall on Jefferson or Madison Drives. Sean Feucht's Ministries has secured bus parking on Independence Avenue between 7th – 14th Streets. S.F. Ministries have not organized any buses as part of this activity.

RR. Tents: Permittee's authorized use of temporary structures, i.e. cable trusses, stages, audio and/or video towers and tents, whose dimensions are (900) square feet or more, **shall provide Life Safety Code certification statements confirming the safety of all temporary structures. In the event that the manufacture's certifications are not available, permittee will submit to the NPS stamped engineered drawings for NPS review and approval. Smaller structures cannot be attached or within 5ft of another to create a larger structure.**

- a. **A minimum 10ft. clearance must be maintained from tents to any flammable or combustible materials or vegetation.**
- b. **Aisle Width:** The width of aisles serving seating at tables shall be not less than 44 in. where serving occupant load exceeding 50 people, and 36 in. where serving an occupant load of 49 people or fewer. In addition, all tent exits must have a minimum head clearance height of 7ft.
- c. **Exit and Occupant Loads for Enclosed Tents:** Tents that have sides attached and those with rolled up sides which are capable of being enclosed shall meet the following occupancy load and exit requirements.

Occupant Load Number	Floor Area	Approx. Tent Sizes	Min. Exits
<49 people	<343 Sq. Ft.	10'x10', 10'x30', 15'x15'	1
50-499 people	350-3,493 Sq. Ft.	15'x 30', 40' x 40', 40' x80'	2
500-999 people	3,500-6,993 Sq. Ft	40' x 100', 60' x 100'	3
>1000 people	>7,000 Sq. Ft.	80' x 100', 60'x 160'	4 or more

PERMIT # 21-0365

ISSUED TO: SEAN FEUCHTS MINISTRIES

LOCATION: NATIONAL MALL CENTER EAST WEST GRAVEL WALKWAYS AND CENTER TURF PANELS FROM 9TH -10TH STREETS

SEPTEMBER 9-13,2021 (06:30 A.M. – 08:00 A.M.)

- d. **Tent Stakes:** Tent stakes adjacent to any means of egress from any tent open to the public shall be railed off, capped, or covered so as not to present a hazard to the public. There shall be a minimum of 10ft. between stake lines. Staking in gravel is not permitted.

SS. Trash/debris pickup: Permittee has agreed to remove all trash and debris from all permit areas. All trash and debris shall be cleared from the grounds of the permitted immediately after the conclusion of the demonstration each day. Trash receptacles for this effort shall be provided and removed from the site accordingly by the permit holder. Trash receptacles must not overflow with trash or debris. Use of clear trash bags is required for all trash receptacles used for the event. **Any cost incurred by the National Park Service as a result of removing and/or disposing of trash and debris generated by this permitted activity will be borne by the permittee. Nash Inc. will be responsible for trash removal.**

TT. Volunteers and Staff: All, staff, and volunteers involved with the walk will be issued some form of identification-lanyards. Sean Feucht's Ministries will at least 100 volunteers wearing vest. Volunteers should be aware of their responsibilities and location(s) where they will be stationed and have received from demonstration organizers adequate training and instructions. Volunteers should be aware of the time and location of the assembly and any march routes, the location of any first aid stations, water, and toilets, be knowledgeable of the NPS permit conditions, be able to communicate with law enforcement, as well as what to do if they think they observe any problems. While volunteers do not act as police, they do help maintain order among participants, explain to non-participants that a particular area may be under permit, and be able to alert their supervisor and the UnitedStates Park Police in the event they observe a problem on Federal parkland.

Health, Medical and Safety

UU. Emergency Access Mall : All pathways and roadways must remain open and unobstructed. A minimum fifteen-foot (15') drive aisle must remain open at all times for emergency vehicle egress on the gravel walkways. No temporary or permanent structures may be located within the egress lane. The egress drive aisle must be shown on site plan. At the permittee is responsible for maintaining emergency access chutes to allow medical personal to travel freely in case of an emergency or transport of patients.

VV. Fencing: Snow fence, chain link fence and/or bike rack shall be erected by the permittee to contain the event areas and provide necessary resource protection, security, medical chutes, security and buffer zones. The permittee (s) is responsible for encircling, generators, light and sound towers, jumbotrons etc. with snow fence, bike rack or other approved barrier.

WW. Medical Aid Station: Person in charge is responsible for providing first aid services onsite. You should have a fixed medical aid tents site with certified/licensed personnel, who will remain on site throughout the event. Medical plan must adhere to DC Health and DC Fire EMS guidelines and requirements. George Washington University Medical faculty Associates -Emergency Medical Response Group will provide onsite 2 medical service tents at the Mall and 2 ALS Ambulance each day. One medical aid station is located on the north gravel walkway. **The ambulances are authorized to park on gravel walkway.**

- 1- Medical Aid Tent (northside)**
- 2- Medical Aid Tent (southside)**

PERMIT # 21-0365

ISSUED TO: SEAN FEUCHTS MINISTRIES

LOCATION: NATIONAL MALL CENTER EAST WEST GRAVEL WALKWAYS AND CENTER TURF PANELS FROM 9TH -10TH STREETS

SEPTEMBER 9-13,2021 (06:30 A.M. – 02:00 A.M.)

XX. Weather (adverse) Policy during an Event Program: When there is a threat to public health or safety, the Superintendent and/or designee, may close the National Mall or an event being hold there for such duration as determined necessary to ensure the safety and well being of the public. Such situations have occasionally occurred in the past where park areas have been closed due to severe weather warning of heavy snow, thunderstorms with lighting, high winds, cold and intense heat. Where an area is ordered closed due to a weather-related public safety threat, pursuant to 36 CFR 2.32 people must comply with official directions to leave the closed area and relocate to safer sheltered locations. Weather will be monitored throughout the duration of event. Permittee is responsible for ensuring that adequate resources are available to deal with extreme weather conditions. For example extreme heat, cold, snow etc.

YY. Weather (adverse) Policy during Setup or Strike: During wet conditions caused by rainfall, snow melt, or frost melt, activities on turf must be suspended until conditions allow for work to continue. Signs of mud staining, footprinting, or when there is rainfall in excess of .25", will trigger a cessation of work and coordination with the NPS to determine the best way forward given current conditions, forecasted conditions, and deadlines.

Logistical Vehicle Access

ZZ. Vehicular access to the National Mall, gravel walks for set-up, event, and tear down will be allowed on a reasonable basis to be monitored by NPS/USPP. Permittee is responsible for contacting Sgt. Eddie Burnett and Sgt. Z.Mahansin United States Park Police, 202-610-7092, at least 48 hours prior to the set-up, to acquire a vehicular passes to drive onto the gravel walks. **Permittee is requesting 6 access passes for vendor vehicles.**

AAA. Site access for general delivery and hauling of materials shall be from 4th Street, accessing the southern gravel walkway, proceeding west to 7th Street. Exiting the Mall will be from the northern gravel walkway proceeding east to 7th Street.

BBB. Vehicles of any kind including but not limited to delivery cranes, forklifts, golf carts, trailers, exhibit trailers etc. are **prohibited from driving on the center grass panels of the National Mall with or without flooring material.** Vehicles are not permitted to be parked or driven on pedestrian flooring. Logistical vehicles moving heavy equipment, setting-up tents, stages, placing display vehicles, stored equipment, materials, etc., on the Mall must use the gravel roadways to unload equipment and hand carry equipment to the permitted area. **Vehicles must be parked at least 5 feet away from the granite curbing.**

CCC. Extreme caution must be exercised when driving on the gravel walks. Pedestrian access must be maintained at all times, however, if for safety reasons, an area has to be temporarily closed to the public, permittee will make their request to the NPS for approval.

DDD. Logistical vehicles will be allowed to pull onto the gravel walkways, to load and unload equipment e.g. stage, tents. Vehicles will not be allowed to drive and/or park on the grass. Permittee is required to monitor vehicle traffic onto the grass and gravel walkways. Once vehicles are unloaded, they must be removed and park in designated public spaces.

EEE. **A flag person/vehicle spotter is required for all vehicles moving on the gravel paths this includes but not limited to trucks, forklifts etc.**

FFF. **POV's are not permitted on the Mall under any circumstances.** Unloading and loading of vehicles transporting portable equipment, materials and supplies must be hand carried or carted from either Jefferson or Madison Drives.

PERMIT # 21-0365

ISSUED TO: SEAN FEUCHTS MINISTRIES

LOCATION: NATIONAL MALL CENTER EAST WEST GRAVEL WALKWAYS AND CENTER TURF PANELS
FROM 9TH -10TH STREETS

SEPTEMBER 9-13,2021 (06:30 A.M. – 08:00 A.M.)

GGG. Logistical vehicles, including carts, trucks and vans must not exceed 5-mps , except when being driven on established public vehicular roadways. All trucks with a GVW of over 7500 pounds and equipment such as bucket trucks, platform lifts and forklifts, must be accompanied by a walking spotter when moving or operating in an area accessible to the public. All individuals operating motor vehicles on park property must possess a valid driver license. All vehicles operating after dusk must have fixed and/or portable illumination.

HHH. IN THE EVENT OF WET TURF CONDITIONS EQUIPMENT IS NOT PERMITTED TO BE SETUP ON ANY PORTION OF THE TURF.

Resource Protection for Mall

III. Pursuant to 36 CFR 7.96(g)(xii), the alteration, damage, or removal of park resources or facilities is prohibited. No holes may be dug and no item, including signs or banners, may be attached to park trees, plantings, benches, fences, light standards, or any other park landscape element.

JJJ. The turf manager will inspect the area for damage after the event in order to determine the extent of turf that will need to be replaced by sod.

KKK. In the event of significant rainfall permittee should contact Mr. James Snell, Turf Manager, 202-245-4668, to request an inspection of the grounds and approval to drive on gravel walks or setup on turf.

LLL. Protective time limits for protective flooring on level 1 turf areas between May 15 and September 14:

- a. **MAXIMUM of 3 DAYS.**
- b. **PERMITTEE IS ONLY PERMITTED TO PREVENT PHOTOSYNTHESIS FOR 2 DAYS.**
- c. **MEANING THE FLOORING CAN ONLY BE COVERED FOR NO MORE THAN 2 DAYS.**

MMM. IN THE EVENT OF WET TURF CONDITIONS EQUIPMENT IS NOT PERMITTED TO BE SETUP ON ANY PORTION OF THE PERMITTED TURF PANELS.

NNN. Tear-down of the stage and structures should begin immediately following the load out of show productions. Unless conditions due to weather would cause tear down operations to damage the turf.

OOO. Vehicles of any kind including but not limited to delivery cranes, forklifts, golf carts, trailers, exhibit trailers etc. are **prohibited from driving on the center grass panels of the National Mall with or without flooring material.** Vehicles are not permitted to be parked or driven on pedestrian flooring. Logistical vehicles moving heavy equipment, setting-up tents, stages, placing display vehicles, stored equipment, materials, etc., on the Mall must use the gravel roadways to unload equipment and hand carry equipment to the permitted area. **Vehicles must be parked at least 5 feet away from the granite curbing.**

PPP. ALL EQUIPMENT SETUP ON THE GRAVEL WALKWAYS MUST BE A LEAST 2 ½ FEET FROM THE GRANITE CURB. IN ADDITION, STAKING IS PROHIBITED ON THE GRAVEL WALKWAY ALL TENTS MUST BE WATER BARRELED. ALL EQUIPMENT MUST FIT WITHIN 15FT ZONE. An 18FT-20FT EMERGENCY LANE MUST BE MAINTAINED ON THE GRAVEL WALKWAY AT ALL TIMES.

QQQ. WATER FROM WATER BALLAST IS NOT PERMITTED TO BE DUMPED IN THE DRAINS ON THE NATIONAL MALL OR ON THE TURF WATER.

PERMIT # 21-0365

ISSUED TO: SEAN FEUCHTS MINISTRIES

LOCATION: NATIONAL MALL CENTER EAST WEST GRAVEL WALKWAYS AND CENTER TURF PANELS FROM 9TH -10TH STREETS

SEPTEMBER 9-13,2021 (06:30 A.M. – 08:00 A.M.)

RRR. Setup of any type equipment including but not limited to, staging, tents, bicycle rack, card board recycling or trash containers, exhibits, displays etc. is not permitted on the center panels of the Mall between 10th-9th streets without the approved turf protection flooring.

SSS. No set-up is permitted within the adjacent north and south grass panels, but these areas may be used to otherwise accommodate participants if needed. No set-up is permitted within the drip-line (root zone area) of trees or other vegetation.

TTT. Ballasts not situated on hardscape are required to have the following:

- i. To be on protective flooring

UUU. Protective decking will be installed under the stage, except where ballasts exceeding the weight capacity of the protective decking are installed.

VVV. All cables (power, audio, etc) shall be encased in a Yellow Jacket wire trough (or approved equal).

- b. Where a wires/cables path crosses a known road or trail, ADA compliant cable trough or approved equal must be used.**
- c. The trough, where it crosses turf must be place on approved decking. Shifting the trough on a daily basis is needed to avoid damaging the turf.**
- d. In a stage situation, cables should be flown over the steel, tied to stage or structure under the stage, and the mix position and not allowed to touch any grass area.
- e. Areas not requiring cable trough but on the turf, the cable shall be laid on two layers of Enkamat and moved every 24 hours.

WWW. An industrial magnet will be used over the entire area to recover screws, fasteners, etc.

XXX. All necessary precautions as deemed necessary by the NPS shall be taken to prevent damage to underground utilities, and sprinkler systems located throughout the site. Any utilities damage by this work shall be promptly repaired.

YYY. The Permittee is responsible for providing all necessary equipment/objects to conduct this activity. All equipment must be removed from the park immediately following the conclusion of the event. Items left in the park will be considered abandoned property and will not be the responsibility of the National Park Service.

Specific Conditions for Mall Gravel Walkway at 9th 10th Streets

ZZZ. Tents and other equipment including but not limited to LED Screens, bike rack, trailers, bleachers permitted to be setup on the permitted gravel walkway provided that:

- a. An 18ft emergency lane must be maintained on the gravel walkway at all times.**
- b. All tents and other equipment setup on the gravel walkways must be a least 2 ½ feet from the granite curb.**
- d. In addition staking is prohibited on the gravel walkway all tents and other requiring anchoring must be water barreled or use concrete blocks. All tents including anchors must fit within 18ft zone.**
- e. Tents cannot exceed 15ft in width**

PERMIT # 21-0365

ISSUED TO: SEAN FEUCHTS MINISTRIES

LOCATION: NATIONAL MALL CENTER EAST WEST GRAVEL WALKWAYS AND CENTER TURF PANELS
FROM 9TH -10TH STREETS

SEPTEMBER 9-13,2021 (06:30 A.M. – 08:00 A.M.)

AAAA. Tear-down of the stage and structures should begin immediately following the load out of event . Unless conditions due to weather would cause tear down operations to damage the turf.

BBBB. All necessary precautions as deemed necessary by the NPS shall be taken to prevent damage to underground utilities, and sprinkler systems located throughout the site. Any utilities damage by this work shall be promptly repaired.

CCCC. Contact Park Ranger Marisa Richardson, National Park Service, at (202) 245-4715 or 202-528- 9610, with questions or to discuss additional information regarding logistical setup.

DDDD. Contact Sergeant Eddie Burnett or Sgt. Z.Mahasin, United States Park Police, at (202) 610-7092, with questions concerning police procedures or logistics.

EEEE. For emergencies, please call USPP at 202-610-7500.

FFFF. This permit authorizes the collection of donations: Pursuant to 36 CFR 7.96(h)(1) Soliciting: The in-person soliciting or demanding of money or funds for donation on Federal park land is prohibited, unless it occurs as part of a permit issued for a demonstration or special event.

(2) Persons permitted to solicit must not:

- (i) Give false or misleading information regarding their purposed or affiliations;**
- (ii) Give false or misleading information as to whether any item is available without donation.**

The in-person solicitation for money is authorized under this special event only if it occurs within the confines of a limited and well delineated permit area. All currency must always be maintained and stored out of public view . Donations must be collected from a fix location and in sealed opaque container. Exacting a payment or requesting a donation in exchange for merchandise constitutes a sale and will not be allowed unless it comports with the NPS sales regulation found at 36 CFR 7.96 (k)

A complete and legible copy of this permit must be retained on-site by the Permittee at all timeswhile operating under the authority granted


PERMIT # 21-0365

ISSUED TO: SEAN FEUCHTS MINISTRIES

LOCATION: NATIONAL MALL CENTER EAST WEST GRAVEL WALKWAYS FROM 7TH -10TH
STREETS SEPTEMBER 9-13,2021 (06:30 A.M. – 08:00 A.M.)

3. All laws, rules and regulations applicable to the area covered by this permit remain in effect.
4. No fee may be collected, donation solicited, or commercial activity conducted. No items may be sold or offered for sale except for books, newspapers, leaflets, pamphlets, buttons and bumper stickers which contain a message related to your demonstration or special event. No other merchandise may be sold or offered for sale. A stand or structure used for the sale of permitted items may not exceed one table per site, which may be no larger than 2 1/2 feet by 8 feet or 4 feet by 4 feet. The dimensions of the sales site may not exceed 6 feet wide by 15 feet long by 6 feet high.
5. The area should be left in substantially the same condition as it was prior to the activities authorized herein, and all litter shall be placed in the trash containers provided.
6. This permit is applicable only for the use of the area designated above, and during the times designated above, or in any area as may hereafter be designated by the United States Park Police.
7. All sound amplification equipment shall be limited so that it will not unreasonably disturb nonparticipating persons in, or in the vicinity of, the area.
8. The National Park Service reserves the right to immediately revoke this permit at any time should it reasonably appear that the public gathering presents a clear and present danger to the public safety, good order or health, or if any conditions of this permit are violated.

Kym Hall
Area Director
National Capital Area
DOI-Region 1



By:
Robbin M. Owen
Chief, Division of Permits Management
National Mall and Memorial Parks

Production & Trucking Schedule // September 9-10, 2021

V 1.10
2021-09-03 09:16

ALL VEHICLE TRAFFIC ON THE MALL RUNS CLOCKWISE.
5 MPH SPEED LIMIT
ESCORT/SPOTTER REQUIRED.
5' DISTANCE FROM GRANITE REQUIRED.

Trucking Address:
Jefferson Drive SW & 7th Street NW
Washington, DC 20597
<https://goo.gl/maps/rVgUziGakucB8akz>

Schedule as of 09/03/2021				Production Manager: Josiah Canzanella (240) 784-6600 Site Coordinator: David Sonntag (703) 953-4493 OnSite Trucking Coordinator: Darius Wolley (240) 286-2863				AUDIO The Visual Sound Company	
Date	Day	Time	Item	Vendor	Trucking	Passes	Fork Needs	Notes	
Sep 9	Thursday	6:30 AM	Forklift Drop	United Rentals				MADISON Drive Only, no Mall Access	
Sep 9	Thursday	7:00 AM	PortaJon Delivery	United Site Services	1x1 Flatbed			MADISON Drive Only, no Mall Access	
Sep 9	Thursday	7:00 AM	Trash Rolloff Delivery	NASH Events				MADISON Drive Only, no Mall Access	
Sep 9	Thursday	7:30 AM	Turf Protection Load In	EIS/SEF	1x1 Tractor w/ 53' Flatbed 1x Stake Body 1x Pickup Truck	A, B, C	Yes, EIS Op 6K Lull		
Sep 9	Thursday	5:30 PM	REMOVE EIS Trucks	EIS/SEF				Removes Passes A,B,C	
Sep 10	Friday	7:00 AM	Delay Generators	Infinite Power	1x1 Flatbed w/ Trailer	A	Yes, self op		
Sep 10	Friday	8:00 AM	Audio Delays Load In	MSI	1x1 Tractor w/ 53' Flatbed 1x Straight Truck	B, C	Yes, MSI Op 12K Lull		
Sep 10	Friday	8:00 AM	Stage Placement	Event Tech	1x1 Tractor w/ Stage 1x1 Straight Truck	D, E			
Sep 10	Friday	8:30 AM	REMOVE INFINITE VEHICLE					Removes Passes A	
Sep 10	Friday	9:00 AM	REMOVE Event Tech TRACTOR					Removes Pass D	
Sep 10	Friday	9:00 AM	LED Placement	Control Video	1x1 Pickup w/ Trailer	F		Stage Left Screen (Control Holds Onto Pass for SR Screen)	
Sep 10	Friday	9:30 AM	Main Power Placement	Infinite Power	1x1 Pickup Truck w/ Trailer 1x1 Pickup Truck w/ Trailer	A, D	Yes, CDT Op 12K Lull	Stage Left	
Sep 10	Friday	10:00 AM	Remove MSI Vehicles					Remove Passes B, C	
Sep 10	Friday	10:00 AM	LED Placement	Control Video	1x1 Pickup Truck with Trailer 1x1 Production Truck	F, B		Screen Enters Mall FIRST, Followed by Truck Park Screen FIRST, Followed by Truck	
Sep 10	Friday	10:00 AM	Hands Call	CDT				1x1 to LX // 1x1 5 Hour, 1x1 10 Hour	
Sep 10	Friday	10:00 AM	Lighting Load In	Christie Lites	1x1 Tractor w/ 53' Trailer	C	Yes, CDT Op 12K Lull	4 Stage Hands Get Motors to Stage for Event Tech To Fly // Hang MS Fixtures While waiting for roof to trim, build FOH structure	
Sep 10	Friday	11:30 AM	REMOVE INFINITE VEHICLES		1x1 Pickup Truck w/ Trailer 1x1 Pickup Truck w/ Trailer			Removes Passes A, D	
			REMOVE CHRISTIE VEHICLE		1x1 Tractor w/ 53' Trailer			Removes Pass C	
			REMOVE CONTROL VIDEO VEHICLE		1x1 Pickup			Removes Passes B, F	
			REMOVE EVENT TECH Vehicles		1x1 Straight Truck			Removes Pass E	
Sep 10	Friday	12:00 PM	ROOFTO TRIM						
Sep 10	Friday	12:00 PM	Hands Call	CDT				1x1 to Audio 1x1 5 Hour Call	
Sep 10	Friday	12:00 PM	Audio Load In	MSI	1x1 Tractor w/ 53' Trailer	A	Yes, CDT Op 12K Lull		
Sep 10	Friday	1:00 PM	REMOVE MSI VEHICLE		1x1 Tractor w/ 53' Trailer			Removes Pass A	
Sep 10	Friday	3:00 PM	Hands CUT	CDT				1x1 Lighting	
Sep 10	Friday	3:00 PM	MEAL PROVIDED FOR LEADS & Remaining Hands						
Sep 10	Friday	5:00 PM	Hands CUT	CDT				1x1 Audio	
Sep 10	Friday	8:00 PM	Hands CUT	CDT				1x1 Lighting	
Sep 10	Friday	8:00 PM	LX EOD	Christie					
Sep 10	Friday	10:00 PM	Production EOD						

Production & Trucking Schedule // September 11, 2021

V 1.10

2021-09-02, 04:17:49

ALL VEHICLE TRAFFIC ON THE MALL RUNS CLOCKWISE.
5 MPH SPEED LIMIT
ESCORT/SPOTTER REQUIRED.
5' DISTANCE FROM GRANITE REQUIRED.

Trucking Address:
Jefferson Drive SW & 7th Street NW
Washington, DC 20597
<https://goo.gl/maps/iYVqUziG4kuc88ak7>

Schedule as of 09/03/2021

Production Manager: Josiah Canzanella (240) 784-6600
Site Coordinator: David Sonntag (703) 953-4493
OnSite Trucking Coordinator: Darius Wolley (240) 286-2863



Date	Day	Time	Item	Vendor	Trucking	Passes	Fork Needs	Notes
Sep 11	Saturday	12:00 PM	Production Crew Call	ALL				
Sep 11	Saturday	12:00 PM	Hands Call	CDT				(2) General
Sep 11	Saturday	12:00 PM	JIB Load In	MCamey Camera	(1) Van	A		
Sep 11	Saturday	2:00 PM	Soundchecks					
Sep 11	Saturday	4:00 PM	Doors					
Sep 11	Saturday	5:00 PM	MEAL Provided					
Sep 11	Saturday	6:00 PM	Event					
Sep 11	Saturday	9:00 PM	Event Concludes					
Sep 11	Saturday	9:30 PM	Audio Delays Load OUT	MSI	(1) Tractor w/ 53' Flatbed (1) Straight Truck	A, B	Yes, MSI Op 12k Lull	
Sep 11	Saturday	11:30 PM	REMOVE MSI VEHICLES	MSI	None Remain			Removes Passes A, B

Production & Trucking Schedule // September 12-13, 2021

V 1.10

2021-09-03, 09:15:49

ALL VEHICLE TRAFFIC ON THE MALL RUNS CLOCKWISE.
5 MPH SPEED LIMIT
ESCORT/SPOTTER REQUIRED.
5' DISTANCE FROM GRANITE REQUIRED.

Trucking Address:
Jefferson Drive SW & 7th Street NW
Washington, DC 20537
<https://goo.gl/maps/iYVqUziG4kuc88ak7>

Schedule as of 09/03/2021

Production Manager: Josiah Canzanella (240) 784-6600
Site Coordinator: David Sonntag (703) 953-4493
OnSite Trucking Coordinator: Darius Wolley (240) 286-2863



Date	Day	Time	Item	Vendor	Trucking	Passes	Fork Needs	Notes
Sep 12	Sunday	8:00 AM	Power Load Out	Infinite	12' Pickup Trucks	A, B	Yes, self op	Picking up Delay Generators
Sep 12	Sunday	8:00 AM	PortoJon Cleaning Service	United Site Services		C		Madison & Mall Access for Rear of Stage Porto Cleanings
Sep 12	Sunday	12:00 PM	Production Crew Call	ALL				
Sep 12	Sunday	12:00 PM	Hands Call	CDT				(2) General
Sep 12	Sunday	2:00 PM	Soundchecks					
Sep 12	Sunday	3:00 PM	Doors					
Sep 12	Sunday	4:00 PM	MEAL Provided					
Sep 12	Sunday	5:00 PM	Event					
Sep 12	Sunday	9:00 PM	Event Concludes					
Sep 12	Sunday	9:00 PM	Hands Call	CDT				(4) Audio, (4) Lighting, (1) Fork Op
Sep 12	Sunday	9:00 PM	MEAL Provided					Grab - N - Go Strite
Sep 12	Sunday	9:30 PM	LED Load Out	Control Video	12' Pickup Truck	A		Keeps Pass A for Trailer #2
Sep 12	Sunday	9:30 PM	Audio Load Out	MSI	12' Tractor w/ 53' Trailer	B	Yes, CTD Op 12K Lull	
Sep 12	Sunday	10:00 PM	Lighting Load Out	Bandit	12' Tractor w/ 53' Trailer	C	Yes, CTD Op 12K Lull	
Sep 12	Sunday	10:00 PM	Tenting Load Out	EIS/SEF	12' Stake Body	D		
Sep 12	Sunday	10:30 PM	Remove LED Trailer 2	CONTROL				Removes Pass A
Sep 12	Sunday	11:00 PM	REMOVE VIDEO Truck	CONTROL				
Sep 12	Sunday	11:00 PM	Power Load Out	Infinite	12' Flatbed	E, F	Yes, CTD Op 12K Lull	
Sep 12	Sunday	11:00 PM	Turf Protection Load Out	w	12' Tractor w/ 53' Flatbed	A	Yes, EIS Op 6K Lull	
Sep 12	Sunday	11:30 PM	REMOVE Audio Truck	MSI	12' Tractor w/ 53' Trailer			Removes Pass B
Sep 13	Monday	12:00 AM	REMOVE Lighting Truck	Christie	12' Tractor w/ 53' Trailer			Removes Pass C
Sep 12	Sunday	11:00 PM	Turf Protection Load Out	EIS/SEF	12' Tractor w/ 53' Flatbed 12' Tractor w/ 53' Flatbed	B, C, D	Yes, EIS Op 6K Lull	
Sep 13	Monday	6:00 AM	REMOVE Turf & Tent Trucks	EIS/SEF				Removes Pass D
Sep 13	Monday	6:00 AM	LX Tower & Main Gen Load Out	Infinite		A, E, F	Yes, EIS Op 6K Lull	Removes Pass C
Sep 13	Monday	7:00 AM	Trash Roll-off Pickup	United Site Services				MADISON Drive Only, no Mall Access
Sep 13	Monday	7:00 AM	PortoJon Pickup	United Site Services	12' Flatbed			MADISON Drive Only, no Mall Access
Sep 13	Monday	7:00 AM	Forklift Pickup	United Rentals				MADISON Drive Only, no Mall Access

Security Schedule // September 10-13, 2021

V 1.10
2021 0903 0916a

Security Coverage Zone
9th Street -> 10th Street on the National Mall
Including Stage, VIP Areas, Access Points, Crowd Control

Security Team Meeting Point
Medical Tent on MADISON side

(2) Security Light Towers will operate 1900-0600 Daily

Schedule as of 09/03/2021						Production Manager: Josiah Canzanella (240) 784-6600 Site Coordinator: David Sonntag (703) 953-4493 OnSite Trucking Coordinator: Darius Wolley (240) 286-2863				
Date	Day	Start	End	Hours	Shift	Hired UNARMED	Volunteer Marshalls UNARMED	US Park Police ARMED	Notes	
Sep 10	Friday	1200	2000	8	Alpha	2			Production Load In	
Sep 10	Friday	2000	0400	8	Bravo	2				
Sep 11	Saturday	0400	1200	8	Charlie	2				
Sep 11	Saturday	1000	1200	2	Delta	2				
Sep 11	Saturday	1200	1600	4	11-P	8	10	6	Talent Arrival & Rehearsals	
Sep 11	Saturday	1600	2200	6	11-Show	20	20	6	Gates at 4p. Show 6p-9p	
Sep 11	Saturday	2200	0600	8	Echo	4				
Sep 11	Saturday	0600	1200	6	Foxtrot	4				
Sep 12	Sunday	1200	1500	3	12-P	8	10	6	Talent Arrival & Rehearsals	
Sep 12	Sunday	1500	2200	7	12-Show	20	20	6	Gates at 3p. Show 5p-9p	
Sep 12	Sunday	2200	0200	2	Golf	4			Production Load Out	
Sep 13	Monday		0200						END OF SECURITY	

[Site drawings can be found on Dropbox](#)

Let Us Worship Security Call

September 10-12, 2021

Schedule



Date	Day	Time	Item	NPS ARMED	Colorado UNARMED	Volunteer UNARMED	Notes
Sep 11	Saturday	1600	Doors/Show	6	8	8	Gates at 4p, Show 6p-9p
Sep 11	Saturday	2200	Overnight		4		
Sep 11	Saturday	600	Overnight Relief		2		
Sep 12	Sunday	1600	Show	4	4	8	Gates at 5p, Show 6p-9p
Sep 12	Sunday	2200	LOAD OUT		2		



Let Us Worship - Sean Feucht

The National Mall
9th Street Gravel Path
Washington, DC 20004

September 10, 2021 - Load In
September 11, 2021 - Remembering Our Heroes
September 12, 2021 - Worship Night

Document Details

Version: 1.1 // Date: August 22, 2021

Contact Information

Production Manager // Show Designer

Josiah Canzanella // (b) (6) // (b) (6)

Edgewater, Maryland

On-Site Coordinator // Liaison

David Sonntag // (b) (6)

Arlington, Virginia

Event Scope

September 11, 2021 - 9/11 Remembrance Event, Expecting 30k attendance

September 12, 2021 - Live worship event expecting 15k attendance

Both nights streamed live on Youtube & Facebook

Site Vendors

Turf Protection/Tents



Power & Safety



Security



Restrooms



Staging



Audio



Lighting



LED, Video




Waste Management



Credentials Plan

1. Marshals and Security will be identified with (b) (7)(F) vests.
2. VIP's will have a "VIP" badge granting access to side stage and the VIP seating area
3. Media, Band, Production Crew, and Staff will have an "All Access".



Confirmed Speakers 9/11 & 9/12

1. Sean Feucht
2. Jentzen Franklin
3. Jay Koopman

Volunteers

Each volunteer team will have a team lead that will report to Whitney Whitt or James Dumont. That team lead will instruct and communicate orders.

Medical Plan

GWU provides (2) 3 man medical teams, and (1) Ambulance.

One team, with tent on Jefferson side, request to park an ambulance on Jefferson

One team, with tent on Madison side

Paid via Credit Card August 21, 2021

GW Emergency Medical Response Group

2145 G St. NW
Attn: EMeRG
Washington, DC 20052

(202) 236-4210

Bill To:
Josiah Canzanella

(b) (6)

INVOICE

#220006


DATE: 08/20/21

FOR: National Mall Event

DATE OF SERVICE: 9/11-9/12

DESCRIPTION	AMOUNT
2 BLS Tent Teams	\$1,970.00
- 2 DC-certified EMTs will stage at event, tent provided by event	
- Team will have necessary medical supplies, equipment, DC communications	
- \$98.50/hr x 5 hours x 2 teams x 2 days	
BLS Ambulance	\$1,650.00
- 2 DC-certified EMTs will be equipped with emergency ambulance	
- Team will have necessary medical supplies, equipment, and DC Communications	
- \$165.00/hr x 5 hours x 2 days	
TOTAL	\$3,620.00

Signature of Event Organizer Confirming Services:



Transportation plan

Encouraging people to use public transportation

No busses/access provided.

COVID-19 Mitigation Plan

Signage on LED screen's and at merch tent asking to following CDC guidelines

Communication plan

Production: Josiah Canzanella (b) (6)

Event Coordinator: Whitney Whitt: (b) (6)

Volunteer Coordinator: James Dumont

Additional Signage

(2) Step and Repeats for photo's, placed by delay towers, 8'x8x1' seated with sandbags



Transportation plan

Encouraging people to use public transportation

No busses/access provided.

COVID-19 Mitigation Plan

Signage on LED screen's and at merch tent asking to following CDC guidelines

Communication plan

Site Coordinator: Josiah Canzanella (b) (6)

Event Coordinator: Whitney Whitt: (b) (6)

Volunteer Coordinator: James Dumont

Additional Signage

(2) Step and Repeats for photo's, placed by delay towers, 8'x'8x1' seated with sandbags



Additional Clarification Points for 2021-0726 Meeting

LUW Team requests to sell merchandise in a tent (CD's, T Shirts, Stickers)

Steps for approval?



Designed by Josiah Canzanella
(b) (6)
Edgewater, Maryland

Let Us Worship
September 10-12, 2021


The National Mall
9th Street Walkway
Washington, DC 20004


Stage & FOH
Sean Feucht

File Name: 2021-0911_LetUsWorship_V1.1c-JC.vwx
Plotted: Thursday, August 26, 2021
Version: Notes:

Additional Keys

Sheet
2 of 7





Designed by Josiah Canzanella
(b) (6)
Edgewater, Maryland

Let Us Worship
September 10-12, 2021

The National Mall
9th Street Walkway
Washington, DC 20004

Fire Extinguishers

Sean Feucht

File Name: 2021-0911_LetUsWorship_V1.1c-JC.vwx
Plotted: Thursday, August 26, 2021
Version: Notes:

Additional Keys

Sheet
7 of 7