




Fire Progression Map



S
PROG
U






(b) (6), (b) (7)(C), (b) (7)(F)

(b) (6), (b) (7)(C), (b) (7)(F)

RESTRICTION: NEVER EXCEED CARGO WEIGHT CAPACITY
by 1000 lbs. (453.59 kg)
The weight of cargo is limited to 14000 lbs.
14000 lbs. (6350.32 kg)
MAXIMUM
The weight of cargo is limited to 14000 lbs. (6350.32 kg)

TIRE AND LOADING INFORMATION			
The maximum weight of Cargo should Never Exceed 13000 Pounds (5900 kg)			
TYPE	SIZE	COLD TIRE PRESSURE	SEE OWNER'S MANUAL FOR
FRONT	8.25x16 1/2	35 PSI / 2.4 MPa	MAXIMUM
REAR	8.25x16 1/2	35 PSI / 2.4 MPa	INFORMATION
WHEEL	8.25x16 1/2	35 PSI / 2.4 MPa	


PNEUMATIQUES ET LE CHARGEMENT			
Le poids maximum de la cargaison ne doit jamais dépasser 13000 livres (5900 kg)			
TYPE	TAILLE	PRESSION DES PNEUMATIQUES	VOIR LE MANUEL
AVANT	8.25x16 1/2	35 PSI / 2.4 MPa	MAXIMUM
ARRIERE	8.25x16 1/2	35 PSI / 2.4 MPa	INFORMATION
ROUE	8.25x16 1/2	35 PSI / 2.4 MPa	



(b) (6), (b) (7)(C), (b) (7)(F)




(b) (6), (b) (7)(C),
(b) (7)(F)






(b) (6), (b) (7)
(C), (b) (7)(F)



(b) (6), (b) (7)(C), (b)
(7)(F)



(b) (6), (b) (7)(C), (b) (7)(F)

