
National Park Service U.S. Department of the Interior

Big South Fork National River and Recreation Area 4564 Leatherwood Road Oneida, Tennessee 37841



Species	Status	Hab.	Sp	s	F	W	Species	Status Hab.	Sp	S	F	W
□ Magnolia Warbler □ Cape May Warbler □ Black-thr. Blue Warbler □ Yellow-rumped Warbler □ Black-thr. Green Warbler □ Blackburnian Warbler □ Yellow-throated Warbler □ Prairie Warbler* □ Prairie Warbler* □ Palm Warbler	TF TF TF W er* SF	R Gen/F For Op	U U VU FC	C FC C U	U VU VU FC C	U	□ Fox Sparrow □ Song Sparrow* □ Swamp Sparrow □ White-throated Sparrow □ White-crowned Sparrow □ Dark-eyed Junco □ Bobolink □ Red-winged Blackbird* □ Eastern Meadowlark* □ Common Grackle*	WR WR WR WR	VU U U VU FC VU FC U	U FC FC U	U FC U U VU FC	VU FC U VU FC
□ Bay-breasted Warbler □ Blackpoll Warbler □ Cerulean Warbler □ Black-and-white Warbler □ American Redstart* □ Prothonotary Warbler* □ Worm-eating Warbler* □ Swainson's Warbler* □ Ovenbird* □ Northern Waterthrush □ Louisiana Waterthrush □ Kentucky Warbler* □ Common Yellowthroat* □ Hooded Warbler*	SF SF * SF SF TF	Gen Gen Gen Aq Gen Gen Gen	VU VU FC VU FC U A VU U FC C	U FC U FC U A U U FC C	U FC U VU FC VU U U FC	U	☐ Brown-headed Cowbird: ☐ Orchard Oriole* ☐ Northern Oriole ☐ Purple Finch ☐ House Finch ☐ Red Crossbill ☐ Pine Siskin ☐ American Goldfinch* ☐ Evening Grosbeak ☐ House Sparrow*	* SR SR Op SR WR PR VI For WR PR WR PR	VU VU VU VU R U	VU VU U U	VU VU VU U	VU VU R VU U R U



Cover Photo: Bombycilla cedrorum (Cedar Waxwing)

SR SR SR PR TR VI SR PR SR PR VI VI Ü ☐ Yellow-breasted Chat* U VU VU C FC FC FC FC □ Summer Tanager* ☐ Scarlet Tanager* ■ Northern Cardinal* ☐ Rose-breasted Grosbeak ☐ Blue Grosbeak FC FC U □ Indigo Bunting* U VU U ☐ Rufous-sided Towhee* ☐ Chipping Sparrow* Op Op Op Op ☐ Field Sparrow* ☐ Vesper Sparrow ☐ Savannah Sparrow

Dr. Stephen J. Stedman (Tennessee Technological University), Dr. Charles P. Nicholson (Tennessee Ornithological Society) and NPS data provided much of the information in the preceding checklist.

National Park Service U.S. Department of the Interior

Big South Fork National River and Recreation Area Tennessee/Kentucky



A Checklist of Birds in the Big South Fork



The Big South Fork National River and Recreation Area is comprised of an area of about 125,000 acres located in McCreary County, Kentucky and Fentress, Morgan, Pickett, and Scott counties, Tennessee. It was established in 1974 to provide protection for the watershed of the Big South Fork of the Cumberland River and the many fine natural features found nearby.

About 160 species of birds have been recorded within the Big South Fork NRRA during the past two decades. Prior to establishment of the National Area, some species of birds occurred within its present-day boundaries or nearby, but they have not been recorded since. The following species may one day be recorded in the area again, but they are not expected at the time: Golden Eagle, Peregrine Falcon, Red-cockaded Woodpecker, Common Raven, Bewick's Wren.

The National Area is especially rich as a haven for species of Neotropical migrant birds. Neotropical migrants, indicated by boldfacing in the checklist, are species that breed in North America and then migrate to the tropical regions of Central and South America to spend the northern winter. Some birds may be termed partial Neotropical migrants; that is, a portion of their population migrates to the tropics for the winter, but a large fraction winters in the southern parts of North America. Italics in the checklist indicate partial Neotropical migrants.

Some species of Neotropical migrants are currently undergoing population declines throughout their ranges as a result of the effects of forest fragmentation and clearcutting. Protecting large tracts of mature forest may be the best means of ensuring the survival of these species.

Status Codes

PR	Permanent Resident
SR	Summer Resident
WR	Winter Resident
TR	Transient
\ /I	Visitor (no nattorn of occurrence)

VI Visitor (no pattern of occurrence)

Asterisks indicate confirmed (**) and highly probable (*) breeding in the area.

Abundance Codes

Abullu	ance codes
Α	Abundant (26+ likely to be seen/heard in
	appropriate habitat in one day)
C	Common (11-25 likely to be seen/heard in
	appropriate habitat in one day)
FC	Fairly Common (3-10 likely to be seen/heard in
	appropriate habitat in one day)
U	Uncommon (1-2 likely to be seen/heard in
	appropriate habitat in one day)
VU	Very Uncommon (1 to 5 records during a season
	likely)
R	Rare (only 1-3 records ever made)

Seasons of Occurence

Spring (March-May)
Summer (June-July)
Fall (August-November)
Winter (December-February

Habitat Obligates and Generalists

Some species breeding in or migrating through the Big South Fork are often habitat obligates, that is, their occurence is often restricted to certain habitats found within the area, while other species are habitat generalists and may be found in a wide variety of habitats within the area. The following codes are used to indicate the preferences of species with habitat restrictions:

Gen Largely confined to the gorge of the Big South Fork and its tributaries.

Usually associated with aquatic habitats, such as rivers, lakes and ponds.

For Usually associated with upland pine forests.

Usually associated with open habitats, such as old fields, pastures, homesteads, and recently developed areas.

Field Information


Snacias

The following space is provided for those wishing to keep a record of their Big South Fork birding experience.

Date/Time:	_ Afield:
)bserver(s):	
ky/Wind/Temp:	Total # Species
Places Visited:	·
lotes:	

Species	Status H	lab.	Sp	S	F	W
☐ Common Loon	VI	Aq	R			
☐ Pied-billed Grebe	VI	Aq	VU		VU	R
☐ Great Blue Heron	PR	Aq	Ü	U	Ŭ	VU
☐ Green Heron*	SR	Aq	VU	VU	VU	VO
☐ Canada Goose	PR	Aq	VU	VU	VU	VU
☐ Wood Duck*	SR	Aq	Ü	Ü	Ŭ	VO
☐ Mallard	VI	Aq	VU	O	VU	VU
☐ Blue-winged Teal	ŤŔ	Aq	VÜ		VÜ	VO
☐ Northern Shoveler	TR	Aq	VÜ		VÜ	
☐ Black Vulture	PR	7 19	Ü	U	Ü	U
☐ Turkey Vulture	PR		FC	FC	FC	FC
□ Osprey	TR	Aq	VÜ		VÜ	
☐ Bald Eagle	VI	Gen				VU
☐ Northern Harrier	WR	Ор	VU		VU	VÜ
☐ Sharp-shinned Hawk**	PR	For	VÜ	VU	VÜ	VÜ
☐ Cooper's Hawk	PR		VU	VU	VU	VU
☐ Red-shouldered Hawk*	* PR	Aq	U	U	U	U
□ Broad-winged Hawk*	SR	'	U	U	U	
☐ Red-tailed Hawk*	PR		U	U	U	U
☐ American Kestrel	PR	Op	VU	VU	VU	VU
□ Ruffed Grouse**	PR		U	U	U	U
☐ Wild Turkey**	PR		U	U	U	U
☐ Northern Bobwhite	PR	Ор	VU	VU	VU	VU
☐ Sandhill Crane	TR	_	VU		VU	
☐ Killdeer*	PR	Op	U	U	U	U
☐ Solitary Sandpiper	TR	Aq	VU		VU	
☐ Spotted Sandpiper	TR	Aq	VU		VU	\ /I I
☐ Common Snipe	WR	Aq	VU VU	VU	VU VU	VU VU
☐ American Woodcock** ☐ Rock Dove*	PR PR		VU	VU	VU	VU
☐ Mourning Dove*	PR		U	U	U	U
☐ Black-billed Cuckoo	TR		VU	U	VU	U
☐ Yellow-billed Cuckoo			Ü	U	Ŭ	
☐ Eastern Screech-Owl*	PR		Ŭ	Ŭ	Ŭ	U
☐ Great Horned Owl*	PR		Ŭ	Ŭ	Ŭ	Ŭ
☐ Barred Owl*	PR	Gen	Ŭ	Ŭ	Ŭ	Ŭ
☐ Common Nighthawk	TR		VU		VU	
☐ Whip-poor-will*	SR		FC	FC	U	
☐ Chimney Swift*	SR		U	U	U	
☐ Ruby-thr. Hummingbi	r d * SR		U	U	U	
☐ Belted Kingfisher*	PR	Aq	U	U	U	U
☐ Red-headed Woodpecker			VU	VU	VU	VU
□ Red-bellied Woodpecke			U	U	U	U
☐ Yellow-bellied Sapsucke			U		U	U
□ Downy Woodpecker*	PR		U	U	U	U
☐ Hairy Woodpecker*	PR		FC	FC	FC	FC
□ Northern Flicker*	PR		U	U	U	U
☐ Pileated Woodpecker*	PR TD		FC	FC	FC	FC
☐ Olive-sided Flycatcher☐ Eastern Wood-Pewee			U	VU	U	VU
□ castern wood-Pewee	ЭŇ		U	U	U	

Species	Status I	lab.	Sp	S	F	W
☐ Acadian Flycatcher** ☐ Least Flycatcher ☐ Eastern Phoebe* ☐ Great Cr. Flycatcher* ☐ Eastern Kingbird* ☐ Purple Martin ☐ Tree Swallow ☐ N. Rough-winged Swallo	SR TR PR SR SR SR TR DW* SR	Gen Aq Op	FC VU U FC VU VU U	FC U FC VU U	FC VU U U VU VU U	VU
Bank Swallow Barn Swallow** Blue Jay* American Crow* Carolina Chickadee* Tufted Titmouse* Red-breasted Nuthatch White-breasted Nuthatch Brown Creeper Carolina Wren* House Wren Winter Wren Golden-crowned Kinglet	TR PR PR PR PR WR WR TR WR	SR For	FC FC VU FC U VU C	U FC FC C FC FC	VU U FC C FC VC FC U U VU C	U FC FC VU FC U U C



☐ Ruby-crowned Kinglet	WR		U	ГС	U	VU
□ Blue-gray Gnatcatcher* □ Eastern Bluebird**	SR PR	Ор	FC FC	FC FC	U FC	FC
□ Veery	TR	- 1-	VU		VU	
☐ Gray-cheeked Thrush	TR		VU		VU	
□ Swainson's Thrush	TR		U		U	
☐ Hermit Thrush	WR		U		U	U
☐ Wood Thrush*	SR		FC	FC	FC	
□ American Robin*	PR	Ор	FC	FC	U	U
□ Gray Catbird*	SR	_	U	U	U	
☐ Brown Thrasher*	PR	Op	U	U	U	VU
□ Northern Mockingbird*	PR	Ор	VU	VU	VU	VU
Cedar Waxwing	PR	_	U	U	U	U
□ Loggerhead Shrike	VI	Ор	VU	VU	VU	VU
□ European Starling* □ <i>White-eyed Vireo</i> *	PR	_	U	U	U	U
⊔ VVnite-eyed Vireo*	SR	Op (F	U	U	U	
□ Solitary Vireo*	SR	Gen/For		FC	FC	
☐ Yellow-throated Vireo*	SR		U	U	U	
□ Philadelphia Vireo	TR		VU	^	ΛΩ	
□ Red-eyed Vireo*	SR		A	А	C	
□ Blue-winged Warbler □ Golden-winged Warbler	TR		U VU		VU VU	
□ doiden-winged warbier □ Tennessee Warbler	TR TR		U		U	
□ Orange-cr. Warbler	TR		VU		VU	
□ Northern Parula*	SR		FC	FC	FC	
□ Yellow Warbler*	SR	Aq	U	U	VU	
☐ Chestnut-sided Warbler	TR	7.19	Ü	J	U	
L Chesting sided Walbiel	111		U		U	