

The Billy Goat Trail Section A Rock 'n' Walk Trail Guide
Chesapeake & Ohio Canal National Historical Park
Ivan Carabajal

This document, created by a National Park Service (NPS) volunteer, was made possible by the Geoscientists-In-the-Parks (GIP) Program and its partners. Documents created through the GIP Program are intended to address a variety of park-identified needs including: resource management, education and outreach, interpretation, inventory and monitoring, and research. GIP products are generally not peer-reviewed. Quality may vary significantly, and the product may not be finalized. Specific information may have been redacted in the document to protect proprietary information regarding cultural and paleontological sites, and threatened and endangered species locations.

Views and conclusions expressed in this document are those of the author(s) and do not necessarily reflect the views or policies of the National Park Service, The NPS-Geologic Resources Division, and its partners. Mention of trade names or commercial products does not constitute endorsement or recommendation for use by the National Park Service.

Documents and related materials are filed with the National Park Service-Geologic Resources Division, and with Chesapeake & Ohio Canal National Historical Park. Contact Chesapeake & Ohio Canal National Historical Park for additional information. Cite this document as:

Carabajal, Ivan. The Billy Goat Trail Section A Rock 'n' Walk Trail Guide. Geoscientists-In-the-Parks document, 2014-CHOH. National Park Service, Denver, Colorado.

Please be aware that products produced under the GIP Program do not authorize the collection of, or damage to park resources. The NPS specifically prohibits the damaging or collecting of natural, cultural, and archeological resources on federal lands under 36 CFR §2.1.




Billy Goat Trail Sec. A - Rock 'n' Walk Trail Guide



Welcome to the Billy Goat Trail Sec. A! This guide will take you on a geology tour through the Mather Gorge and includes a geologic map describing the local geology. Use the map to identify all the different rocks along your journey. This trail is **strenuous** in some areas and makes a 3.7 mile loop via the towpath, so please make sure to wear sturdy hiking shoes and to bring plenty of water. The trail should take about 3-4 hours to complete, but you can always stay longer and admire the gorge!

Stop 1 - Great Falls Overlook



Head south from the Visitor Center down the towpath for about 0.25 mi until you reach the Olmsted Island Bridge. Take the bridge to the Great Falls Overlook. The rocks around you were deposited as underwater landslides over 600 million years ago (Mya). As these currents slow down, large grains become too heavy fall out of flow while smaller particles are deposited later. This creates a “graded bedding” pattern where large grains are on the bottom and smaller

grains are on the top. Keep an eye for this pattern when looking at the E2mg rocks along the trail (see map legend on back for more information).

Return to the towpath and walk down stream to your right for an additional 0.15 mi until you reach a section of the towpath with a wooden guard rail on the right alongside Rocky Island.

Stop 2 - Rocky Island Channel



You have just descended about 10 meters (~33 feet) in elevation since leaving the Tavern. Have you also noticed how much higher the towpath is above the Potomac? This height difference gives you an idea on the elevation changes that occur along the Fall Zone. But what is “the Fall Zone?” The Fall Zone is the boundary that separates the hard, crystalline rock of the Piedmont Province in the west from the soft sediment deposits of

the Coastal Plain Province to the east. This difference in underlying rock is what causes the varying topography and the resulting waterfalls. The creation of the C&O Canal was to make navigation past the Fall Zone possible.

Continue along the towpath until you reach the Billy Goat A trail head just before the stop gate bridge.

Stop 3 - Lamprophyre Dikes



Walk along the trail for about 0.20 miles until you pass the tip of Rocky Island. Continue to look to the west until you see thick black bands on the cliff face across the gorge. The black bands are lamprophyre (LAM-pruh-fahyuhr) dikes, a rare igneous rock intrusion that was injected into the surrounding sedimentary rock about 360 Mya after folding and metamorphism of the

surrounding rock. The lamprophyre dikes do not follow a straight trend across the river. This may be due to an ancient fault that displaced the rock hundreds of millions of years ago, but that is still in debate among scientists. What do you think?

Continue along the towpath and pass Trail Marker 1 (TM-1).

Stop 4 - Pothole Alley



After you pass TM-1, the trail emerges out of the woods and continues along a rocky ridge just on the edge of the gorge. **Be careful around here!** This area is an older bedrock terrace that represents the original river bed before the gorge was cut. Notice the potholes along the trail. These potholes form when cobbles and pebbles

are swirled by the roaring current and grind into depressions in the bedrock while silts and sands polish the rocks smooth. This process can take thousands of years to complete.

Now, continue along the trail until you reach TM-2.

Stop 5 - Echo Cliffs



After passing TM-2, you will emerge onto a small sandy brush-filled valley with rock outcrops by the river. Walk near the edge of the gorge and look across to the east to see several large cliff faces. Here, dark colored igneous rocks called amphibolite (am-FIB-uh-lahyt) sills cut through the surrounding rock about 540 Mya. Observe the cliff in the photo to the right and read the rock descriptions on the legend provided.



fz - fault zone, s - schist (E2mg), a - amphibolite (Ea), m - metagreywacke (E2mg)

Continue along the trail while keeping an eye out for graded bedding on some of the boulders. You may consider resting at Purplehorse Beach.

Stop 6 - Red Creek



After you pass Purplehorse Beach and finish admiring the surrounding boulders (read their descriptions below), you will climb up a rocky knob. Near the top, the trail will begin to curve around a lagoon but keep an eye out for a deep red creek. The creek gets its red color from iron-oxide, or rust, that is leached from bodies of

iron-rich rocks. Iron is typically found igneous rocks like the amphibolite sill you are currently standing on!

Make your way around the lagoon and continue your hike through the last portion of the Billy Goat Trail Sec. A; you're almost done!

Stop 7 - Migmatite Outcrop




After completing the trail, there is one last stop. Make a left once you are on the towpath and walk about 0.15 mi until you are about 100 ft from the towpath bridge. On your left should be a small outcrop of migmatite that has alternating black and white bands. A migmatite is a rock that has truly withstood the power of the Earth

where the white-colored minerals have actually partially melted. To learn more, continue reading the description below for €Zmm.

Congratulations on completing Section A of the Billy Goat Trail! There are a lot more places to see along the trail, so remember to explore!

Geological Map of the Billy Goat Trail and Great Falls, MD



Explanation of Map Symbols

- | | | | | | |
|--|---------------------|--|------------------|--|--|
| | Comfort Station | | Ranger Station | | |
| | Information | | Telephone | | |
| | Parking | | Lock | | |
| | Snack Bar | | Overlook | | |
| | Water | | Trail Marker | | |
| | Hiking Trail Access | | Towpath Milepost | | |
| | Picnic Area | | Stop Gate Bridge | | |

Description of Map Units

Surficial Deposits

Qs Quaternary sediments - 10,000 years old to present day sediments that were either deposited naturally from rivers and streams or artificially during towpath and canal construction.

Older Igneous Rocks

Lamprophyre dikes- Rare 360 million year old (Devonian), dark colored intrusive igneous rock that are rich in biotite mica (black-colored mica) and occur as tabular intrusions that cut across the surrounding rock. Biotite grains are larger in the center because intrusive igneous rocks cooled faster on the edges, allowing crystals in the center to grow more.

Ob Bear Island Granodiorite & pegmatite - 470 million year old (Ordovician) intrusive igneous rock that typically form elliptical bodies. Rocks are light in color and rich in white mica. Pegmatite crystals are large (> 2.5 cm) in size. Small blobs of this lightly pinkish rock can be seen in some of the amphibolite at Stop 6.

€a Amphibolite sills - 540 million year old (Cambrian) intrusive igneous rock that is dark in color and rich in the mineral amphibole. These slabs were injected parallel to the bedding of the surrounding rock and were even partially folded. They were originally deposited as molten material similar to basalt, but were metamorphosed into the amphibolite we see today.

Metamorphosed Sedimentary Rocks (Lower Cambrian and (or) Late Proterozoic—about 600 million years old)

Mather Gorge Formation

€Zms Quartz-rich schist and mica gneiss - Greenish-gray rocks with different textures; schist is fine grained and very shiny because of its mica grains while gneiss (pronounced "nice") has straight, alternating bands of light and dark minerals that form under intense heat and pressure.

€Zmg Metagraywacke and metasiltstone schist - Gray and dirty sandstone interbedded with finer grained siltstone; originally deposited in submarine turbidity currents on the ocean floor. The schist is composed of metamorphosed ocean sediments and small mica grains that grew during stages of high heat and pressure. Schist is a mid-grade metamorphic rock.

€Zmm Migmatite - Complex, light- and dark-gray, high-grade metamorphic rock that formed when rocks were pressed and heated so much during metamorphism that they partially melted. Migmatites feature both metamorphic and igneous rock characteristics because the partial melt crystallizes into an igneous rock while the rest remains metamorphic.

€Zmp Phyllonite with vein quartz - Shiny, greenish-gray, fine-grained rock with pods and veins of white quartz. These rocks get a light sheen from the presence of microscopic mica grains that formed during metamorphism, but they are considered as low-grade metamorphic rock.

Map adapted from *Geologic map of the Billy Goat Trail, Great Falls, and surrounding area*
By Scott Southworth, Carrie Fingaret, and Thomas Weik (USGS). Open File Report 00-264
Original Map Available from http://geology.er.usgs.gov/eespteam/Greatfalls/web_site/pdf_files/gf_layout.pdf

EXPERIENCE YOUR AMERICA™

printed on 100% recycled paper