



# Conserve O Gram

August 2009

Number 17/6

## Packing a Framed Two-Dimensional Object

Use these instructions to pack small framed objects no larger than 16" on any edge. Use other, more appropriate methods for packing and shipping larger framed objects.

First determine whether the framed item can be safely shipped by inspecting the item closely. Identify what it is, and determine that it and its frame are both in good condition.

Use this packing method for:

- Photographs, prints, watercolors, and oil paintings in good condition.
- Items framed with intact and whole glass or plexiglas, and that have no breaks or cracks as further damage may occur during shipping.
- Framed material transported by art carriers or expedited shipping services.

Do not use this packing method if the two-dimensional item:

- Has a frame with loose areas, mold, surface damage, flaking surfaces, torn support areas, or buckling of the support.
- Does not have a plexiglas or glass covering.
- Is a charcoal, pastel or soft pencil drawing. These materials are most vulnerable to loss or damage if their media are not "fixed."

Consult a conservator to determine media type or if you have concerns about safely shipping the framed item.

### *Packing the Object*

Once you have determined that the item can be safely shipped, follow the steps noted below.

- Tape the glass or plexiglas surface, as glass or plexiglas breaks easily and can cause damage to the underlying surface (see figure 1). Taping reduces the possibility of the glass shattering and damaging the underlying object. Use a low-tack adhesive tape applied on the entire glass surface. Turn one end of the tape with adhesive surfaces together to form a pull tab for ease of removal.



Figure 1. Taping the glazing.

- Keep the object face up on the table on a sheet of glassine (or unbuffered tissue). Place the frame in the center of the glassine. Pull the edges of the glassine onto the object. If there is excess glassine fold towards the front. Do not use anything to secure the glassine closed (see figure 2).



Figure 2. Wrap the frame in glassine.

- Prepare the next protective layer. Cut 2 pieces of urethane foam and 2 pieces of multi-use corrugated board, measuring  $\frac{1}{2}$ " larger than each side of the frame. When you have a deep frame, use packing materials to fill in the area so it is level with the top of the frame. Use a piece of urethane foam, polyester batting, or folded bubble wrap. Sandwich the glassine-wrapped frame between the urethane foam (see figure 3) and the multi-use corrugated board (see figure 4).



Figure 3. Sandwich the glassine-wrapped frame between urethane foam.



Figure 4. Sandwich the foam package between two layers of multi-use corrugated board.

- Secure all the layers together. Cut 1-1/2" wide strips of folder stock and extend around the edges of the stacked layers. Continue with the strips approximate 2"

on the top and underside of the multi-use corrugated board. Use masking tape to adhere the strips to the multi-use corrugated board. Turn one end of the masking tape with adhesive surfaces together to form a pull tab. Pull tabs are needed on the top side only. Place these strips on all four sides to prevent the stacked layers from shifting. If any side exceeds 12", additional strips will be added (see figure 5).




Figure 5. Use masking tape to adhere the folder stock strips to the multi-use corrugated board.

- Wrap in bubble wrap. Place the layered object in the middle of the bubble wrap. Pull the edges of the bubble wrap onto the object. Do not roll it onto the bubble wrap. Trim the excess or fold it under. Use masking tape to secure. Fold one end of the masking tape with adhesive surfaces together to form a pull tab. Tape an identification tag on top of the bubble wrap (see figure 6).



Figure 6. Tape an identification tag on top of the bubble wrap.

- Place the wrapped object in a box. Line

the box with 2” of urethane foam on all four sides and bottom. If there are void areas, fill with additional urethane foam and place a sheet of foam on top. Tape the flaps of the box closed.



Figure 7. Prepared frame in inner box.

- Place the prepared box into another box lined with 2” of urethane foam on all four sides and bottom. If there still are void areas, fill with additional urethane foam and place a sheet of foam on top. This process is called double boxing. This provides additional protection from shock and vibration (see figures 7 - 9).



Figure 8. Outer box prepared to receive inner box.



Figure 9. Double box the framed object.

- Enclose the appropriate paperwork. Seal the outer box with reinforced tape. Adhere at least three pieces of tape across the top of the box extending approximately 4-6” down each side (see figure 10).



Figure 10. Adhere with three pieces of tape across the top of the box.

## Sources

### *Low-tack adhesive tape*

Masterpak  
145 East 57th Street  
New York, NY 10022  
(800) 922-5522; Fax (212) 586-6961  
www.masterpak-usa.com

### *Glassine and folders are available in sheets and rolls*

University Products  
517 Main Street  
Holyoke, MA 01041-0101  
(800) 628-1912  
www.universityproducts.com

### Gaylord Brothers

P.O. Box 4901  
Syracuse, NY 13221-4901  
(800) 448-6160  
www.gaylordmart.com

### *Urethane foam is available in sheets from local*

packing supply companies or  
Packaging Services Industries  
16461 Elliott Parkway  
Willliamsport, MD 21795  
(800) 223-6255  
www.psimd.com

## References

NPS *Museum Handbook*, Part I, Chapter 6  
“Handling, Packing and Shipping Museum  
Objects.”

Karen Matson  
Museum Specialist  
National Park Service  
Harpers Ferry Center  
Media Assets  
P.O. Box 50  
Harpers Ferry, WV 25425

---

The *Conserve O Gram* series is published as a reference on collections management and curatorial issues. Mention of a product, a manufacturer, or a supplier by name in this publication does not constitute an endorsement of that product or supplier by the National Park Service. Sources named are not all inclusive. It is suggested that readers also seek alternative product and vendor information in order to assess the full range of available supplies and equipment.

The series is distributed to all NPS units and is available to non-NPS institutions and interested individuals on line at <<http://www.nps.gov/history/museum>>. For further information and guidance concerning any of the topics or procedures addressed in the series, contact NPS Park Museum Management Program, 1849 C Street NW (2265), Washington, DC 20240; (202) 354-2000.