National Park Service U.S. Department of the Interior

Obed Wild and Scenic River PO Box 429 Wartburg, Tennessee 37887



U U

U

U VU

VU U U

VU U

VU VU

VU R

FC VU

FC

С FC FC U

FC U FC C

R R R


FC R С U VU

R

VU U FC U

VU U

| Species | Status | Hab. | Sp | S | F | W | Species | Status | Hab. | Sp |
|---------------------------|------------------|--------|------|----|----|----|-------------------------|--------|------|----|
| Blue-winged Warbler | TR | Op | VU | | VU | | □ Chipping Sparrow ** | SR | For | U |
| Golden-winged Warbl | er TR | Óp | | | R | | □ Field Sparrow ** | PR | Op | U |
| 🗆 Tennessee Warbler | TR | For, O | DV q | | U | | Savannah Sparrow | TR | О́р | |
| Orange-crowned Wark | bler TR | For | | | R | | Fox Sparrow | WR | For | VU |
| 🗆 Northern Parula ** | SR | For | U | U | VU | | □ Song Sparrow * | PR | Op | VU |
| Yellow Warbler | TR | Op | VU | | | | 🗖 Lincoln's Sparrow | TR | О́р | R |
| Chestnut-sided Warble | er TR | Op, F | or U | | U | | Swamp Sparrow | WR | О́р | VU |
| 🗆 Magnolia Warbler | TR | For | U | | U | | White-throated Sparr | ow WR | Gen | U |
| Cape May Warbler | TR | For | VU | | R | | □ White-crowned Sparrow | v WR | Ор | |
| Black-throated Blue W | arblerTR | For | R | | | | Dark-eyed Junco | WR | Gen | U |
| □ Yellow-rumped Warble | er WR | For | U | | FC | FC | □ Northern Cardinal ** | PR | Gen | FC |
| 🗆 Black-thr. Green Warble | r ** SR | For | С | С | U | | Rose-breasted Grosbe | ak TR | For | U |
| Blackburnian Warbler | TR | For | VU | | U | | 🗆 Blue Grosbeak | SR | Ор | R |
| Yellow-throated Warb | ler * SR | For | FC | FC | U | | 🗆 Indigo Bunting ** | SR | Gen | FC |
| 🗆 Pine Warbler ** | PR | For | U | U | U | R | Red-winged Blackbird | l VR | Ор | R |
| Prairie Warbler * | SR | Ор | U | U | U | | 🗆 Eastern Meadowlark | VR | О́р | R |
| 🗆 Palm Warbler | TR | Gen | VU | | U | | 🗆 Common Grackle | PR | Gen | VU |
| Bay-breasted Warbler | TR | For | VU | | U | | Brown-headed Cowbi | rd PR | Gen | VU |
| Blackpoll Warbler | TR | For | VU | | | | Orchard Oriole | TR | | |
| Cerulean Warbler ** | SR | For | R | R | | | 🗖 Baltimore Oriole | TR | For | R |
| Black-and-white Warble | e r ** SR | For | FC | FC | U | | 🗆 Purple Finch | WR | For | VU |
| 🗆 American Redstart | TR | For | U | | U | | 🗆 House Finch | PR | Ор | VU |
| Worm-eating Warbler | ** SR | For | FC | FC | U | | 🗆 Pine Siskin | VR | For | R |
| Swainson's Warbler ** | SR | For | U | U | | | American Goldfinch * | * PR | Gen | U |



| □ Ovenbird ** □ Northern Waterthrush | SR TR | For For | C | U | С | U | |
|---|----------|------------|---|---|----|----|---|
| Louisiana Waterthrush ** | SR | Aq | F | č | FC | VU | |
| □ Kentucky Warbler ** | SR | For | Ŭ | | U | VU | |
| Connecticut Warbler Common Yellowthroat * | TR SR | For | R | | U | U | |
| □ Hooded Warbler ** | SR | Op For | C | | C | FC | |
| 🗆 Wilson's Warbler | TR | For | | | | R | |
| 🗆 Canada Warbler | TR | For | | | | VU | |
| Yellow-breasted Chat * | SR | Ор | U | | U | VU | |
| Summer Tanager * | SR | For | U | | U | U | |
| Scarlet Tanager ** | SR | For | F | Ç | C | U | |
| Eastern Towhee ** | PR | For | F | C | FC | FC | U |

Cover Photo: Ovenbird near Lilly Bluff, OBRI, 29 September 2006, taken by S. J. Stedman

Dr. Stephen J. Stedman (Tennessee Technological University), Dr. Charles P. Nicholson (Tennessee Ornithological Society) and NPS data provided much of the information in the preceding checklist.

National Park Service U.S. Department of the Interior

Obed Wild and Scenic River Wartburg, Tennessee

A Checklist of Birds in the Obed Wild and Scenic River





EXPERIENCE YOUR AMERICA

The Obed Wild and Scenic River is comprised of an area of about 5,000 acres located in Morgan County, Tennessee. It was established in 1976 to provide protection to unique resources found along the Obed and Emory Rivers and their major tributaries. An amendment to the Wild and Scenic Rivers Act states that the park was created to protect the park's free-flowing streams, wildlife resources, primitive character, and other "outstandingly remarkable values" for the benefit of future and the many fine natural features found nearby.

The Obed Wild and Scenic River has dozens of different bird species that fly amongst the trees and ridges of the park. Many common birds such as the cardinal, the crow, and the turkey vulture are visible throughout the year at all times of day. Some birds, such as the barred owl, are experts at using their camouflaging feathers to make seeing them an occasional experience. Many Obed hikers will see or hear a variety of birds throughout the park on a typical walk.

About 160 bird species have been recorded within Obed Wild and Scenic River during the past two decades. Prior to the establishment of the Wild and Scenic River, some species of birds occurred within its present-day boundaries or nearby, but they have not been recorded since. The following species may one day be recorded in the area again, but they are not expected at this time: Golden Eagle, Peregrine Falcon, Red-cockaded Woodpecker, Common Raven, and Bewick's Wren.

The Obed Wild and Scenic River is especially rich as a haven for species of Neotropical migrant birds. Neotropical migrants, indicated by boldfacing in the checklist, are species that breed in North America and then migrate to the tropical regions of Central and South America to spend the northern winter. Some birds may be termed partial Neotropical migrants; that is, a portion of their population migrates to the tropics for the winter, but a large fraction winters in the southern parts of North America. Italics in the checklist indicate partial Neotropical migrants. Some species of Neotropical migrants are currently undergoing population declines throughout their ranges because of the effects of forest fragmentation and clear cutting. Protecting large tracts of mature forest may be the best means of ensuring the survival of these species.

If you encounter species of birds not on the park checklist, please send information about when and where you noted them to the Park Headquarters (Attn: Chief of Resource Management, BSFNRRA, 4564 Leatherwood Road, Oneida, TN 37841).

Status Codes

- PR SR Permanent Resident
- Summer Resident
- WR Winter Resident
- TR Transient VI
- Visitor (no pattern of occurrence)

Abundance Codes

(how often the species is likely to be seen/heard in appropriate habitat in one day)

- Abundant (26+)
- Common (11-25)
- FC Fairly Common (3-10)
- U Uncommon (1-2)
- VU Very Uncommon (1-5)
- Rare (only 1-3)

Seasons of Occurence

- Spring (March-May) Sp
- Su Summer (June-July)
- Fa W Fall (August-November)
- Winter (December-February)

Habitat Obligates and Generalists

Some species breeding in or migrating through the Obed are often habitat obligates, that is, their occurrence is often restricted to certain habitats found within the area, while other species are habitat generalists and may be found in a wide variety of habitats within the area. The following codes are used to indicate the preferences of species with habitat restrictions:

- Largely confined to the gorge of the Obed Gen and its tributaries.
- Usually associated with aquatic habitats, such as Aq rivers, lakes and ponds.
- Usually associated with upland pine forests. For
- Op Usually associated with open habitats, such as old fields, pastures, homesteads, and recently developed areas.

Asterisks indicate breeding in areas:

Confirmed (**) observed nest, eggs, nestlings, dependent fledglings, adults tending young; Highly Probable (*) observed territorial behavior, courtship, paired birds during appropriate season)

Species names in lightface type were not recorded during the inventory but are known to have occurred in the park in the past.


Field Information

The following space is provided for those wishing to keep a record of their Obed birding experience.

| Date/Time: | Afield: |
|-----------------|-----------------|
| Observer(s): | |
| Sky/Wind/Temp: | Total # Species |
| Places Visited: | · |
| Notes: | |

| Species | Status | Hab. | Sp | S | F | W |
|--|-----------------|------|---------|---------|----------|----------|
| Canada Goose * | PR | | U | VU | VU | VU |
| □ Wood Duck ** □ American Black Duck | PR TR | | U R | U | VU | U |
| | PR | | VU | R | R | |
| Blue-winged Teal | TR | | Ř | | | |
| Northern Shoveler | TR | | R | | | |
| Green-winged Teal | TR | | R | | | |
| Bufflehead | TR | | R | | | _ |
| □ Hooded Merganser | TR | | R | | | R |
| Ruffed Grouse ** Wild Turkey ** | PR PR | | U U | U U | U U | U U |
| Wild Turkey ** Northern Bobwhite | PR | | VU | VU | R | 0 |
| □ Great Blue Heron ** | PR | | Ŭ | Ŭ | Ŭ | U |
| Green Heron * | SR | | νU | R | νu | 0 |
| Black Vulture * | PR | | FC | U | U | FC |
| Turkey Vulture * | PR | | FC | FC | FC | FC |
| □ Osprey ** | SR | | VR | VU | VU | _ |
| Bald Eagle | TR | | | R | R | R |
| Northern Harrier | TR | | | 1/11 | R | 1/11 |
| □ Sharp-shinned Hawk □ Cooper's Hawk * | * PR PR | | U VU | VU R | VU VU | VU VU |
| □ Red-shouldered Hawk | | | U | U | Ŭ | Ŭ |
| □ Broad-winged Hawk | | | Ŭ | Ŭ | Ŭ | 0 |
| Red-tailed Hawk | PR | | Ū | Ũ | Ũ | U |
| American Kestrel | U | | R | R | VU | R |
| Peregrine Falcon | TR | | - | | R | |
| Merlin | TR | 1.1 | R | | | |
| American Coot | TR TR | | R | | VU | VU |
| Sandhill Crane Killdeer | VF | |)n | | VU | VU |
| □ Spotted Sandpiper | ŤŔ | | VU | VU | VU | vo |
| □ American Woodcock * | | | ŶŬ | νŬ | νŬ | VU |
| Rock Pigeon ** | PR | Gen | VU | VU | VU | VU |
| Mourning Dove ** | PR | | FC | FC | FC | FC |
| □ Yellow-billed Cuckoo | | | VU | Ŭ | VU | |
| Black-billed Cuckoo | TR VF | | | R | | D |
| □ Barn Owl □ Eastern Screech-Owl [•] | | | U | U | U | R U |
| Great Horned Owl * | PR | | Ŭ | Ŭ | Ŭ | Ŭ |
| □ Barred Owl ** | PR | | Ŭ | Ŭ | Ŭ | Ŭ |
| □ Northern Saw-whet C |)wl VF | For | - | - | - | R |
| Common Nighthawk | TR | | | R | U | |
| □ Chuck-will's-widow * | SR | | VU | VU | | |
| □ Whip-poor-will * | SR | | U | U | VU | |
| Chimney Swift Ruby-throat Hummingle | SR pird * SR | | U U | U U | U U | |
| Belted Kingfisher * | PR | | U | U | U | U |
| □ Red-headed Woodped | - | | VU | R | VU | 0 |
| □ Red-bellied Woodpecke | | | Ŭ | Ü | Ů | U |
| □ Yellow-bellied Sapsuc | | | VU | | U | U |

| Species | Status | ŀ | lab. S | бр | S | F | w |
|-------------------------------|--------|---|--------|----|----|----|----|
| Downy Woodpecker ³ | ** PI | R | For | FC | U | FC | FC |
| Hairy Woodpecker ** | PI | | For | U | U | U | U |
| Northern Flicker ** | PI | | For | U | U | U | U |
| Pileated Woodpecker | | | For | FC | U | FC | FC |
| Eastern Wood-Pewee | | | For | U | U | U | |
| Acadian Flycatcher * | SI | | For | U | U | VU | |
| Least Flycatcher | TI | | For | R | | | |
| Eastern Phoebe ** | PI | | Gen | FC | FC | FC | U |
| Great Crested Flycatch | | | For | U | U | U | |
| 🗆 Eastern Kingbird | TI | | Ор | | R | R | |
| White-eyed Vireo * | S | | Ор | FC | FC | FC | |
| Yellow-throated Vired | | | For | FC | FC | FC | _ |
| Blue-headed Vireo ** | SI | | For | С | С | С | R |
| Warbling Vireo | T | | For | | | R | |
| Philadelphia Vireo | TI | | For | ~ | | R | |
| Red-eyed Vireo ** | S | | For | C | A | U | |
| □ Blue Jay ** | PI | | For | FC | FC | C | FC |
| American Crow ** | PI | | Gen | C | С | C | С |
| Horned Lark | V | | Ор | R | | R | |
| Purple Martin | V | | Gen | νU | VU | | |
| Tree Swallow ** | S | R | Aq, Op | R | VU | | |



| □ N. Rough-winged Swallow ** □ Bank Swallow | SR TR | Gen Gen | U R | U | VU | |
|--|----------|------------|--------|----|----|----|
| □ Barn Swallow ** | SR | qQ | Û | U | VU | |
| □ Carolina Chickadee ** | PR | For | FC | FC | ΡĊ | FC |
| □ Tufted Titmouse ** | PR | For | FC | FC | FC | FC |
| Red-breasted Nuthatch | WR | For | VU | R | VU | Ü |
| □ White-breasted Nuthatch ** | PR | For | FC | FC | ΡĊ | FC |
| □ Brown Creeper | WR | For | VŬ | 10 | Ű | Ü |
| □ Carolina Wren ** | PR | Gen | Ċ | С | Č | FC |
| House Wren | TR | For | νŪ | 0 | νŪ | |
| U Winter Wren | WR | For | VŪ | | Û | FC |
| Golden-crowned Kinglet | WR | For | U | | Ŭ | FC |
| Ruby-crowned Kinglet | WR | For | U | | U | U |
| 🗆 Blue-gray Gnatcatcher ** | SR | For | FC | С | U | |
| 🗆 Eastern Éluebird ** | PR | Ор | U | U | U | U |
| Veery | TR | For | R | | VU | |
| Gray-cheeked Thrush | TR | For | | | R | |
| Swainson's Thrush | TR | For | U | | U | |
| 🗆 Hermit Thrush | WR | For | VU | | U | U |
| Wood Thrush ** | SR | For | U | FC | U | |
| American Robin * | PR | For,Op | U | U | FC | U |
| Gray Catbird ** | SR | For | U | R | U | |
| Northern Mockingbird | VR | Ор | | R | R | |
| Brown Thrasher ** | PR | Ор | U | U | U | VU |
| 🗆 European Starling | PR | Ор | VU | U | FC | U |
| American Pipit | VR | Op | | | | R |
| Cedar Waxwing ** | PR | For, Op | VU | R | VU | VU |