

**APPENDIX C:
PRODUCT SPECIFICATIONS**







View Cart: \$0.0



gardens alive![®]

Home Order Status | Free Catalog | Newsletter

All Organic > Lawn Care | Soil Care | Plant Care | Insect Pest Control | Animal Pest Control | Disease Control Control

Solution Finder:

Search:

Tree Guards

Browse:

- Vegetable Gardening
- Flower Gardening
- Home Orchards
- Backyard Birding
- Organic Pet Care
- Tools & Accessories
- New at Gardens Alive!

- Lawn Care
- Soil Care
- Plant Care
- Insect Pest Control
- Animal Pest Control
- Disease Control
- Weed Control

Quick Order:

Know the product number?

Useful Info:

- Projects For Early Spring
- Soil Secrets
- Your failproof guide to a lovely, living lawn
- How Nitrogen, Phosphorus and Potassium Help Your Lawn

Read more in the Gardens Alive! Library...



Easy-to-use Tree Guards coil around the trunk of a young tree to protect against damage from rabbits and rodents, as well as from winter sunscald. The 24" strip of coiled vinyl has ventilation holes. Use on trees up to four years old. Apply in fall, remove in spring.



6903	Tree Guards pkg of 5	
1+	\$9.95	Qty 0
ADD TO CART		

Other Useful Items:

-  Tomatoes Alive![®] Plus 100% All-Natural Fertilizer
-  Garden Netting
-  Fruit Trees Alive![®] Build-Up Formula
-  BioBoost[™] All-Natural Biostimulant
-  White Dutch Clover
-  Organic Seed Collection



Tree Guards

Page 2 of 2

Order By Phone: (513) 354-1483
5100 Schenley Place, Lawrenceburg, Indiana 47025



[About Gardens Alive!](#) [Affiliate Program](#) [Help Center](#) [Our Promise To You](#)

©2006 by Gardens Alive!, Inc. All Rights Reserved
Gardens Alive! trademarks are registered trademarks of Gardens Alive!, Inc.











Call 1 800 828-9919 Ontario, CA
or 1 800 695-7171 Fresno, CA
or 1 800 848-8153 Winter Haven, FL

LEADING MANUFACTURER OF QUALITY
AND MICRO IRRIGATION PRODUCTS

* Prices subject to change. [Click here to download our most current Product Catalog](#)
[Click here to download our most current Tubing and Emitterline Catalog](#)

2006 Aquarius Brands Product Catalog

Welcome to AquariusBrands.com



Aquarius Brands, Inc. has operations in Ontario and Fresno, California and Winter Haven, Florida. Aquarius Brands is a subsidiary of Summa Industries located in Torrance, California.



Click here to learn about our retail product line.

2006 CATALOG
DEALER LIST
TECHNICAL
PRESS

EMISSION DEVICES
EMITTERLINE
FITTINGS
FILTERS
AIR VENTS
A

Aquarius Brands, Inc. is a manufacturer of quality drip irrigation products for the agricultural, turf, greenhouse, nursery, industrial and landscape markets. We have been a leader in the industry for 30 years offering the widest selection of micro-irrigation products. Our products include emitters, pulsators, fittings, filters, air vents, accessories and tubing.

Click here to view the 2006 Aquarius Brands Product Catalog

Aquarius provides many branded products such as, Spin Loc® , Spin Loc® and Versa Grip™ fittings; Mini-Pepline™, Flatube® tubing systems; QuadraBubbler® and Octa-Bubble Pulsator® frost protection systems among many others.

The name Aquarius Brands reflects our strategy to grow as a quality water handling systems through acquisition and development of proprietary branded products. According to Dave Abrams, President of Aquarius Brands, "It is part of our growth strategy to acquire strong brand recognition, and we need an appropriate vehicle to grow those brands. Aquarius is that vehicle."

Employment Opportunities at Aquarius Brands

Drip Irrigation "Request for Training" form

Aquarius Brands, Inc.
www.aquariusbrands.com

©2005



PILOT ROCK Park Camp Street Site Equipment

New Products ▾ How to Place an Order ▾ GSA Contracts ▾ About Us ▾ Price List ▾ Internet Specials ▾


Classic Bench

- Contact Us ▾
- Request a Catalog ▾
- Request a Price Quotation ▾
- Park Grills ▶
- Campfire Rings ▶
- Picnic Tables ▶
- Park & Street Benches ▶
- Trash & Recycling Receptacles ▶
- Bike Racks & Parking ▶
- Wheelchair Accessible Products ▶
- 100% Recycled Plastic Products ▶
- Site Amenities ▶




Model CLB/G-4HW park bench, 4 ft., redwood stained hardwood slats.


- **Model CLB Park Bench** incorporates one end frames; die formed from structural che light weight design. Diagonal braces provide stability.
- Portable design. Frame feet include anchor fixed positioning. (Anchors not included.)
- Bench frames are hot dip galvanized after maximum protection from weather.
- Lengths: 4 or 6 ft. long.
- Lumber: A combination of 3/4" x 2-1/2" ; redwood stained hardwood slats. (6 ft. model additional formed center channel for sturdi
- 100% Recycled Plastic: 1" x 3" (nom.) se 100% recycled plastic available in 9 colors (Options). 4 ft. bench uses extra formed center support. 6 ft. bench uses 3 frames.



Model CLB/G-6HW park bench, 6 ft. long, redwood stained hardwood slats.



Model CLB3/G-6PC13 park bench, 3 frames, 6 ft. long, 100% recycled plastic slats, cedar color.



Model CLB/G- bench, 4 ft. | recycled plastic color



Select a Bulletin ▾



Park Grills | Campfire Rings | Picnic Tables | Park & Street Benches | Trash & Recycling
 Bike Racks & Parking | Wheelchair Accessible Products | 100% Recycled Products | S
 New Products | About Us | Contact Us | How to Order | Price List | Request a Pri
 GSA Contracts | Request a Catalog | Home



Designed, maintained
and hosted by:



PILOT ROCK®

PARK, CAMP, and STREET SITE EQUIPMENT

Copyright 1996 - 2005 R.J. Thomas Manufacturing Co., Inc.
PO Box 946, 5648 Hwy. 59 South, Cherokee, Iowa, USA 51012-0946
(712)225-5115 ~~~ TOLL FREE (800)762-5002 ~~~ FAX (712)225-5796
Office Hours: Monday-Friday 8:00 A.M to 5:00 P.M. Central Time
Pilot Rock ® is a registered trademark of R.J. Thomas Mfg. Co., Inc.
www.pilotrock.com ~~~ pilotrock@rjthomas.com

R.J. Thomas Mfg. Co. Inc. manufactures a wide selection of Commercial Quality Park, Camp and Street Site for parks, campgrounds, recreational areas, playgrounds and landscapes. R.J. Thomas makes Pilot Rock products including covered park grills, campfire rings, wheelchair accessible firerings, ground grills, portable park tables, picnic tables, recycled plastic park tables, wheelchair accessible tables, park benches, athletic benches, recycled benches, street benches, bicycle racks, skateboard racks, pedestal park grills, picnic tables, trash cans, trash receptacles, waste receptacles, recycling lids, recycling systems, lantern holders, flagpoles, recycled stops, recycled plastic speed bumps, smoking waste disposal systems and more!



- Contact Us ▾
- Request a Catalog ▾
- Request a Price Quotation ▾
- Park Grills ▶
- Campfire Rings ▶
- Picnic Tables ▶
- Park & Street Benches ▶
- Trash & Recycling Receptacles ▶
- Bike Racks & Parking ▶
- Wheelchair Accessible Products ▶
- 100% Recycled Plastic Products ▶
- Site Amenities ▶



- **Model CXB Park Bench** is an extra heavy bench designed to be stronger and more stable with a simple, clean design.
- All welded frame construction: seat/back support channel is die-formed from 1/8" thick (11 ga.) steel; frame posts and portable foot are fabricated from 2 3/8" OD steel pipe.
- Hot dip galvanized finish and fasteners maximize protection from the elements.
- Optional black enamel or powder coated frame finish (see Material Options page).
- Portable/surface mount park bench (**PCXB**) includes 9/16" dia. anchor holes in frame foot, or stationary/embedded park bench (**SCXB**) frame post installations.
- Seat/back plank materials include: lumber, aluminum, 100% recycled plastic (available in 9 colors); 10" or 12" wide vinyl coated expanded or perforated steel planks (available in 5 colors, see Material Options page).
- Channel Park Benches can be 4, 6, 8, 15, 21 or 24 feet long (depending on seat/back material selected).
- Optional: Armrests can help make bench more accessible (see Arm Rest options).
- Optional: custom lettering available on lumber, recycled plastic, and perforated steel (see Bench Signage).



Model PCXB/G-6TP24 portable, galvanized frame x 4" (nom.) treated p



Model SCXB/G-6VW10 stationary/embedded, galvanized frame, 6 ft. long, 2" x 10" brown expanded steel seat and



Model PCXB/G-4PN24 park bench, portable, galvanized frames, 4 ft. long, 2" x 4" (nom.) green recycled plastic planks. With optional engraved identification.





SCXB	Material	Material Thickness and Width (in.)	Bench Length (ft.)	Configuration
	Wood	2 x 4 2 x 10	4, 6, 8	
			15	
	Aluminum	2 x 10	4, 6, 8	
			15	
			21, 24	
	100% Recycled Plastic	2 x 4 2 x 10	4	
			6	
	Plastisol Coated Expanded Steel	2 x 10 2 x 12	4, 6, 8	
	Plastisol Coated Perforated Steel	2 x 10 2 x 12	4, 6, 8	



PCXB	Material	Material Thickness and Width (in.)	Bench Length (ft.)	Configuration
	Wood	2 x 4 2 x 10	4	
			6, 8	
			15	
	Aluminum	2 x 10	4	
			6, 8	
			15	
			21, 24	
	100% Recycled Plastic	2 x 4 2 x 10	4	
			6	
	Plastisol Coated Expanded Steel	2 x 10 2 x 12	4	
			6, 8	
	Plastisol Coated Perforated Steel	2 x 10 2 x 12	4	
6, 8				

Park Grills | Campfire Rings | Picnic Tables | Park & Street Benches | Trash & Recycling
 Bike Racks & Parking | Wheelchair Accessible Products | 100% Recycled Products | S
 New Products | About Us | Contact Us | How to Order | Price List | Request a Pri
 GSA Contracts | Request a Catalog | Home

Designed, maintained
and hosted by:



PARK, CAMP, and STREET SITE EQUIPMENT

Copyright 1996 - 2005 R.J. Thomas Manufacturing Co., Inc.
 PO Box 946, 5648 Hwy. 59 South, Cherokee, Iowa, USA 51012-0946
 (712)225-5115 ~ TOLL FREE (800)762-5002 ~ FAX (712)225-5796
 Office Hours: Monday-Friday 8:00 A.M to 5:00 P.M. Central Time
 Pilot Rock ® is a registered trademark of R.J. Thomas Mfg. Co., Inc.
 www.pilotrock.com ~ pilotrock@rjthomas.com

R.J. Thomas Mfg. Co. Inc. manufactures a wide selection of Commercial Quality Park, Camp and Street Site
 for parks, campgrounds, recreational areas, playgrounds and landscapes. R.J. Thomas makes Pilot Rock p
 covered park grills, campfire rings, wheelchair accessible firings, ground grills, portable park tables, pedi
 tables, recycled plastic park tables, wheelchair accessible tables, park benches, athletic benches, recycle



benches, street benches, bicycle racks, skateboard racks, pedestal park grills, picnic tables, trash cans, trash receptacles, waste receptacles, recycling lids, recycling systems, lantern holders, flagpoles, recycled stops, recycled plastic speed bumps, smoking waste disposal systems and more!



72002939

We also accept all federal government charge cards.

For a copy of our current Pilot Rock Park, Camp and Street Site Equipment catalog and schedules, please go to Request A Catalog. Or, call our Customer Service Department 5002.

For GSA pricing and freight estimates, please go to Request Price Quotation.

NOTE: Our GSA Contract is available only to Federal Government buyers. State, City & County buyers cannot use the federal price schedules. However, quantity discounts are available. Please request a price quotation and add R.J. Thomas Manufacturing Co. to your bid invitation.

[Park Grills](#) | [Campfire Rings](#) | [Picnic Tables](#) | [Park & Street Benches](#) | [Trash & Recycling](#)



[Bike Racks & Parking](#) | [Wheelchair Accessible Products](#) | [100% Recycled Products](#) | [New Products](#) | [About Us](#) | [Contact Us](#) | [How to Order](#) | [Price List](#) | [Request a Price List](#) | [Request a Catalog](#) | [Home](#)

Designed, maintained
and hosted by:



PILOT ROCK®

PARK, CAMP, and STREET SITE EQUIPMENT

Copyright 1996 - 2005 R.J. Thomas Manufacturing Co., Inc.
PO Box 946, 5648 Hwy. 59 South, Cherokee, Iowa, USA 51012-0946
(712)225-5115 ~ TOLL FREE (800)762-5002 ~ FAX (712)225-5796
Office Hours: Monday-Friday 8:00 A.M to 5:00 P.M. Central Time
Pilot Rock ® is a registered trademark of R.J. Thomas Mfg. Co., Inc.
www.pilotrock.com ~ pilotrock@rjthomas.com

R.J. Thomas Mfg. Co. Inc. manufactures a wide selection of Commercial Quality Park, Camp and Street Site for parks, campgrounds, recreational areas, playgrounds and landscapes. R.J. Thomas makes Pilot Rock products including covered park grills, campfire rings, wheelchair accessible firerings, ground grills, portable park tables, picnic tables, recycled plastic park tables, wheelchair accessible tables, park benches, athletic benches, recycled benches, street benches, bicycle racks, skateboard racks, pedestal park grills, picnic tables, trash cans, trash receptacles, waste receptacles, recycling lids, recycling systems, lantern holders, flagpoles, recycled stops, recycled plastic speed bumps, smoking waste disposal systems and more!



DuMor
SITE FURNISHINGS

Home | Benches | Receptacles | Tables | Planters | Ash Urns | Custom Plaques | Custom Fabrication | Bike Racks | Grills | Options | Maintenance | Find A Rep | Warranty

Bench 38

Wood Benches with Backrest



← Back to selection page

• FRONT SEAT MEMBER TILTED UPWARD 3"

Materials
Slats: 3" x 8" and 3" x 4" nom. in choice of Clear All Heart, Free of Heart Center Redwood Douglas Fir; or Western Red Cedar (all with clear preservative treatment)
Supports: 1/2" x 3" steel bar and 3" square x 1 steel tube
Fasteners: Stainless steel
Finish: See our options page for choice of polye finish (shown in Bronze).

Redwood Bench
38-60R 6' long, 2 supports, 235 lbs.
38-80R 8' long, 2 supports, 284 lbs.

Douglas Fir Bench
38-60D 6' long, 2 supports, 167 lbs.
38-80D 8' long, 2 supports, 245 lbs.

Western Red Cedar Bench
38-60C 6' long, 2 supports, 235 lbs.
38-80C 8' long, 2 supports, 284 lbs.

Support Options

- S-1 Embedment
- S-2 Surface Plate
- S-3 Gull-Wing
- S-4 Sub-Floor


[View Specifications](#)
38 SERIES

[Site Map](#)


DuMor Inc. • P.O. Box 142 • Millintown, PA 17059 • 717-436-2106 • Toll-Free: 800-598-4018 • Fax: 717-436-9839
E-mail: sales@dumor.com

Site designed and maintained by PhaseOne Marketing & Design.






[Home](#) | [Benches](#) | [Receptacles](#) | [Tables](#) | [Planters](#) | [Ash Urns](#) | [Custom Plaques](#) | [Custom Fabrication](#) | [Bike Racks](#) | [Grills](#) | [Options](#) | [Ma](#)
[Find A Rep](#) | [Warranty](#)



Bench 105

Wood Benches without Backrest



- 4" X 4" TIMBERS
- HEAVY SUPPORTS IN THREE CONFIGURATIONS

Materials
Slats: 4" x 4" nom. in choice of Clear All Heart, Free of Heart Center Redwood; Clear or Western Red Cedar (all with clear preservative treatment)
Supports: 2-7/8" O.D. steel tube and 3/8" x 4-1/2" steel plate
Fasteners: Stainless steel
Finish: See our [options page](#) for choice of poly finish (shown in Bronze).

Redwood Bench
105-60R 6' long, 2 supports, 165 lbs.
105-80R 8' long, 2 supports, 195 lbs.

Douglas Fir Bench
105-60D 6' long, 2 supports, 165 lbs.
105-80D 8' long, 2 supports, 195 lbs.

Western Red Cedar Bench
105-60C 6' long, 2 supports, 165 lbs.
105-80C 8' long, 2 supports, 195 lbs.

[<-- Back to selection page](#)

Support Options
S-1 Embedment
S-2 Surface Plate
S-4 Sub-Floor

View Specifications
[105 SERIES](#)

Site Map

DuMor Inc. • P.O. Box 142 • Mifflintown, PA 17059 • 717-436-2106 • Toll-Free: 800-598-4018 • Fax: 717-436-9839

E-mail: sales@dumor.com

Site designed and maintained by [PhaseOne Marketing & Design](#).




DuMor
SITE FURNISHINGS

Home | Benches | Receptacles | Tables | Planters | Ash Urns | Custom Plaques | Custom Fabrication | Bike Racks | Grills | Options | Ma
Find A Rep |
Warranty |

Bench 79

Wood Benches with Backrest



• OUR MOST ECONOMICAL BENCH

Materials
Slats: 2" x 4" nom. in choice of Clear All Heart, Free of Heart Center Redwood; Clear Douglas Fir Western Red Cedar (all with clear preservative treatment)
Supports: 2-3/8" O.D. steel pipe
Fasteners: Stainless steel
Finish: See our options page for choice of poly finish (shown in Black).

Redwood Bench
79-60R 6' long, 2 supports, 83 lbs.
79-80R 8' long, 3 supports, 120 lbs.

Douglas Fir Bench
79-60D 6' long, 2 supports, 83 lbs.
79-80D 8' long, 3 supports, 120 lbs.

Western Red Cedar Bench
79-60C 6' long, 2 supports, 83 lbs.
79-80C 8' long, 3 supports, 120 lbs.

[<- Back to selection page](#)

Support Options		View Specifications
S-1 Embedment		79-60
S-2 Surface Plate		79-80
S-4 Sub-Floor		79-80

Site Map

DuMor Inc. • P.O. Box 142 • Mifflintown, PA 17059 • 717-436-2106 • Toll-Free: 800-598-4018 • Fax: 717-436-9839
 E-mail: sales@dumor.com
 Site designed and maintained by PhaseOne Marketing & Design.





[Home](#) | [Benches](#) | [Receptacles](#) | [Tables](#) | [Planters](#) | [Ash Urns](#) | [Custom Plaques](#) | [Custom Fabrication](#) | [Bike Racks](#) | [Grills](#) | [Options](#) | [Ma](#)
[Find A Rep](#) | [Warranty](#)



Receptacle 70

Wood Receptacles



- MATCHING ASH URN AND LITTER RECEPT
- BOTH UNITS FACTORY-ASSEMBLED
- AVAILABLE IN RECYCLED PLASTIC

Materials

Slats: 1-1/2" thick in choice of Clear All Heart, F Heart Center Redwood; Clear Douglas Fir; or We Cedar (all with clear preservative treatment) or thick recycled plastic with color molded in

Frame: 3/16" steel

Top: Polyethylene with vinyl-coated cable and 10"-diameter opening

Liner: 22-gallon plastic

Finish: Black polyester powder coat

Size: 25-1/2"-diameter x 30-1/2" high

70-22R Redwood, 95 lbs.
70-22D Douglas Fir, 95 lbs.
70-22C Western Red Cedar, 95 lbs.

[<-- Back to selection page](#)

[View Specifications](#)
70-22

Site Map

DuMor Inc. • P.O. Box 142 • Millintown, PA 17059 • 717-436-2106 • Toll-Free: 800-598-4018 • Fax: 717-436-9839
E-mail: sales@dumor.com

Site designed and maintained by PhaseOne Marketing & Design.



[Home](#) | [Benches](#) | [Receptacles](#) | [Tables](#) | [Planters](#) | [Ash Urns](#) | [Custom Plaques](#) | [Custom Fabrication](#) | [Bike Racks](#) | [Grills](#) | [Options](#) | [Ma](#)
[Find A Rep](#) | [Warranty](#)



Receptacle 41

Wood Receptacles



OPTIONAL POLYETHYLENE COVER OR STE
22-GALLON OR 32-GALLON PLASTIC LINE

Materials
Slats: 2" x 3" nom. in choice of Clear All Heart, Heart Center Redwood; Clear Douglas Fir; or We Cedar (all with clear preservative treatment)
Liner: 22-gallon or 32-gallon plastic
Cover: Plastic, flat
Fasteners: Stainless steel
Finish: Black polyester powder coat

Redwood Receptacle
 41-22R 22-gallon, 68 lbs.
 41-32R 32-gallon, 73 lbs.

Douglas Fir Receptacle
 41-22D 22-gallon, 68 lbs.
 41-32D 32-gallon, 73 lbs.

Western Red Cedar Receptacle
 41-22C 22-gallon, 68 lbs.
 41-32C 32-gallon, 73 lbs.


Accessories
 45-22 22-gallon plastic, flat lid, 2 lbs.
 45-32 32-gallon plastic, flat lid, 2 lbs.
 46-00 Molded polyethylene cover with vinyl-coa and 10"-diameter opening; choice of Black or Br
 47-20 Steel domed cover with self-closing door gallon receptacle; choice of Black or Bronze, 7 lb
 47-30 Steel domed cover with self-closing door gallon receptacle; choice of Black or Bronze, 12 |
 49-22 22-gallon plastic replacement liner, 5 lbs.
 49-32 32-gallon plastic replacement liner, 7 lbs.

[View Specifications](#)
[41-22](#)
[41-32](#)


[← Back to selection page](#)

Site Map
 DuMor Inc. • P.O. Box 142 • Mifflintown, PA 17059 • 717-436-2106 • Toll-Free: 800-598-4018 • Fax: 717-436-9839
 E-mail: sales@dumor.com
 Site designed and maintained by PhaseOne Marketing & Design.






[Home](#) | [Benches](#) | [Receptacles](#) | [Tables](#) | [Planters](#) | [Ash Urns](#) | [Custom Plaques](#) | [Custom Fabrication](#) | [Bike Racks](#) | [Grills](#) | [Options](#) | [Ma](#)
[Find A Rep](#) | [Warranty](#)



Receptacle 43

Wood Receptacles



Materials
Slats: 2" x 3" nom. in choice of Clear All Heart, Heart Center Redwood; Clear Douglas Fir; or We Cedar (all with clear preservative treatment)
Liner: 22-gallon or 32-gallon plastic
Cover: Plastic, flat
Fasteners: Stainless steel
Finish: Black polyester powder coat

Redwood Receptacle
43-22R 22-gallon free-standing, 75 lbs.
43-32R 32-gallon free-standing, 80 lbs.

Douglas Fir Receptacle
43-22D 22-gallon free-standing, 75 lbs.
43-32D 32-gallon free-standing, 80 lbs.

Western Red Cedar Receptacle
43-22C 22-gallon free-standing, 75 lbs.
43-32C 32-gallon free-standing, 80 lbs.

Accessories
45-22 22-gallon plastic, flat lid, 2 lbs.
45-32 32-gallon plastic, flat lid, 2 lbs.
46-00 Molded polyethylene cover with vinyl-coa and 10"-diameter opening; choice of Black or Br
47-20 Steel domed cover with self-closing door gallon receptacle; choice of Black or Bronze, 7 lb
47-30 Steel domed cover with self-closing door gallon receptacle; choice of Black or Bronze, 12 |
49-22 22-gallon plastic replacement liner, 5 lbs.
49-32 32-gallon plastic replacement liner, 7 lbs.

• **OPTIONAL POLYETHYLENE COVER OR STE**
• **22-GALLON OR 32-GALLON PLASTIC LINE**

[View Specifications](#)
[43-22](#)
[43-32](#)

[Site Map](#)

DuMor Inc. • P.O. Box 142 • Mifflintown, PA 17059 • 717-436-2106 • Toll-Free: 800-598-4018 • Fax: 717-436-9839
E-mail: sales@dumor.com
Site designed and maintained by PhaseOne Marketing & Design.

[← Back to selection page](#)



TRAIL SURFACE SPECIFICATIONS

(Excerpted from Barter, Christian, Margaret Coffin Brown, Tracy Stakely, Gary Stellpflug, with illustrations by Sarah Baldyga. *Acadia Trail Treatment Plan: Cultural Landscape Report for the Historic Hiking Trail System, Acadia National Park, Maine*. Brookline, MA: Olmsted Center for Landscape Preservation, 2006.)

Acadia National Park has an extensive system of trails and detailed specifications for gravel tread.

The Acadia carriage road system mix contains 8 percent clay, which binds the mix for a durable walking surface. The specifications state that aggregate shall consist of hard, durable particles or fragments of crushed stone or gravel conforming to the following requirements and gradations:

Los Angeles abrasion, ASTM C131 and C535	50 percent max.*
Fractured faces (one face)	95 percent max.*
Fractured faces (two faces)	75 percent max.*
Soundness loss, five cycles, ASTM C 88 (magnesium)	18 percent max.*
Flat/elongated (length to width >5 ASTM D4791)	15 percent max.*

* Based on the portion retained on the 3/8-inch sieve.

Materials shall be free from organic material and lumps or balls of clay.

Material passing the No. 4 sieve shall consist of natural or crushed sand and fine mineral particles. The material, including any blended filler, shall have a plasticity index of not more than 6 and a liquid limit of not more than 25 when tested in accordance with ASTM D4318.

Aggregate shall contain a minimum of 5 percent clay particles but no more than 50 percent of that portion of material passing the No. 200 sieve size shall be clay. Inorganic clay to be used as binder shall conform to the following:

Passing No. 200	75 percent
Liquid Limit	30 min.
Plastic Index	8 min.

The fraction of material passing the No. 200 sieve shall be determined by washing as indicated in ASTM D1140, "Amount of Material in Soils Finer Than the No. 200 Sieve." The fractured faces for the coarse aggregate portion (retained on the No. 4 sieve) shall have an area of each face equal to at least 75 percent of the smallest midsectional area of the piece. When two fractured faces are contiguous, the angle between the planes of fractures shall be at least 30 degrees to count as two fractured faces. Fractured faces shall be obtained by mechanical crushing. Gradation shall be obtained by crushing, screening, and blending processes as may be necessary. Material shall meet the following screen analysis requirements by weight.

Sieve Designation	Percent Passing
¾ inch	100 percent
½ inch	90–100 percent
No. 4	55–70 percent
No. 40	20–30 percent
No. 200	12–16 percent



TRAIL REFERENCES

(Excerpted from Landscape Lines 15, “Historic Trails,” p. 37-38)

Government Trail Programs

US Bureau of Land Management National Landscape Conservation System
1849 C Street, NW, MIB 3123
Washington, DC 20240

US National Park Service National Trails System Program
1849 C Street, NW (2235)
Washington, DC 20240
www.nrc.nps.gov/rtea

US Forest Service
Recreation, Heritage, and Wilderness Resources Division
p.o. Box 96090
Washington, DC 20090-6090

US Fish & Wildlife Service
National Trails Program
440 I North Fairfax Drive, Room 634
Arlington, VA 22203

Non-Profit Trail Organizations

American Hiking Society
1422 Fenwick Lane
Silver Spring, MD 20910

American Trails
p.o. Box 491797
Redding, CA 96049-1797
www.AmericanTrails.org

Appalachian Trail Conference
799 Washington Street
Harpers Ferry, WV 25425
www.atconf.org

Leave No Trace Center for Outdoor Ethics
p.o. Box 997
Boulder, CO 80306
www.lnt.org



Rails-to-Trails Conservancy
11 00 17th Street, NVV,
10th Floor Washington, DC 20036
www.railtrails.org

Tread Lightly!, Inc.
298 24th Street, Suite 325
Ogden, UT 8440 1
www.treadlightly.org

Useful Websites

US Federal Highway Administration, Forest Service Publications List
www.fhwa.dotgov/environmentfiSpubs/index.htm

Herold, Philip, Jean Albrecht, and Laura Morales. Trail Planning, Construction, & Maintenance. University of Minnesota.
<http://tforestry.lib.umn.edu/bib/trls.phtml>

South Carolina State Trails Program.
“Trails Bibliography.” and Jim Schmid, 200 I.
“Trail Quotes: From Advocacy to Wilderness.”
<http://www.sctrails.net/trails/LIBRARY/Quotes.pdf>

Trail Manuals

Birchard, William Jr. and Robert Proudman. 2000. *Appalachian Trail Design, Construction and Maintenance. Second Edition*. Harpers Ferry, WV: Appalachian Trail Conference.

Birkby, Robert C. 1996. *Lightly on the Land: The SCA Trail-Building and Maintenance Manual*. Seattle: The Mountaineers.

Demrow, Carl and David Salisbury. 1998. *The Complete Guide to Trail Building and Maintenance. Third Edition*. Boston: Appalachian Mountain Club Books.

Flink, Charles, Robert Seams and Kristine Olka. 2001. *Trails for the Twenty-first Century: Planning Design, and Management Manual for Multi-use Trails*. Washington, DC: Island Press.

Griswold, Stephen. 1996. *A Handbook on Trail Building and Maintenance*. Three Rivers, CA: Sequoia Natural History Association.

Hesselbarth, Woody. 1997. *Trail Construction and Maintenance Notebook*. Missoula, MT: US Department of Agriculture, US Forest Service. www.fhwa.dotgov/environmentffspubs/Index.htm

Kenway, Lester. December 1997. “Steel Tripods for Skyline Systems,” *The Register: A Stewardship Newsletter for the Appalachian Trail*. Harpers Ferry, WV: Appalachian Trail Conference.



Trail Management Issues

Barter, Christian, Margaret Coffin Brown, Tracy Stakely, Gary Stellpflug, with illustrations by Sarah Baldyga. *Acadia Trail Treatment Plan: Cultural Landscape Report for the Historic Hiking Trail System, Acadia National Park, Maine*. Brookline, MA: Olmsted Center for Landscape Preservation (2006).

Bergmann, Roger. September 2000. "Soil Stabilizers on Universally Accessible Trails." Washington, DC: US Forest Service, 0023-1202-SDTDC
www.ihwa.dot.gov/environment;1Spubs/index.htm

Elkinton, Steven. 1997. "CRM and the National Trails System." CRM (Cultural Resource Management), 20: 1. Washington, DC: US Department of the Interior, National Park Service, Cultural Resources.

Griswold, Stephen. March 2000. "High Elevation Trailwork in United States National Parks, and Peru and Nepal." Fort Collins, CO: High Altitude Revegetation Workshop Proceedings.

Hooper, Lennon. May 1973. "Special Report: National Park Trails." Denver, CO: US Department of the Interior, National Park Service, Denver Service Center

Montana Archeology Society. 1981. "Trails, Trails, and More Trails: Another Historic Preservation Challenge." *Archeology in Montana*, 21:3 (special issue #2). Bozeman, MT: Montana Archeology Society.

National Park Service. Draft January 2001. "GIS for the National Trails System: An Action Plan." Washington, DC: US Department of the Interior, National Trails System Program.

National Park Service, October 2000. "Preserving Historic Trails, Conference Proceedings, October 17-19, 2000, Acadia National Park." Brookline, MA: National Park Service, Olmsted Center for Landscape Preservation.

Trail History

Arthur, Guy B. 1937. *Construction of Trails*. Civilian Conservation Corps, Project Training Series no. 7, Washington, DC: National Park Service.

Beveridge, Charles E. and Paul Rocheleau, 1995. *Frederick Law Olmsted: Designing the American Landscape*. New York: Rizzoli International Publications, Inc.

Carr, Ethan. 1998. *Wilderness by Design: Landscape Architecture and the National Park Service*. Lincoln, NE: University of Nebraska Press.

Cordes, Kathleen. 2000. *America's National Historic Trails*. Norman, OK: University of Oklahoma Press.



Cordes, Kathleen and Jane Lammers. 2000. *America's Millennium Trails: Pathways for the 21st Century*. Champaign, IL: Bannon Multimedia Group.

Downing, Andrew Jackson. 1991 reprint of 1865, seventh edition. *Landscape Gardening and Rural Architecture*. New York: Dover Publications.

Good, Albert. 1990 reprint of 1938 edition. *Park and Recreation Structures*. Boulder, CO: Gray-books.

King, Brian B. et al. July/August 2000. "Trail Years: A History of the Appalachian Trail Conference." *Appalachian Trailway News*, 61: 3. Harpers Ferry, WV: Appalachian Trail Conference.

Kittredge, Frank. October 1934. "Standards of Trail Construction," San Francisco, CA: Office of the Chief Engineer, National Park Service.

McClelland, Linda Flint. 1998. *Building the National Parks: Historic Landscape Design and Construction*. Baltimore: The Johns Hopkins University Press.

Sears, John, F. 1989. *Sacred Places: American Tourism Attractions in the Nineteenth Century*. New York: Oxford University Press.

Waterman, Laura and Guy Waterman. 1989. *Forest and Crag: A History of Hiking, Trail Blazing, and Adventure in the Northeast Mountains*. Boston: Appalachian Mountain Club.

