

Literature Cited

- Aigner, P. A., J. Tecklin, et al. (1995). "Probable breeding population of the black rail in Yuba County, California." Western Birds **26**: 157-160.
- Aitkin, J. K. (1998). The importance of estuarine habitats to anadromous salmonids of the Pacific Northwest: a literature review. Lacey, Washington, U.S. Fish and Wildlife Service.
- Albertson, J. and J. Evens (2000). California Clapper Rail: Species Narrative. Baylands Ecosystem Species and Community Profiles, San Francisco Bay Estuary Habitat Goals Report.
- Aldous, A., P. McCormick, et al. (2005). "Hydrologic regime controls soil phosphorus fluxes in restoration and undisturbed wetlands." Restoration Ecology **13**: 341-347.
- Alta Transportation Consulting (2001). Marin County Unincorporated Area Bicycle and Pedestrian Master Plan, Prepared for Marin County Congestion Management Agency. Prepared by Alta Transportation Consulting.
- AMCA (2005). Mosquito-Borne Diseases, American Mosquito Control Association Website: <http://www.mosquito.org/mosquito-information/mosquito-borne.aspx>.
- American Water Works Association (AWWA) (1990). Water Quality and Treatment, McGraw-Hill, Inc.
- Anderson Consulting Group (2000). Geotechnical peer review Point Reyes Affordable Housing Project. Sacramento, California, Prepared for Psomas.
- Anima, R., J. L. Bick, et al. (1988). Sedimentologic Consequences of the Storm in Tomales Bay, in Landslides, Floods, and Marine Effects of the Storm of January 3-5, 1982 in the San Francisco Bay region, California. Menlo Park, California, U.S. Geological Survey Professional Paper 1434.
- Anisfeld, S. C. and G. Benoit (1997). "Impacts of flow restriction on salt marshes: an instance of acidification." Environmental Science and Technology **31**: 1650-1657.
- Arthur, J. A. and M. D. Ball (1979). Factors influencing the entrapment of suspended material in the San Francisco Bay-Delta Estuary. San Francisco Bay: the urbanized estuary. T. J. Conomos. San Francisco, California, Pacific Division, American Association for the Advancement of Science: 143-174.
- Association of Bay Area Governments (ABAG) (2003). ABAG Earthquake Maps and Information, <http://www.abag.ca.gov/bayarea/eqmaps/>.
- Avocet Research Associates (ARA) (2002). Giacomini Wetland Restoration Site: special status animal species - reconnaissance and compliance, Final report to Point Reyes National Seashore, National Park Service.
- Ayres, D. R., D. Garcia-Rossi, et al. (1999). "Extent and degree of hybridization between exotic (*Spartina alterniflora*) and native (*S. foliosa*) cordgrass (Poaceae) in California, USA determined by random amplified polymorphic DNA (RAPDs)." Molecular Ecology **8**: 1179 -1186.
- BAAQMD (1999). CEQA Guidelines: Assessing the Air Quality Impacts of Projects and Plans. San Francisco, California, Bay Area Air Quality Management District.
- BAAQMD (2003). Climate, Physiography, and Air Potential - Bay Area and its Subregions (Referenced by County), Bay Area Air Quality Management District, May 2000.
- Barlow, M. A., M. N. Dawson, et al. (2001). Phylogeographic structure of the tidewater goby, *Eucyclogobius newberryi* (Teleostei, Goebiidae), in the San Francisco Bay area and Ventura County: Implications for conservation management [Abstract]. 82nd Annual Meeting, Western Society of Naturalists, Ventura, California.

LITERATURE CITED

- Bass, R. E., A. I. Herson, et al. (2001). The Nepa Book: A Step-By-Step Guide on How to Comply With the National Environmental Policy Act. Point Arena, California, Solano Press.
- Baye, P. R., P. M. Faber, et al. (2000). Tidal marsh plants of the San Francisco Estuary. Baylands Ecosystem Species and Community Profiles: Life Histories and Environmental Requirements of Key Plants, Fish, and Wildlife. San Francisco Bay Area Wetlands Ecosystem Goals Project. P. R. Olofson, U.S. Environmental Protection Agency, San Francisco, CA and San Francisco Bay Regional Water Quality Control Board, Oakland, California.
- Bayer, R. D. (1980). "Birds Feeding on herring eggs in the Yaquina Estuary, Oregon." Condor **82**: 193-198.
- Behrendt, H. (1996). "Inventories of point and diffuse sources and estimated nutrient loads - A comparison for different river basins in Central Europe." Water, Science and Technology **33**(4-5): 99-107.
- Bell, D. A. (1994). "Peregrine Falcons Seek High-Rise Habitat." California Wild: <http://www.calacademy.org/calwild/1994spring/stories/falcons.htm>.
- Bell, G. B. (1958). The Uses of Meteorological Data in Large Scale Air Pollution Surveys. Menlo Park, California, Stanford Research Institute.
- Biocontrol News and Information (1999). Barnacle May Fit the Bill, March 1999, Volume 20 No. 1. CABI Publishing.
- Blunt, C. E. (1980). Atlas of California coastal marine resources. Sacramento, California, California Department of Fish and Game: 134.
- Bradley, C. E. and D. G. Smith. (1986). "Plains cottonwood recruitment and survival on a prairie meandering river floodplain, Milk River, southern Alberta and northern Montana." Canadian Journal of Botany **64**: 1433-1442.
- Bratovich, P. M. and D. W. Kelley (1988). Investigations of salmon and steelhead in Lagunitas Creek, Marin County, California, Volume I: migration, spawning, embryo incubation and emergence, juvenile rearing, emigration, A report prepared for Marin Municipal Water District by D.W. Kelley and Associates, Newcastle, California.
- Bratovich, P. M., H. Rooks, et al. (1984). Water Year 1982-83 investigations on Lagunitas Creek, Marin County, California: second progress report. Newcastle, California, A report prepared for Marin Municipal Water District by D.W. Kelley and Associates.
- Brian Wittenkeller & Associates and Copple Foreaker & Associates (1988). Marin Pathways Study: Report & Recommendations for the Design of a Bicycle/Pedestrian/Equestrian Pathway System for the West Shore Communities of Tomales Bay, Marin County, California, Prepared for West Marin Paths and the County of Marin.
- Briggs, K. T., W. B. Tyler, et al. (1987). Bird communities at sea of California: 1975-1983. Studies on Avian Biology, **11**.
- Brinson, M. M. (1993). A Hydrogeomorphic Classification for Wetlands. August 1993 - Final Report, Wetlands Research Program Technical Report WRP-DE-4.
- Brown, L. R., P. B. Moyle, et al. (1994). "Historical Decline and Current Status of Coho Salmon in California." North American Journal of Fisheries Management. **14**(2): 237-261.
- Brown, W. M., III (1988). Historical setting of the storm: Perspectives on population, development, and damaging rainstorms in the San Francisco Bay region. Landslides, floods, and marine effects of the storm of January 3-5, 1982, in the San Francisco Bay region, California. S. D. Ellen, and Wieczorek, G.F, U.S. Geological Survey Professional Paper 1434: 7-15.
- BRW and Lee Engineering (1998). Point Reyes National Seashore Transportation Study, Prepared for Point Reyes National Seashore.

- Busby, M. S. and R. A. Barnhart (1995). "Potential Food Sources and Feeding Ecology of Juvenile Salmon in California's Mattole River Lagoon." Calif. Fish and Game **81**(4): 133-146.
- Calflora (2006). Information on California plants for education, research and conservation. [web application]. Berkeley, California, The Calflora Database [a non-profit organization]. <http://www.calflora.org/>.
- California Department of Conservation (2002). Letter, March 28, 2002. National Park Service - Point Reyes National Seashore.
- California Department of Conservation (2004). Important Farmland map of Marin County. Sacramento, California, California Department of Conservation, Division of Land Resource Protection, Farmland Mapping and Monitoring Program.
- California Department of Conservation (2006). Farmland Mapping and Monitoring Program, California Department of Conservation, Division of Land Resource Protection. <http://www.consrv.ca.gov/DLRP/fmmp/index.htm>.
- California Department of Finance (2006). E1: City/County Population Estimates with Annual Percent Change: January 1, 2005 and 2006, California Department of Finance: <http://www.dof.ca.gov/HTML/DEMOGRAP/ReportsPapers/Estimates/E1/E-1text.asp>.
- California Department of Health Services (DHS) (1996). Identification of Sources of Bacterial Indicators of Waters of Tomales Bay Shellfish Beds, Pilot Monitoring Progra,, Winter 1994-95, California Department of Health Services, Environmental Microbial Diseases Laboratory.
- California Department of Transportation (1999). Caltrans Standard Specifications. Sacramento, CA, State of California.
- California Geological Survey (2002). Note 49: Guidelines for Evaluating the Hazard of Surface Fault Rupture, California Department of Conservation, California Geological Survey: <http://www.consrv.ca.gov/CGS/information/publications/>.
- California Geological Survey (2006). Alquist-Priolo Earthquake Fault Zones, California Department of Conservation. <http://www.consrv.ca.gov/CGS/rghm/ap/index.htm>.
- California Geological Survey (2004). Seismic Hazard Mapping Bulletins. Natural Hazards Disclosure: Seismic Hazards Zones, http://gmw.consrv.ca.gov/shmp/SHMPrealdis.htm#In_Zone.
- Caltrans (1996). Guidelines for the Official Designation of State Scenic Highways, California Department of Transportation. <http://www.dot.ca.gov/hq/LandArch/scenic/shpg1.htm#top>.
- CDFG (2001). California's Living Marine Resources: a status report., California Department of Fish and Game. ANR Publication #SG01-11.
- CDFG (2005). California Natural Diversity Database, California Department of Fish and Game. 2002,2003,2005.
- CDFG (2006). The Natural Community Conservation Planning (NCCP), California Department of Fish and Game. <http://www.dfg.ca.gov/nccp/index.html>.
- CH2M Hill (1990). DRAFT: South Bay Dye Study (Provision E5D). San Jose, CA, Prepared for the City of San Jose Department of Water Pollution Control.
- Chambers, R. M. (2000). Tomales Bay - LMER/BRIE Studies 1987-1995. Fourth State of Tomales Bay Conference, Inverness Yacht Club.
- Chambers, R. M., J. W. Fourqurean, et al. (1995). "Importance of terrestrially-derived particulate phosphorus to phosphorus dynamics in a West Coast estuary." Estuaries **18**: 518-526.

LITERATURE CITED

- Chambers, R. M., J. T. Hollibaugh, et al. (1994). "Sulfate reduction and sediment metabolism in Tomales Bay, California." *Biogeochemistry* **25**: 1-18.
- City of Sebastopol (2005). Laguna de Santa Rosa., Laguna Wetlands preserve website. <http://www.ci.sebastopol.ca.us/lagunawetlandspreserve.shtml>.
- Clark, J. C. and E. E. Brabb (1997). Geology of the Point Reyes National Seashore and vicinity, Marin County, California: a digital database, U.S. Geological Survey Open-File Report: 97-456.
- Clearwater Hydrology and Nichols-Berman (2002). Marin Countywide Plan: Flooding Technical Background Report. Chico and Benicia, California, Prepared for the Marin County Community Development Agency, San Rafael, California.
- CNPS (2005). Inventory of Rare and Endangered Plants (online edition). Sacramento, California, California Native Plant Society. <http://www.cnps.org/inventory>.
- CNPS (2006). Policy on Invasive Exotic Plants, Adopted 1999, California Native Plant Society. <http://www.cnps.org/archives/exotics.htm>.
- Cohen, A. N. and J. T. Carlton (1995). Nonindigenous Aquatic Species in a United States Estuary: A Case Study of the Biological Invasions of the San Francisco Bay and Delta., Report to the U.S. Fish and Wildlife Service and the National Sea Grant College Program, Connecticut: 262.
- Cohen, N. W. and W. E. Howard (1958). "Bullfrog food and growth at the San Joaquin Experimental Range, California." *Copeia* 1958: 223-225.
- Cole, B. E. (1989). "Temporal and spatial patterns of phytoplankton production in Tomales Bay, California." *Estuarine, Coastal and Shelf Science* **28**: 103-115.
- Cole, B. E., S. W. Hager, et al. (1990). Hydrographic, biological, and nutrient properties of Tomales Bay, California, March 1985 to May 1986. Menlo Park, California.
- Collins, J. N. and V. H. Resh (1989). Guidelines for the ecological control of mosquitoes in non-tidal wetlands of the San Francisco Bay Region, Special Publication of the California Mosquito and Vector Control Association: 93.
- Collins, J. N., E. Stein, et al. (2003). Draft California Rapid Assessment Method (CRAM) for Wetlands, v 1.7, San Francisco Estuary Institute and Southern California Coastal Water Research Project.
- Collins, J. N., E. Stein, et al. (2004). Draft California Rapid Assessment Method (CRAM) for Wetlands, v 3.0: User's Manual and Scoring Forms, San Francisco Estuary Institute and Southern California Coastal Water Research Project.
- Columbia River Estuary Turbidity Maxima (CRETM) (2001). Land-Margin Ecosystem Research (LMER) Project, <http://depts.washington.edu/crctmweb/CRETM.html>.
- Cook, S. F. (1976). *The Population of the California Indians, 1769-1970*. Berkeley, California, University of California Press.
- Cooper, A. W. (1974). Salt Marshes. *Coastal Ecological Systems of the United States*. H. T. Odum, B. J. Copeland and E. A. McMahan. Washington, D.C., Conservation Foundation. **2**: 55-96.
- Corliss, J. (1993). "Tall whitetop's crowding out the natives." *Agriculture Research* **16**.
- Council on Environmental Quality (1981). Memorandum for General Counsels, NEPA Liaisons and Participants in Scoping. Washington, D.C., Executive Office of the President.
- Cowardin, L. M., V. Carter, et al. (1979). *Classification of Wetlands and Deepwater Habitats of the United States*. Washington, D.C., U.S. Department of the Interior, Fish and Wildlife Service, FWS/OBS-79/31.

- Dahl, T. E. (1990). Wetlands losses in the United States 1780's to 1980's. Washington, D.C., U.S. Department of the Interior, Fish and Wildlife Service: 13.
- Dale, R. H. and S. E. Rantz (1966). Hydrologic reconnaissance of Point Reyes National Seashore area, California, U.S. Geological Survey Open-File Report.
- Dalia, W. (1998). Mosquito Control (Historical Methods), Conservation New England.
<http://site.www.umb.edu/conne/wendy/Mosquito.html>.
- Davis, J. A., D. Yee, et al. (2003). "Issues in San Francisco Estuary Tidal Wetlands Restoration: Potential for Increased Mercury Accumulation in the Estuary Food Web." San Francisco Estuary and Watershed Science **1**(1): Article 4. <http://repositories.cdlib.org/jmie/sfews/vol1/iss1/art4>.
- Dawson, M. N., K. D. Louie, et al. (2002). "Comparative phylogeography of sympatric sister species, *Clevelandia ios* and *Eucyclogobius newberryi* (Teleostei, Gobiidae), across the California Transition Zone." Molecular Ecology **11**: 1065-1075.
- Dawson, M. N., J. L. Stanton, et al. (2001). "Phylogeography of the tidewater goby (*Eucyclogobius newberryi*; Teleostei, Gobiidae) in coastal California." Evolution **55**(6): 1167-1179.
- De Witt, M. (1999). Nutrient fluxes in the Rhine and Elbe Basins, PhD Thesis. Faculteit Ruimtelijke. Utrecht, Netherlands, Wetenschappen Universiteit: 162.
- DeLaune, R. D., S. R. Pezeshki, et al. (1987). "Response of coastal plants to increase in submergence and salinity." Journal of Coastal Research **3**: 535-546.
- DeLaune, R. D. and C. J. Smith (1985). "Release of nutrients and metals following oxidation of freshwater and saline sediment." Journal of Environmental Quality **14**(2): 164-168.
- Dennis, N. B. and M. L. Marcus (1984). Status and trends of California wetlands, Final report prepared for the California Assembly, Resources Subcommittee.
- Depczynski, J., R. C. Franklin, et al. (2002). Farm Noise Hazards: Noise Emissions during Common Agricultural Activities. Moree, Australia, Rural Industries Research and Development Corporation and Australian Centre for Agricultural Health and Safety.
- DHS (2006). West Nile Virus in California, California Department of Health Services, California Department of Food and Agriculture, Mosquito and Vector Control Association of California, California Vectorborne Disease Surveillance System: <http://www.westnile.ca.gov/>.
- DKS Associates (2001). Traffic Report for the Point Reyes Affordable Housing Project, Prepared for EDAW.
- Downing, T. (2001). Keeping Track of Manure Nutrients in Dairy Pastures. Corvallis, Oregon, Oregon State University, PNW 549.
- Dunne, T. and L. B. Leopold (1978). Water in Environmental Planning. New York, New York, W.H. Freeman and Company.
- EDAW Inc. (2001). Final Environmental Impact Report for the Point Reyes Affordable Housing Project. November 29, 2001, prepared for the County of Marin.
- Egan, D. M. (1972). Concepts in Architectural Acoustics. New York, New York, McGraw-Hill.
- Ellen, S. D., G. F. Wieczorek, et al. (1988). Introduction - Landslides, floods, and marine effects of the storms of January 3-5, 1982, in the San Francisco Bay region. In: , eds: Ellen, S.D. and Wieczorek, G.F., . Landslides, floods, and marine effects of the storm of January 3-5, 1982, in the San Francisco Bay Region, California. S. D. Ellen and G. F. Wieczorek, U.S. Geological Survey Professional Paper 1434.

LITERATURE CITED

- Emberson, G., S. Thalman, et al. (1999). Point Reyes National Seashore Cultural Affiliation Report. Novato, CA, Submitted by the Federated Coast Miwok Cultural Preservation Association. NPS Cooperative Agreement No. 1443-CA-8530-97-017.
- Evans, W. A. (1990). Summary of Fish Passage Conditions, Bear Valley Creek, Prepared by Evans Environmental Consultants, November 30: 10.
- Evens, J. (1993). The Natural History of the Point Reyes Peninsula. Point Reyes Station, California, Point Reyes National Seashore Association.
- Evens, J. and G. W. Page (1986). "Predation on black rails during high tides in salt marshes." The Condor **88**: 107-109.
- Evens, J., G. W. Page, et al. (1991). "Distribution, relative abundance and status of the California black rail in western North America." The Condor **93**: 952-966.
- Evens, J. G. and N. Nur (2002). "Black Rails in the San Francisco Bay Region: spatial and temporal variation in distribution and abundance." Bird Populations **6**: 1-12.
- Evens, J. G., G. W. Page, et al. (1989). Distribution and relative abundance of the California Black Rail (*Laterallus jamaicensis coturniculus*) intertidal marshes of the San Francisco Bay estuary., Report to California Department of Fish and Game.
- Evens, J. G. and R. W. Stallcup (1991). "Coastal Riparian Marsh." Breeding Bird Census **62**(1): 75-76.
- Evens, J. G. and R. W. Stallcup (1992). "Coastal Riparian Marsh." Breeding Bird Census **63**(1): 95-96.
- Evens, J. G. and R. W. Stallcup (1993). "Coastal Riparian Marsh." Breeding Bird Census **64**(1): 91-92.
- Evens, J. G. and R. W. Stallcup (1994). "Coastal Riparian Marsh." Breeding Bird Census **65**(2): 105-106.
- Federal Highway Administration (1982). Report of Field Review - Highway Traffic Noise Impact Identification and Mitigation Decisionmaking Processes, Office of Environmental Policy.
- Federal Highway Administration (1983). Visual Impact Assessment for Highway Projects. Washington, D.C., U.S. Department of Transportation. Pub. no. FHWA-HI-88-054.
- Federal Highway Administration (2001). Keeping the Noise Down, Highway Traffic Noise Barriers, Publication No. FHWA-EP-01-004 HEPN/2-01(10M)E. <http://www.fhwa.dot.gov/environment/keepdown.htm>.
- Fellers, G. M. and G. Guscio (2002). Red-legged Frog Surveys at Giacomini Wetlands, Point Reyes National Seashore. Point Reyes, California, National Park Service Report.
- FEMA (1997). Flood insurance study, Marin County, California, unincorporated areas, Federal Emergency Management Agency Community Number 060173.
- Fenner, P., W. W. Brady, et al. (1985). "Effects of regulated water flows on regeneration of Fremont cottonwood." Journal of Range Management **38**: 135-138.
- Festa, J. F. and D. V. Hansen (1976). "A two-dimensional numerical model of estuarine circulation: the effects of altering depth and river discharge." Estuarine and Coastal Marine Science **4**: 309-323.
- Festa, J. F. and D. V. Hansen (1978). "Turbidity maxima in partially mixed estuaries: a two-dimensional numerical model." Estuarine and Coastal Marine Science **7**: 347-359.
- Fischer, D. T., S. V. Smith, et al. (1996). "Simulation of a century of runoff across the Tomales watershed. Marin County, California." Journal of Hydrology **186**: 253-273.
- Fisher, R. N. and H. B. Shaffer (1996). "The decline of amphibians in California's Great Central Valley." Conservation Biology **10**: 1387-1397.

- Flores, R. E. and W. R. Eddleman (1993). "Nesting biology of the California black rail in Southwestern Arizona." Western Birds **24**: 81-88.
- Fong, D. (1999). California Freshwater Shrimp (*Syncaris pacifica*) Surveys within Point Reyes National Seashore and Golden Gate National Recreation Area, Unpublished report prepared for Golden Gate National Recreation Area and the U.S. Fish and Wildlife Service, Portland Regional Office: 27.
- Fong, D. (2002). Western Pond Turtle (*Clemmys marmorata*) Inventory, Golden Gate National Recreation Area, Prepared for Golden Gate National Recreation Area, Division of Resource Management.
- Fong, D. (2003). California Freshwater Shrimp (*Syncaris pacifica*) and Tirewater Goby (*Eucylogobius newberryi*) Surveys, Giacomini Ranch, Marin County., Golden Gate National Recreation Area / Point Reyes National Seashore.
- Freifelder, R. R., S. V. Smith, et al. (1998). "Cows, humans and hydrology in the nitrogen dynamics of a grazed rural watershed." Journal of Environmental Management **52**: 99-111.
- Friedman, J. M., W. R. Osterkamp, et al. (1998). "Downstream effects of dams on channel geometry and bottomland vegetation: Regional patterns in the Great Plains." Wetlands **18**: 619-633.
- Frost, S. W. (1935). "The food of *Rana catesbeiana* Shaw." Copeia **1935**: 15-18.
- Galloway, A. (1977). "Geology of the Point Reyes Peninsula, Marin County, California." California Division of Mines and Geology Bulletin **202**: 72.
- Gambrell, R. P. (1994). "Trace and toxic metals in Wetlands - A review. J. ." Journal of Environmental Quality **23**: 883-891.
- Gambrell, R. P., R. D. DeLaune, et al. (1991a). Redox processes in soils following oxygen depletion. Plant life under oxygen deprivation. M. B. Jackson, D. D. Davies and H. Lumken. The Hague, The Netherlands, SPB Academic Publishing bv: 101-117.
- Gambrell, R. P., J. B. Wiesepape, et al. (1991b). "The effects of pH, redox, and salinity on metal release from a contaminated sediment." Water, Air, and Soil Pollution **57-58**: 359-367.
- Gandesbery, T., F. Hetzel, et al. (1999). Ambient concentrations of toxic chemicals in San Francisco Bay sediments: Summary. In 1997 Annual Report: San Francisco Estuary Regional Monitoring Program for Trace Substances. Richmond, San Francisco Estuary Institute: 140-147.
- Ganju, N. K., D. H. Schoellhamer, et al. (2004). "Tidal oscillation of sediment between a river and a bay: a conceptual model." Estuarine, Coastal, and Shelf Science **60**(6): 81-90.
- Garcia and Associates (2004). National Register of Historic Places Evaluation for the Giacomini Dairy Farm and Inverness Park Properties, Point Reyes National Seashore, Marin County, California, Submitted to URS Corp., Chico, California.
- Ghodrati, F. and R. Tuden (2005). Pathogens in Tomales Bay Watershed: Total Maximum Daily Load (TMDL). Proposed Basin Plan Amendment and Staff Report, California Regional Water Control Board, San Francisco Bay Region.
- Gilbert, G. K. (1908). Characteristics of the rift and Earth movement on the fault, Tomales Bay to Bolinas Lagoon. Report of the State Earthquake Investigation Commission. A. C. Lawson, Carnegie Institution of Washington Publication 87. **1**: 30-35, 66-87.
- Goals Project (1999). Baylands Ecosystem Habitat Goals: A report of habitat recommendations, Prepared by the San Francisco Bay Area Wetlands Ecosystem Goals Project, U.S. Environmental Protection Agency, San Francisco, California/ San Francisco Regional Water Quality Control Board, Oakland, California.

LITERATURE CITED

- Goman, M. F. (2005). "Discrimination of Estuarine Marsh Subenvironments (San Francisco Bay, California, USA) Using a Multivariate Statistical Calibration of Abiotic Sediment Properties." Journal of Sedimentary Research **75**(3): 398-408.
- Greene, E. L. (1894). Manual of the botany of the region of San Francisco Bay. San Francisco, California, Cubery and Company.
- Grinnell, J. and A. H. Miller (1944). "The distribution of the birds of California." Pacific Coast Avifauna **27**.
- Grosholz, E. D. and P. Olin (2000). Reducing losses of Manila clams to the European green crab, California Sea Grant/University of California Cooperative Extension leaflet.
- Grosholz, E. D., G. M. Ruiz, et al. (2000). "The impacts of a nonindigenous marine predator in a California Bay." Ecology **81**(5): 1206-1224.
- Gross, E. S. and M. T. Stacey (2003). "Three-dimensional hydrodynamic modelling of Tomales Bay, California." Estuarine and Coastal Modeling: 646-666.
- Grove, K., K. Colson, et al. (1995). Stratigraphy and structure of the late Pleistocene Olema Creek Formation, San Andreas Fault zone north of San Francisco, California. Recent geologic studies in the San Francisco Bay area, Pacific Section: Society for Sedimentary Geology. E. M. Sanguines, D. W. Andersen and A. Busing. **76**: 55-76.
- H. Esmaili and Associates (1980). Substrate Enhancement/Sediment Management Study, Lagunitas Creek, Marin County. Phase II: Sediment transport and substrate conditions 1979-1980.
- Haith, D. A. and L. L. Shoemaker (1987). "Generalized Watershed Loading Functions for Stream Flow Nutrients." Water Resources Bulletin **23**(3): 471-478.
- Harcourt-Baldwin, J. (2003). Water Circulation within Tomales Bay, California, USA - A Mediterranean Climate Estuary. Cape Town, South Africa, University of Cape Town.
- Hardwick, J. E. (1973). Biomass estimates of spawning herring, *Clupea harengus pallasii*, herring eggs, and associated in Tomales Bay, California Department of Fish and Game 59: 36-61.
- Hart, E. W. and W. A. Bryant (1997). Fault-rupture hazard zones in California, Department of Conservation Division of Mines and Geology Special Publication 42.
- Hayes, M. P. and M. R. Jennings (1986). "Decline of ranid frog species in western North America: are bullfrogs (*Rana catesbeiana*) responsible?" Journal of Herpetology **20**: 490-509.
- Healey, M. C. (1991). Life History of Chinook Salmon (*Oncorhynchus tshawytscha*). Pacific Salmon Life Histories. C. Groot and L. Margolis: 313-393.
- Hearn, C. J. and J. L. Largier (1997). "The summer buoyancy dynamics of a shallow Mediterranean estuary and some effects of changing bathymetry: Tomales Bay, California." Estuarine, Coastal and Shelf Science **45**: 497-506.
- Hedgpeth, J. W. (1975). California fresh and brackish water shrimps with special reference to the present status of *Syncaris pacifica* (Holmes). Unpublished report, Office of Endangered Species. U. S. Fish and Wildlife Service Report, Contract 14-16-008-841: 34.
- Heimann, D. C. (2001). Numerical Simulation of Streamflow Distribution, Sediment Transport, and Sediment Deposition along Long Branch Creek in Northeast Missouri. Lee's Summit, Missouri, U.S.G.S. Report no. WRIRO1-4269.
- Heimann, D. C. and M. J. Roell (2000). "Sediment Loads and Accumulation in a Small Riparian Wetland System in Northern Missouri." Wetlands **20**(2): 219-231.

- Herzog, M., L. Liu, et al. (2004). San Francisco Bay Marsh Project, Annual Report: Distribution, Abundance, and Reproductive Success of Tidal Marsh Birds. Stinson Beach, California, PRBO Conservation Science.
- Hickman, J. C., Ed. (1993). The Jepson manual: Higher Plants of California. Berkeley, California, University of California Press.
- Holland, R. F. (1986). Preliminary descriptions of the terrestrial natural communities of California. Sacramento, California, State of California, The Resources Agency, Nongame Heritage Program, Dept. Fish & Game,.
- Hollibaugh, J. T., R. W. Buddemeier, et al. (1991). "Contributions of colloidal and high molecular weight dissolved material to alkalinity and nutrient concentrations in shallow marine and estuarine systems." Marine Chemistry **33**: 1-27.
- Hollibaugh, J. T., B. E. Cole, et al. (1988). "Tomales Bay, California: a "macrocosm" for examining biogeochemical coupling at the land-sea interface." Eos **36**: 843-845.
- Hollis, J. (1967). Toxicant Diseases of Rice. Louisiana Agr. Exp. Station, Bull. 614. Baton Rouge, Louisiana, Louisiana State University.
- Hornberger, M. I., S. N. Luoma, et al. (1999). "Historical trends of metals in the sediments of San Francisco Bay, California." Marine Chemistry **64**: 39-55.
- Horne, A. (2000). Professor, University of California, Berkeley: Unpublished data from a course on recycled water.
- Howell, J. T. (1970). Marin Flora: A Manual of the Flowering Plants and Ferns of Marin County, California. Berkeley and Los Angeles, California, University of California Press.
- HUD (2004). The Noise Guidebook, Revised 2004. Washington, D.C., U.S. Department of Housing and Urban Development.
<http://www.hud.gov/offices/cpd/energyenviron/environment/resources/guidebooks/noise/index.cfm>.
- Huron County Science Committee (2005). Sources and Mechanisms of Delivery of E. coli (bacteria) Pollution to the Lake Huron Shoreline of Huron County. Interim Report, Science Committee to Investigate Sources of Bacterial Pollution of the Lake Huron Shoreline of Huron County.
- Hymanson, Z., D. Mayer, et al. (1994). Long-Term Trends in Benthos Abundance and Persistence in the Upper Sacramento- San Joaquin Estuary, Summary Report: 1980-1990, IEP Technical Report 38: 68.
- Illingworth & Rodkin and Nichols Berman (2002). Marin Countywide Plan: Air Quality Technical Background Report. San Rafael, California, Marin County Community Development Agency.
- International Conference of Building Officials (1997). Universal Building Code.
- Invasive Spartina Project (2004). 2004 Monitoring Survey, San Francisco Estuary Invasive Spartina Project.
- IWCP (2001). Did You Know?...Healthy Wetlands Devour Mosquitoes Fact Sheet. Indianapolis, Indiana, Indiana Wetlands Conservation Plan. Indiana Department of Natural Resources.
www.in.gov/dnr/fishwild/publications/inwetcon/hlywet.pdf.
- Jacobs, D. K. and D. Earl (2005). Genetic analysis of tidewater goby population in Tomales Bay and other central California coastal watersheds. Point Reyes Station, California, University of California at Los Angeles. Report to Point Reyes National Seashore.
- Jaffe, B., R. Smith, et al. (2001). Sedimentation, erosion, and mercury contamination: The story of hydraulic gold mining debris in north San Francisco Bay. Proceedings of the 5 th Biannual State of the Estuary Conference: San Francisco Estuary: Achievements, trends and the and the future, Palace of the Fine Arts Theatre, San Francisco.

LITERATURE CITED

- Jaffe, B., R. Smith, et al. (1996). Sedimentation changes in San Pablo Bay 1856-1983. 3rd Biennial State of the Estuary Conference, October, San Francisco, California.
- Jennings, M. R. and M. P. Hayes (1989). Final Report of the Status of the California Red-Legged frog in the Pescadero Marsh Natural Preserve, Prepared for the California Department of Parks and Recreation Under Contract No. 4-823-9018 With the California Academy of Sciences: 56.
- Johnson, R. G., W. R. Bryant, et al. (1961). Ecological survey of Tomales Bay: preliminary report of the 1960 hydrographic survey. Bodega Bay, California, Pacific Marine Station, University of the Pacific.
- Johnson, R. G., J. A. Juskevics, et al. (1971). Environmental study of Tomales Bay, Vol. 4: biological characteristics of Tomales Bay.
- Johnson, S. C., R. Burgess, et al. (1976). "Forest overstory vegetation and environment on the Missouri River floodplain in North Dakota." Ecological Monographs **46**(1): 59-84.
- Johnson, W. C. (1992). "Dams and riparian forests: case study from the upper Missouri River." Rivers **3**: 229-242.
- Johnson, W. C. (1994). "Woodland expansion in the Platte River, Nebraska: patterns and causes." Ecological Monographs **64**: 45-84.
- Johnson, W. C. (1998). "Adjustment of riparian vegetation to river regulation in the Great Plains, USA." Wetlands **18**: 608-618.
- Jones & Stokes Associates (1995). Draft Environmental Impact Report and Environmental Impact Statement, Delta Wetlands Project, Prepared for State Water Resources Control Board and U.S. Army Corps of Engineers, September 1995.
- Joye, S. B. and J. T. Hollibaugh (1995). "Influence of sulfide inhibition of nitrification on nitrogen regeneration in sediments." Science **270**: 623-625.
- Judah, L. R. (2000). Filtering Capacity and Dietary Requirements of the Pacific Oyster, *Crassostrea gigas*, San Francisco State University: 7.
- Kadlec, R. H. and R. L. Knight (1996). Treatment Wetlands. New York, New York, Lewis Publishers.
- Kelly, J. (2001). "Distribution and abundance of winter shorebirds on Tomales Bay, California: implications for conservation." Western Birds **32**: 145-166.
- Kelly, J. P. (2003). "Bird Alphabet Soup: A report on the All Taxa Biodiversity Inventory of Tomales Bay." The Ardeid **2003**: 8-12.
- Kelly, J. P. and S. L. Tappen (1998). "Distribution, abundance, and implications for conservation of winter waterbirds on Tomales Bay, California." Western Birds **29**: 103-120.
- Ketcham, B. (1998). Hydrologic monitoring station information summary, National Park Service coho and steelhead recovery project. Point Reyes Station, California, Point Reyes National Seashore.
- Ketcham, B. (2001). Point Reyes National Seashore Water Quality Monitoring Report: May 1999-May 2001. Point Reyes Station, California, Point Reyes National Seashore: 177.
- Ketcham, B. (*in prep.*). Summary of Bear Valley Creek Salmonids. Point Reyes Station, California, Point Reyes National Seashore.
- KHE (2006a). Hydrologic Feasibility Assessment Report: Giacomini Wetland Restoration Project. Point Reyes National Seashore. Point Reyes Station, California, Prepared for Point Reyes National Seashore.
- KHE (2006b). Phase I Hydrology, Hydraulic, and Geomorphic Investigations and Engineering Design for Bear Valley Creek Watershed Enhancement and Fishery Restoration Project. Point Reyes National

- Seashore, California. Point Reyes Station, California, Prepared for Point Reyes National Seashore Association.
- KHE, LSA Associates Inc., et al. (2004). Technical evaluation of potential trail alignments for the Giacomini wetland restoration project, Point Reyes National Seashore, Marin County, California, Submitted to: Point Reyes National Seashore, September: 34.
- Kimmerer, W. J. (1993). "Distribution patterns of zooplankton in Tomales Bay, California." Estuaries **16**(2): 264-272.
- Kimmerer, W. J. (2004). "Open Water Processes of the San Francisco Estuary: From Physical Forcing to Biological Responses." San Francisco Estuary & Watershed Science **2**(1): 2-140.
- Kimmerer, W. J., J. R. Burau, et al. (1998). "Tidally oriented vertical migration and position maintenance of zooplankton in a temperate estuary." Limnology and Oceanography **43**: 1697-1709.
- Kimmerer, W. J., S. V. Smith, et al. (1993). "A simple heuristic model of nutrient cycling in an estuary." Estuarine, Coastal and Shelf Science **37**: 145-159.
- Knudsen, K. L., J. M. Sowers, et al. (2000). Preliminary Maps of Quaternary Deposits and Liquefaction Susceptibility, Nine County San Francisco Bay Region, California. Denver, Colorado, USGS (U.S. Geological Survey).
- Knudsen, K. L., R. C. Witter, et al. (1999). Final technical report: evidence for earthquake-induced, rapid subsidence in estuarine sediment along the Northern San Andreas Fault., U.S. Geological Survey, National Earthquake Hazards Reduction Program, award no. 1434-HQ-97-GR-03009, program elements: I and II: 44.
- Korschgen, L. J. and D. L. Moyle (1955). "Food habits of the bullfrog in central Missouri farm ponds." American Midland Naturalist **54**: 332-341.
- Kramer, V. L., J. N. Collins, et al. (1995). "Reduction of *Aedes dorsalis* by enhancing tidal action in a northern California marsh." American Mosquito Control Association **11**: 389-395.
- Kroeber, A. L. (1953). Handbook of Indians of California. Berkeley, California, California Book Company, Ltd.
- Kwasny, D. C., M. Wolder, et al. (2004). Central Valley Joint Venture: Technical Guide to Best Management Practices for Mosquito Control in Managed Wetlands, California Department of Fish and Game, Lands and Facilities Branch and U.S. Fish and Wildlife Service.
- LandPeople (2005). Technical evaluation of public access alignments for the Giacomini wetland restoration project, Point Reyes National Seashore, National Park Service, Prepared for: Kamman Hydrology & Engineering, Inc., with Jakaby Engineering: 69.
- Largier, J. L., C. J. Hearn, et al. (1997a). Density structures in low inflow estuaries. Buoyancy Effects on Coastal and Estuarine Dynamics. David G. Aubrey and C. T. Friedrichs, American Geophysical Union, Coastal and Estuarine Studies. **53**: 227-241.
- Largier, J. L., J. T. Hollibaugh, et al. (1997b). "Seasonally hypersaline estuaries in mediterranean climate regions." Estuarine, Coastal and Shelf Science **45**: 789-797.
- Lawson, A. C. (1908). The California Earthquake of April 18, 1906. Report of the State Earthquake Investigation Commission, Carnegie Institution of Washington Publication 87.
- Leopold, L. B. (1994). A View of the River. Cambridge, Massachusetts, Harvard University Press.
- Levy, D. A. and T. G. Northcote (1982). "Juvenile salmon residency in a marsh area of the Fraser River estuary." Canadian Journal of Fisheries and Aquatic Sciences **39**: 270-276.

LITERATURE CITED

- Lewis, D. J., E.R. Atwill, et al. (2001). Linking on-farm dairy management practices to storm-flow fecal coliform loading for California coastal watersheds. Santa Rosa, California, University of California Cooperative Extension.
- Liu, A. E. (2001). Restoration of a San Francisco Bay Salt Marsh: Evaluating Corixid and Mosquito Populations. Environmental Sciences (196). Berkeley, California, University of Berkeley.
- Livingston, D. (1994). Ranching on the Point Reyes Peninsula: A History of the Dairy and Beef Ranches within the Point Reyes National Seashore, 1834-1992. Point Reyes Station, California, National Park Service.
- Livingston, D. (1999). History of Point Reyes Station. Point Reyes Station Community Plan. San Rafael, California, Marin County Community Development Agency, 2000.
- Long, E. R., M. F. Buchman, et al. (1990). "Comparative Evaluation of Five Toxicity Tests with Sediments from San Francisco Bay and Tomales Bay, California." Environmental Toxicity and Chemistry **9**(9): 1193-1214.
- Lundquist, J. D. and D. R. Cayan (2002). "Seasonal and Spatial Patterns in Diurnal Cycles in Streamflow in the Western United States." Journal of Hydrometeorology: 591-603.
- MacDonald, K. B., and M. G. Barbour (1974). Beach and salt marsh vegetation of the North American Pacific coast. Ecology of halophytes. R. J. Reimold and W. H. Queen. New York, New York, Academic Press: 175-233.
- Magnusson, A. and R. Hilborn (2003). "Estuarine Influence on Survival Rates of Coho (*Oncorhynchus kisutch*) and Chinook Salmon (*Oncorhynchus tshawytscha*) Released from Hatcheries on the U.S. Pacific Coast." Estuaries **26**(4B): 1094-1103.
- Malm, W. C. (2000). Introduction to Visibility. #CA-2350-97. Fort Collins, Colorado, Colorado State University, Cooperative Institute for Researching the Atmosphere: T097-04, T098-06.
- Manolis, T. (1978). "Status of the black rail in central California." Western Birds **9**: 151-158.
- Marin and Sonoma County Mosquito and Vector Control District (2005). West Nile Virus, <http://www.msosquito.com/westnile.html>.
- Marin County Community Development Agency (1994). Marin Countywide Plan. San Rafael, California, Marin County Comprehensive Planning Development.
- Marin County Community Development Agency (2000). Point Reyes Station Community Plan. San Rafael, California.
- Marin County Community Development Agency (2003). Key Trends, Issues, and Strategies Report. San Rafael, California, Marin County Community Development Agency.
- Marin County Community Development Agency (2004). Marin Countywide Plan Noise Element Background Report. San Rafael, California.
- Marin County Community Development Agency (2005). Marin Countywide Plan: Revised Public Review Draft. San Rafael, California.
- Marin County Comprehensive Planning Department (1981). Marin County Local Coastal Program Unit 2. San Rafael, California, Marin County Comprehensive Planning Department/ Marin County Community Development Agency.
- Markmann, C. (1986). Benthic Monitoring in the Sacramento-San Joaquin Delta. Results from 1975 through 1981, IEP Technical Report 12: 51.
- Mason, J. (1983). "The Trout Hatchery." Point Reyes Historian **8**(3): 820-822.

- May, M. (1995). *Lepidium latifolium* L. in the San Francisco Estuary. Berkeley, California, Department of Geography, University of California, Berkeley.
- MBARI (2002). 2002 Annual Report, Monterey Bay Aquarium Research Institute.
- McKee, L., N. Ganju, et al. (2002). Estimates of suspended sediment flux entering San Francisco Bay from the Sacramento and San Joaquin Delta. Report prepared for the Sources Pathways and Loading Workgroup (SPLWG) of the San Francisco Bay Regional Monitoring Program for Trace Substances (RMP). SFEI contribution 65. San Francisco Estuary Institute.
- Mendelssohn, I. A., K. L. McKee, et al. (1982). Sublethal stresses controlling *Spartina alterniflora* productivity. Wetlands Ecology and Management. B. Gopal, R. E. Turner, R. G. Wetzel and D. F. Whigham. Jaipur, India, National Institute of Ecology and International Science Publications: 223-242.
- Michigan State University (2001). Money Generation Model Analysis for Point Reyes National Seashore, Department of Park, Recreation and Tourism Resources.
- Miller, B. A. and S. Sadro (2003). "Residence Time and Seasonal Movements of Juvenile Coho Salmon in the Ecotone and Lower Estuary of Winchester Creek, South Slough, Oregon." Transactions of the American Fisheries Society **132**: 546-559.
- Mitsch, W. J. and J. G. Gosselink (1993). Wetlands. New York, New York, John Wiley & Sons.
- Mitsch, W. J. and J. G. Gosselink (2000). Wetlands. New York, New York, John Wiley & Sons.
- MMWD (2005). Lagunitas Creek Salmon Spawner Survey Report 2004-2005. Corte Madera, California, Prepared by Eric Ettlinger, Gregory M Andrew, Jacquelyn Neuffer, and Francesca Rohr of Marin Municipal Water District.
- MMWD (2006). Lagunitas Creek Salmon Spawner Survey Report 2005-2006. Corte Madera, California, Prepared by Eric Ettlinger, Chaya Kranz, Francesca Rohr, and Gregory M Andrew of Marin Municipal Water District.
- Moore, T. O. and J. J. Mello (1995). Pacific Herring, *Clupeas pallasii*, studies and fishery management in Tomales Bay, 1992-1995, with notes on Humboldt Bay and Crescent City area landings, California Department of Fish and Game, Marine Resources Division. Administrative Report :95-5.
- Morey, S. (1990). Bullfrog, *Rana catesbeiana*. California Wildlife Habitat Relationships System. R. Duke and E. C. Beedy, California Department of Fish and Game, California Interagency Wildlife Task Group. <http://www.dfg.ca.gov/whdab/html/a046.html>.
- Moyle, P. B. (1973). "Effects of introduced bullfrogs, *Rana catesbeiana*, on the native frogs of the San Joaquin Valley, California." Copeia **1973**: 18-22.
- Moyle, P. B. (1976). Inland fishes of California. Berkeley, California, University of California Press.
- Munro-Fraser, J. P. (1880). History of Marin County, California. San Francisco, California, Alley, Browne, & Co.
- Murphy, D. (2006). San Francisco Watchlist, Towee.net: <http://www.towhee.net/birdsf/watch.html>.
- Naiman, R. J., R.E. Bilby, et al. (2002). "Pacific salmon, nutrients, and the dynamics of freshwater and riparian ecosystems." Ecosystems **5**: 399-417.
- Napa County Mosquito Abatement District (2004). Foul Water Mosquito: General Information, Napa County Mosquito Abatement District: http://www.napamosquito.org/Mosquitos/FoulWaterMosquito.htm#FOUL_WATER_MOSQUITO.
- NatureServe (2000). Precious Heritage: Hot spots of rarity and richness. <http://www.natureserve.org/publications/preciousHeritageCharts.jsp>.

LITERATURE CITED

- Newland, M. (2003). A Cultural Resources Study for the Giacomini Wetlands Restoration Project. Point Reyes Station, California, Point Reyes National Seashore and Anthropological Studies Center, Sonoma State University: 48.
- Nichols, F. H. and M.M. Pamatmat (1988). The ecology of the soft-bottom benthos of San Francisco Bay: A community profile, Biological Report 85 (719), United States Fish and Wildlife Service: 73.
- Nielsen, J. Anadromous Salmonids of the MBNMS, U.S.D.A. Forest Service and Hopkins Marine Station. <http://www.montereybay.noaa.gov/sitechar/fish2.html>.
- Niemi, T. M. and N. T. Hall (1996). "Historical changes in the tidal marsh of Tomales Bay and Olema Creek, Marin County, California." Journal of Coastal Research **12**(1): 90-102.
- NMWD (1967). Appendix: Water & Sewage Feasibility Study. East Shore Development Tomales Bay, North Marin Water District. Prepared in conjunction with Brown and Caldwell Consulting.
- NMWD (1997). Lagunitas Creek Salinity Intrusion Study Point Reyes Service Area. Novato, California, North Marin Water District. Prepared in conjunction with Soldati Engineering Services.
- NOAA (1990). Estuaries of the United States: vital statistics of a national resource base, Strategic Assessment Branch, Ocean Assessments Division, Office of Oceanography and Marine Assessment, National Oceanic and Atmospheric Administration: 76.
- NOAA (2001). Sea level variations of the United States 1854-1999. NOAA Technical Report NOS CO-OPS 36. Silver Springs, Maryland, National Oceanographic and Atmospheric Administration: 65 pp.
- NOAA-Fisheries (1996). "Endangered and Threatened Species; Threatened Status for Central California Coast Coho Salmon Evolutionarily Significant Unit (ESU). 50 CFR Part 227. Final Rule. October 31 2006. National Marine Fisheries Service." Federal Register **61**(212): 56138-56149.
- NPS (1980). General Management Plan, Environmental Analysis, Golden Gate National Recreation Area and Point Reyes National Seashore.
- NPS (1993). Point Reyes Fire Management Plan, Point Reyes National Seashore.
- NPS (1997). Point Reyes National Seashore Visitor Use Survey Report: 1997. Point Reyes Station, California, Point Reyes National Seashore, National Park Service.
- NPS (1998a). NPS 28: Cultural Resource Management Guideline, National Park Service.
- NPS (1998b). Point Reyes National Seashore Visitor Use Survey Report: 1998. Point Reyes Station, California, Point Reyes National Seashore, National Park Service.
- NPS (1999). Point Reyes Resource Management Plan, Point Reyes National Seashore.
- NPS (2001). Director's Order 12: Conservation Planning, Environmental Impact Analysis, and Decision Making Handbook. Washington, D.C., National Park Service.
- NPS (2002). Visitor Service Report (March 2002, June 2002, September 2002 and December 2002), National Park Service.
- NPS (2004a). Final Fire Management Plan Environmental Impact Statement, Point Reyes National Seashore and North District of Golden Gate National Rereation Area.
- NPS (2004b). NEPA Overview and NPS Mandates, Prepared by RED, Inc. Communications for the National Park Service National Resource Program Center, Environmental Quality Division.
- NPS (2006). 2006 Management Policies, National Park Service.

- Oberdorfer, J. A., M. A. Valentino, et al. (1990). "Groundwater contribution to the nutrient budget of Tomales Bay, California." Biogeochemistry **10**(199-216).
- OPR (1994). CEQA and Historical Resources. CEQA technical advise series. Governor's Office of Planning and Research. Sacramento, California, Governor's Office of Planning and Research.
- Orford, R. R. (1991). "Diagnosing and Treating Environmental Health Problems. Interview with Robert R. Orford." Minnesota Medicine **74**: 7-10.
- Overpeck, J. T., B. L. Otto-Bliesner, et al. (2006). "Paleoclimatic Evidence for Future Ice-Sheet Instability and Rapid Sea-Level Rise." Science **311**(5768): 1747-1750.
- Palmateer, G. and D. Huber (1985). Lake Huron beach study - a microbiological water quality evaluation of Grand Bend beach and related pollution sources in 1985, Southwest Region, Ontario Ministry of the Environment: 31.
- Palmer, R. S., Ed. (1962). Handbook of North American Birds. Vol. 1. Loons through Flamingos. New Haven, Connecticut, Yale University Press.
- Parsons, L. (2003). Botanical Survey Report: Giacomini Wetland Restoration Project. Point Reyes Station, California, Golden Gate National Recreation Area / Point Reyes National Seashore.
- Parsons, L. (*in prep.*). Pre-restoration water quality conditions in the Giacomini Wetland Restoration Project Area. Point Reyes Station, California, Point Reyes National Seashore.
- Parsons, L. and L. Allen (2004b). Vegetation Communities Report: Giacomini Wetland Restoration Project. Point Reyes Station, California, Golden Gate National Recreation Area / Point Reyes National Seashore.
- Parsons, L. and L. Allen (2004c). Final Report on Screening for Sediment Contamination in the Study Area: Giacomini Wetland Restoration Project. Point Reyes Station, California, Golden Gate National Recreation Area / Point Reyes National Seashore.
- Parsons, L., L. Allen, et al. (2005). Delineation of Wetlands and Deepwater Habitats: Giacomini Wetland Restoration Project. Point Reyes Station, California, Golden Gate National Recreation Area / Point Reyes National Seashore.
- Parsons, L., C. Donovan, et al. (2004). Wetlands Mapping and Assessment in the Tomales Bay Watershed. Point Reyes Station, California, Point Reyes National Seashore.
- Parsons, L. S. and J. E. Martini-Lamb (2003). Turning Waste Into Water: Use of Reclaimed Wastewater for Restoration and Wildlife Habitat Enhancement Purposes. Estuaries on the Edge: Convergence of Ocean, Land and Culture, Estuarine Research Federation Conference 2003.
- Pearson, J. M. (2000). Fish and mysids in two creeks/estuary systems in Marin County, California. Master's Thesis. San Francisco State University.
- Pendleton, E. A., E. R. Thieler, et al. (2005). Relative Coastal Vulnerability Assessment of Golden Gate National Recreation Area to Sea-Level Rise. USGS Open-File Report 2005-1058, U.S. Geological Survey.
- Peterson, D., T. Conomos, et al. (1975). "Location of the non-tidal current null zone in northern San Francisco Bay." Estuarine and Coastal Marine Science **3**: 1-11.
- Pettigrew, J. (2004). Summer Habitat Associations of Nearshore Fishes in Tomales Bay, California: A Report to Point Reyes National Seashore Association and the All Taxa Biodiversity Inventory of Tomales Bay.
- Pettigrew, J. (2005). Removal and Nutrient Analysis of Invasive Green Crabs in Tomales Bay, California. San Francisco, California, San Francisco State University.

LITERATURE CITED

- Peeverly, J. H. and R. J. Kopka (1991). "Changes in Al, Mn and Fe from sediments and aquatic plants after lake drawdown." Water, Air, & Soil Pollution **57-58**(1): 399 - 410.
- Philip Williams Associates (PWA), Wetland Research Associates, et al. (1993). An Evaluation of the Feasibility of Wetland Restoration on the Giacomini Ranch, Marin County, Prepared for the National Park Service Contract #CX 8140-1-0024.
- Portnoy, J. W. (1999). "Salt Marsh Diking and Restoration: Biochemical Implications of Altered Wetland Hyrdology." Environmental Management **24**(1): 111-120.
- Postma, V. H. and K. Kalle (1955). "On the development of turbid zones in the lower course of rivers with special consideration of conditions in the lower Elbe." Sond. Deutsch Hydr. **8**: 137-144.
- PRBO Conservation Science (2006). Bird Species of Special Concern, PRBO Conservation Science: <http://www.prbo.org/cms/index.php?mid=252&module=browse>.
- Prentice, C., T. N. Niemi, et al. (1991). Quaternary tectonics of the Northern San Andreas Fault, San Francisco Peninsula, Point Reyes, and Point Arena, California. Geologic Excursions in Northern California: San Francisco to the Sierra Nevada. D. Sloan and D. Wagner. Sacramento, California, California Department of Conservation, Division of Mines and Geology. **109**: 25-34.
- PWA (1996a). Analysis of impacts of Giacomini water rights transfer and potential removal of dam. April 18., Philip Williams Associates. Prepared for National Park Service, Point Reyes National Seashore. Point Reyes Station, California.
- PWA (1996b). Lagunitas Creek Salinity Intrusion Data. May 3. Point Reyes Station, California, Philip Williams Associates. Prepared for National Park Service, Point Reyes National Seashore.
- PWA (2005). Chicken Ranch Beach Restoration Plan
- Scoping Document . Prepared for Environmental Action Committee of West Marin. Philip Williams & Associates, Ltd. PWA REF. #1761.
- Questa Engineering Corp. (1990). Olema Creek Erosion and Sedimentation Study, Prepared for the National Park Service.
- Questa Engineering Corp. (2000). Hydrogeologic Investigation for Point Reyes Affordable Housing Project. Point Reyes Station, California, Point Reyes Affordable Housing Project.
- Questa Engineering Corp. (2001). Point Reyes Affordable Homes Project - Response to Comments on Hydrogeologic Study. October 10, 2001. Point Reyes Station, California, Point Reyes Affordable Housing Project.
- Radovich, R. A. (1993). An identification and generalized classification of the wetlands of California (with accompanying key). Department of Fish and Game, Environmental Services Division. Administrative Report 93-2.
- Rasheed, K., TK Anujee, JK Ajith, and AN Balchand (1997). Transport processes in tropical estuaries - significance of circulation and formation of turbidity maximum. Presentation at IAPSO Joint Assembly.
- Raup, H. F. (1951). "The Italian-Swiss in California." California Historical Society Quarterly **30**: 305-314.
- Reed, D. J. and J. Donovan (1994). The character and composition of the Columbia River estuarine turbidity maximum. Changing Particle Fluxes in Estuaries: Implications from Science to Management. K. Dyer and R. Orth. Friedensborg, Denmark, ECSAERF22 Symposium, Olsen & Olsen Press: 445-450.
- Regional Water Quality Control Board (RWQCB) (1995a). San Francisco Bay Basin (Region 2) Water Quality Control Plan, California Regional Water Quality Control Board, San Francisco Bay Region: 167.

- Regional Water Quality Control Board (RWQCB) (1995b). Water Quality Control Plan, Beneficial Uses, Regional Water Quality Control Board, Region 2: 2-1 to 2-11.
- Reimers, P. E. (1973). "The length of residence of juvenile fall chinook salmon in Sixes River, Oregon." Research Reports of the Fish Commission of Oregon **4**(2): 1-42.
- Remane, A. (1971). Ecology of brackish water. Biology of brackish water. A. Remane and C. Schlieper. New York, Wiley Inter-science: 1-210.
- Rood, S. B. and J. M. Mahoney (1990). "Collapse of riparian poplar forests downstream from dams in western Canada in western prairies: Probable causes and prospects for mitigation." Environmental Management **14**(4): 451-464.
- Rooney, J. J. and S. V. Smith (1999). "Watershed landuse and bay sedimentation." Journal of Coastal Research **15**(2): 478-485.
- Rozsa, R. (1997). Tidal Wetland Restoration in Connecticut, Connecticut Department of Environmental Protection Tidal Wetland Restoration Program <http://arboretum.conncoll.edu/publications/34/FRAME.HTM>.
- Rudo, M. O. (2006). Addendum Cultural Resources Survey For the Giacomini Wetlands Restoration Project, Point Reyes National Seashore, Marin County, California. July.
- Rugg, M. (2000). Marin-Sonoma County Agricultural Runoff Influence Investigation 1999-2000 Summary, California Department of Fish and Game: 12.
- Rugg, M. (2002). Marin-Sonoma Counties Agricultural Runoff Influence Investigation 2000-2001 Summary, California Department of Fish and Game: 45.
- RWQCB (2001). Surface Water Ambient Monitoring Program (SWAMP) Workplan 2001-2002., San Francisco Bay Regional Water Quality Control Board.
- Ryan, A. and L. Parsons (*in prep.*). Vegetation Communities Report Supplement: Olema Marsh, South Levee Road, and Bear Valley Creek, Giacomini Wetland Restoration Project. Point Reyes Station, California, Golden Gate National Recreation Area / Point Reyes National Seashore.
- Satawathananont, S., W. H. Patrick, Jr., et al. (1991). "Effect of controlled redox conditions on metal solubility in acid sulfate soils." Plant and Soil **133**(2): 281-290.
- Savage, H. and B. Miller (1995). "House Mosquitoes of the U.S.A., *Culex pipiens* complex." Wing Beats **6**(2): 8-9.
- Save the Bay (2005). Sandhill Crane, Save the Bay. <http://www.savesfbay.org/site/pp.asp?c=dgKLLSOWEnH&b=1126835>.
- Sawyer, J. O. and T. Keeler-Wolf (1995). A Manual of California Vegetation. Sacramento, California, California Native Plant Society.
- Scherer, A. M. and K. Grove (2003). "GIS analysis of Quaternary marine terraces, Point Reyes Peninsula, California." Geological Society of America Abstracts with Programs **35**(6): 332.
- Schirokauer, D. and A. Parravano (2003). Enhanced Wetlands Inventory and Mapping Project. Point Reyes Station, California, Point Reyes National Seashore.
- Schoellhamer, D. H. (2001). Influence of salinity, bottom topography, and tides on locations of estuarine turbidity maxima in northern San Francisco Bay. Coastal and estuarine fine sediment processes. M. W.H. and M. A.J. Amsterdam, The Netherlands, Elsevier: 343-356.
- Schoellhamer, D. H. and J. R. Burau (1998). Summary of findings about circulation and the estuarine turbidity maximum in Suisun Bay, California. USGS Fact Sheet: FS-047-98, U.S. Geological Survey: 6.

LITERATURE CITED

- Schofield, N. B. (1899). Notes on the movements of the young of the steelhead trout (*Salmo gairdneri*, Richardson) in Marin County streams, Appendix to the journals of Senate and Assembly of the 33rd session of the legislature of the state of California, G.H. Springer, State printer: 63-65.
- Seashore (1989). Exotic Plant Management Plan, Point Reyes National Seashore.
- Seashore (2001). Historic Landscapes of Point Reyes National Seashore. Point Reyes Station, California, Point Reyes National Seashore.
- Seashore (2003). Trail Inventory and Condition Assessment with Recommendations, November 2003, Point Reyes National Seashore Official Website:
http://www.nps.gov/pore/home_mngmntdocs_trailinventory2003.htm.
- Seashore (2005). Tomales Bay Biodiversity Inventory Reaches 2000. National Seashore News. **1**: 3.
- Seitzinger, S. P., R. V. Styles, et al. (2002). "Nitrogen Retention in Rivers: Model Development and Application to Watersheds in the Northeastern U.S.A." Biogeochemistry **57-58**(1): 199-237.
- Serpa, L. (1991). California freshwater shrimp (*Syncaris pacifica*). Sacramento, California, Contract report to U.S. Fish and Wildlife Service: 44.
- Serpa, L. (1992). Survey of the California freshwater shrimp, *Syncaris pacifica*, in Lagunitas Creek, Marin County, California, Prepared for Marin Municipal Water District. February 13, 1992: 51.
- Serpa, L. (1996). Survey of the California freshwater shrimp, *Syncaris pacifica*, in Lagunitas Creek, Marin County, California, Prepared for Marin Municipal Water District. December 19, 1996: 26.
- Sharpe, C. A. (1974). Tomales Bay Shellfish and Water Quality Study, Water Sanitation Section, California State Department of Health: 206.
- Shuford, D. W. and I. C. Timossi (1989). Plant Communities of Marin County. Sacramento, California, California Native Plant Society.
- Simenstad, C. A., K. L. Fresh, et al. (1982). "The role of Puget Sound and Washington coastal estuaries in the life history of Pacific salmon: an unappreciated function." Estuarine Comparisons, Academic Press.
- Smith, J. J. (1987). Aquatic habitat and fish utilization of Pescadero, San Gregorio, Waddell and Pomponio Creek estuary lagoon systems, Prepared for the California Department of Parks and Recreation. May 31, 1987: 35.
- Smith, S. V., R. M. Chambers, et al. (1996). "Dissolved and particulate nutrient transport through a coastal watershed-estuary system." Journal of Hydrology **176**: 181-203.
- Smith, S. V. and J. T. Hollibaugh (1997). "Annual cycle and interannual variability of ecosystem metabolism in a temperate climate embayment." Ecological Monographs **67**(4): 509-533.
- Smith, S. V. and J. T. Hollibaugh (1998). The Tomales Environment, University of Hawaii, School of Ocean and Earth Science and Technology and San Francisco State University, Tiburon Center.
<http://lmer.marsci.uga.edu/tomales/tomenv.html>.
- Smith, S. V., J. T. Hollibaugh, et al. (1989). "Tomales Bay, California: A case for carbon-controlled nitrogen cycling." Limnology and Oceanography **34**(1): 37-52.
- Smith, S. V., J. T. Hollibaugh, et al. (1991). "Tomales Bay metabolism: C-N-P stoichiometry and ecosystem heterotrophy at the land-sea interface." Estuarine, Coastal and Shelf Science **33**(223-257).
- Smith, S. V., W. J. Wiebe, et al. (1987). "Stoichiometry of C, N, P, and Si fluxes in a temperate-climate embayment." Journal of Marine Research **45**: 427-460.

- Snyder and Smith Associates Inc. and Nichols-Berman (2002). Geology, Mineral Resources and Hazardous Materials
- Technical Background Report. Marin Countywide Plan. San Rafael, California, Prepared for the Marin County Community Development Agency.
- Sommer, B. and P. Horwitz (2001). Using carbon cycling as a surrogate for wetland function in conceptual modelling. Paper presented at SIL 2001 (28th Congress).
- Soukup, M. A. and J. W. Portnoy (1986). "Impacts from mosquito control-induced sulfur mobilization in a Cape Cod estuary." Environmental Conservation **13**: 47-50.
- South Coast Air Quality Management District (1993). CEQA Air Quality Handbook. Diamond Bar, California.
- Spratt, J. D. (1989). "The distribution and density of eelgrass, *Zostera marina*, in Tomales Bay, California." California Fish and Game **75**(4): 204-212.
- Stallcup, R. W. and J. P. Kelly (2004). Point-Count Surveys of Bird Use in Olema Marsh: Spring and Autumn 2004, Prepared for Point Reyes National Seashore by PRBO Conservation Science and Cypress Grove Research Center.
- Stallcup, R. W. and J. P. Kelly (2005). Point-Count Surveys of Bird Use in Olema Marsh: Winter 2005, Prepared for Point Reyes National Seashore by PRBO Conservation Science and Cypress Grove Research Center.
- Stebbins, R. C. (1954). Amphibians and reptiles of western North America. New York, New York, McGraw-Hill.
- Stillwater Sciences (2004). Lagunitas limiting factors analysis. Phase I: Potential limiting factors and draft study plan for Phase II. Point Reyes Station, California, Prepared for Marin Resource Conservation District.
- Stillwater Sciences (2005). Santa Clara River Parkway Floodplain Restoration Feasibility Study: Assessment of Geomorphic Processes (Draft). Oakland, California, Prepared for the California State Coastal Conservancy.
- Stoffer, P. W. (2005). The San Andreas Fault In The San Francisco Bay Area, California: A Geology Fieldtrip Guidebook To Selected Stops On Public Lands, U.S. Geological Survey. Open-File Report 2005-1127.
- Storer, T. I. (1922). "The eastern bullfrog in California." California Fish and Game **8**: 219-224.
- Strecker, E. W., J. M. Kersnar, et al. (1992). The Use of Wetlands for Controlling Stormwater Pollution. Technical Advisor: Thomas E. Davenport, U.S. EPA, Region V. The Terrene Institute: 66.
- Stromberg, J. C. and D. T. Patten (1990). "Riparian Vegetation Instream Flow Requirements: A Case Study from a Diverted Stream in the Eastern Sierra Nevada, California, USA." Environmental Management **14**(2): 185-195.
- Stromberg, J. C., S. D. Wilkins, et al. (1993). "Vegetation- hydrology models: implication for management of *Prosopis velutina* (velvet mesquite) riparian ecosystems." Ecological Applications. **3**: 307-314.
- Strong Associates (2003). Marin County Agricultural Economic Analysis. Final Report. San Rafael, California, Prepared for Marin County Community Development Agency.
- Strong, D. R. and C. C. Daehler (1995). Alien cordgrasses in pacific estuaries. California Exotic Pest Plant Council 1995 Symposium Proceedings.
- Sullivan, T. J., D. L. Peterson, et al. (2001). Assessment of Air Quality and Air Pollution Impacts in Class I National Parks in California. Denver, Colorado, Prepared in Cooperation with the Air Resources Division, National Park Service.

LITERATURE CITED

- Swift, C. C., J. L. Nelson, et al. (1989). Biology and distribution of the tidewater goby, *Eucyclogobius newberryi* (Pisces: Gobiidae) of California, Natural History Museum of Los Angeles County, No. 404.
- SWRCB (1995). Order: 95-17. Lagunitas Creek., State Water Resources Control Board.
- Syrovetnik, K. and I. Neretnieks (2002). Use of Peat Bogs as Analogues for the Development and Validation of the Long-term Models for MSW Landfills. Department of Chemical Engineering. Stockholm, Sweden, Royal Institute of Technology.
- Takekawa, J. Y., I. Woo, et al. (*in press*). Environmental threats to tidal marsh vertebrates of the San Francisco Bay estuary, Studies in Avian Biology. Cooper Ornithological Society.
- Taylor, R. J. and E. D. Michael (1971). Habitat effects on monthly foods of bullfrogs in eastern Texas. Proceedings 25th Annual Conference Southeastern Association Game Fish Commissioners.
- TBA (1995). Tomales Bay Watershed - Fall Newsletter. Point Reyes Station, California, Tomales Bay Association: 8.
- TBWC (2002). Preliminary Tomales Bay Watershed Stewardship Plan: Second Draft, Prepared for the Tomales Bay Watershed Council, December 17, 2002.
- TBWC (2003). Tomales Bay Watershed Stewardship Plan, Prepared for the Tomales Bay Watershed Council, July 2003.
- Thompson, B. (2001). The Biogeography of *Spartina Foliosa*, San Francisco State University Geography Department. <http://bss.sfsu.edu/holzman/courses/Fall01%20projects/Foliosa%20webpage.htm>.
- Thorpe, J. E. (1994). "Salmonid fishes and the estuarine environment." Estuaries **17**: 76-93.
- Tomales Bay Shellfish Technical Advisory Committee (TBSTAC) (2000). Investigation of nonpoint pollution sources impacting shellfish growing areas in Tomales Bay, 1995-96. Final report, TBSTAC and the California State Water Resources Control Board: pp. 173.
- Treanor, R. R. and S. J. Nicola (1972). A preliminary study of the commercial and sporting utilization of the bullfrog, *Rana catesbeiana* Shaw, in California. Sacramento, California, California Department of Fish and Game, Inland Fisheries Administrative Report 72-4: 23.
- Trihey & Associates, I. (1994). Lagunitas Creek anadromous fish monitoring report, Fall, 1994. Corte Madera, California, Prepared for Marin Municipal Water District.
- Trihey & Associates, I. (1996). Lagunitas Creek anadromous fish monitoring report, Fall, 1996. Corte Madera, California, Prepared for Marin Municipal Water District.
- Trihey & Associates, I. (1997). Lagunitas Creek coho salmon spawner survey report, fall and winter 1996-97. Corte Madera, California, Prepared for Marin Municipal Water District.
- Trumbo, J. (1994). Perennial pepperweed: A threat to wildland areas, CalEPPC Newsletter: 4-5.
- U.S. Census Bureau (2000). Census 2000; Marin County.
- U.S. Soil Conservation Service (1985). Soil Survey of Marin County, California, U.S. Department of Agriculture. Prepared in cooperation with the National Park Service and University of California Agricultural Experiment Station: 229.
- University of California (2006). Historical Roots of Marin Agriculture, Regents of the University of California: http://groups.ucanr.org/GIM/History_of_Marin_Agriculture/.
- USDA (1995). Landscape Aesthetics: A Handbook for Scenery Management. Agriculture Handbook No. 701, United States Department of Agriculture, Forest Service.

- USFWS (1998). California Freshwater Shrimp (*Syncaris pacifica* Holmes) Recovery Plan. Portland, Oregon, Prepared by U.S. Fish and Wildlife Service.
- USFWS (2000). Draft Recovery Plan for the California Red-legged Frog (*Rana aurora draytonii*). Portland, Oregon, U.S. Fish and Wildlife Service: 258.
- USFWS (2005). "Endangered and Threatened Wildlife and Plants; Revised Proposed Designation of Critical Habitat for the California Red-Legged Frog (*Rana aurora draytonii*); 50 CFR Part 17. Proposed Rule. November 3, 2005. U.S. Fish and Wildlife Service." Federal Register **70**(212): 66906-66954.
- USFWS (*in prep.*). Draft Recovery Plan for Tidal Marsh Ecosystems of Central and Northern California. Vallejo, California, Prepared by U.S. Fish and Wildlife Service.
- USGS (1982). Guidelines for determining flood flow frequency. Bulletin #17B of the Hydrology Subcommittee, Interagency Advisory Committee on Water Data, U.S. Geological Survey.
- USGS (1997). San Francisco Bay Region, California, Landslide Folio. Open-File Report 97-745, <http://wrgis.wr.usgs.gov/open-file/of97-745/index.html>.
- USGS (2003a). Earthquake Hazards Program - Northern California, U.S. Geological Survey, Earthquake Hazards Program. <http://quake.wr.usgs.gov/prepare/hazards.html>.
- USGS (2003b). Topographic surveys of Giacomini Dairy Pastures and adjacent wetland areas, Point Reyes National Seashore, Point Reyes, Marin County, California 2002-2003 (preliminary map and coverage).
- USGS (2004). "Water Resources Data California Water Year 2003." Pacific Slope Basins from Arroyo Grande to Oregon State Line except Central Valley, Water Data Report CA-03-2 **2**.
- van der Lee, G. E. M., H. Olde Venterink, et al. (2004). "Nutrient retention in floodplains of the Rhine distributaries in The Netherlands." River Research and Applications **20**(3): 315-325.
- van Heertum, R. (2002). European Green Crab (*Carcinus maenas*). Introduced Species Summary Project. J. A. Danoff-Burg. Columbia University. http://www.columbia.edu/itc/cerc/danoff-burg/invasion_bio/inv_spp_summ/Carcinus_maenas.htm.
- Velicogna, I. and J. Wahr (2006). "Measurements of Time-Variable Gravity Show Mass Loss in Antarctica." Science **311**(5768): 1754-1756.
- Waananen, A. O., J. T. Limerino, et al. (1977). Flood-Prone Areas and Land-Use Planning - Selected Examples from the San Francisco Bay Region, California, U.S. Geological Survey Professional Paper 942: 75.
- Wahrhaftig, C. and J. R. Wagner (1972). The Geologic Setting of Tomales Bay. Tomales Bay Environmental Study. R. Corwin. Washington, D.C., The Conservation Foundation.
- Wald, D. J., H. Kanamori, et al. (1993). "Source Study of the 1906 San Francisco Earthquake." Bulletin of the Seismological Society of America **83**(4): 981-1019.
- Walling, D. E., B. W. Webb, et al. (1997). Sediment-associated nutrient transport in UK rivers. Freshwater contamination. Proceeding of Rabat Symposium S4, IAHS Publication. **243**: 69-80.
- Wang, J. C. S. (1982). Early life history and protection of the tidewater goby, *Eucyclogobius newberryi* (Girard), in the Rodeo Lagoon of the Golden Gate National Recreation Area, Cooperative National Park Research Study Unit, Technical Report 7, Institute of Ecology, University of California, Davis, CPSU/UCD 022/3.
- Warnock, N., G. W. Page, et al. (1995). "Non-migratory movements of Dunlins on their California wintering grounds." Wilson Bulletin **107**: 131-139.
- Watson, D., L. Weetman, et al. (1998). Spatial and Temporal Trace Level Monitoring Study of South San Francisco Bay. San Jose, California, City of San Jose, Environmental Services Department.

LITERATURE CITED

- White, C. M., N. J. Clum, et al. (2002). Peregrine Falcon (*Falco peregrinus*). The Birds of North America Online. A. Poole. Ithaca, New York, Cornell Laboratory of Ornithology; Retrieved from The Birds of North American Online database: http://bna.birds.cornell.edu/BNA/account/Peregrine_Falcon/.
- Whyte, D. C. and P. C. Ganguli (2000). The Impact on mercury mining on Tomales Bay biota. EPA Mercury Conference.
- Whyte, D. C. and J. W. Kirchner (2000). "Assessing water quality impacts and cleanup effectiveness in streams dominated by episodic mercury discharge." Science of the Total Environment **260**: 1-9.
- Wolman, M. G. and J. Miller (1960). "Magnitude and frequency of forces in geomorphic processes." Journal of Geology **68**: 54-74.
- Wright, A. H. and A. A. Wright (1949). Handbook of Frogs and Toads. Ithaca, New York, Comstock Publishing Associates.
- Yamada, S. B. (2001). Global Invader: the European Green Crab. Corvallis, Oregon, Oregon Sea Grant.
- Youd, T. L. and S. N. Hoose (1978). Historic ground failures in Northern California triggered by earthquakes, United States Geological Survey Professional Paper 993.