

Accessible Gas Station Standards

This checklist identifies key accessibility requirements for NPS concession specialists to use when evaluating concession facilities and operations for compliance. Please note concessioners are responsible for understanding and complying with accessibility applicable laws and concession contract terms. This is not a comprehensive listing of accessibility requirements.

GAS STATIONS

| | |
|---|--|
| Fuel assistance provided on request. | |
| Signage at pumps indicates that assistance is obtained by honking or otherwise signaling employees. | |
| No extra charges for fuel assistance beyond the self-serve price. | |

PARKING

| | |
|--|--|
| Accessible parking spaces have an adjacent access aisle with minimum 5' width for cars and 8' minimum width for vans. | |
| Accessible parking spaces are a minimum of 8' wide. | |
| Accessible parking spaces are closest to accessibility routes. | |
| Post or wall mounted sign with international accessibility symbol is mounted high enough so it is visible when a vehicle is parked in the space. | |
| Parking lots have the correct number of accessible parking spaces. | |

2010 ADA Accessible Parking Requirements

| Total Spaces in Lot | Accessible Spaces Required | |
|---------------------|----------------------------|--|
| 1 - 25 | 1 van | |
| 26-50 | 1 std + 1 van | |
| 51-75 | 2 std + 1 van | |