

Yellowstone Science

A quarterly publication devoted to the natural and cultural resources



A Chat with a Geophysicist

Yellowstone's Architecture

Windows into the Earth Reviewed

A Tribute to Aubrey Haines

Volume 8

Number 4



Through a Glass, Darkly?

On the surface of the wild “Wonderland” that is today called Yellowstone, modern Americans have noticeably left their mark, in the buildings they have constructed over the last century or more. A historic structure can be especially valued—or censured—based on how it relates to the surrounding human-built and natural landscape. Nowadays whenever a new building is proposed in the park, extensive discussion precedes (and considerable criticism follows) the chosen architectural design. In this issue, Rodd Wheaton provides readers a window on park architecture, as evidenced in park hotels, ranger stations, and other facilities

that reflect a motley collection of styles and eras.

Underneath the park teem the unseen, uncontrollable forces of the earth’s geology, only hinted at by the surface manifestations of geothermal energy. Many scientists and visitors long to see and understand what lies beneath Yellowstone. Robert B. Smith has worked to open such a window for the better part of four decades and, in this issue, shares some of his journeys of geologic discovery. Accompanying that discussion is a review of a recent book co-authored by Bob entitled *Windows into the Earth*.

This autumn, eminent historian Aubrey

Haines passed from his earthly life, causing mourning among many Yellowstone fans. In his NPS career and afterward, Aubrey pursued the facts behind countless tales and traditions of park history. Looking through the windows Aubrey opened onto Yellowstone Park’s “creation,” some viewers saw light and others saw shadows cast upon a sacred story; they even tried to close the window. I was honored to know him, briefly, and hope that park managers and others will always value professionals like him who provide new perspectives of Yellowstone, be it of a “dark” past or an explosive future.

Yellowstone Science

A quarterly publication devoted to the natural and cultural resources

Volume 8

Number 4

Fall 2000



Editor
Sue Consolo-Murphy

Assistant Editor and Design
Tami Blackford
Kevin Schneider
Assistant Editors
Mary Ann Franke
Alice Wondrak

Printing
Artcraft, Inc.
Bozeman, Montana

On the cover: Aerial view of a rare eruption of Steamboat Geyser in Norris Geyser Basin, July 6, 1984. From Windows into the Earth: The Geologic Story of Yellowstone and Grand Teton National Parks, by Robert B. Smith and Lee J. Siegel.

Above: Ionic columns, which were added to the Lake Hotel during its 1922–23 neo-classicist renovation. NPS photo.

Table of Contents

Windows into Yellowstone 2

Since 1959, Bob Smith has studied what he calls the “greater Yellowstone geocosystem.” He explores the geology of the area (as revealed in his recently published book *Windows into the Earth*) and discusses his current park research. Interview with Geologist and Geophysicist Robert B. Smith

Architecture of Yellowstone: A Microcosm of American Design 14

Beginning with early pioneers and the U.S. Army, Yellowstone’s architecture has evolved in parallel with styles throughout America.
by Rodd L. Wheaton

Book Review 20

Windows into the Earth: The Geologic Story of Yellowstone and Grand Teton National Parks by Robert B. Smith and Lee J. Siegel.
Reviewed by Mike Thompson

A Tribute to Aubrey Haines 23

The death of former park historian Aubrey Haines in September is a great personal and professional loss for friends of Yellowstone.
by Paul Schullery

News and Notes 25

New Archeological Finds • New Publications Available • Housing Available for Park Researchers • Thermophilic Algae May Help Cut Greenhouse Emissions • John Varley Honored for Fisheries Work • Greater Yellowstone Area Parks to Begin Inventory Effort • Errata

Yellowstone Science is published quarterly, and submissions are welcome from all investigators conducting formal research in the Yellowstone area. Correspondence should be sent to the Editor, *Yellowstone Science*, Yellowstone Center for Resources, P.O. Box 168, Yellowstone National Park, WY 82190.

The opinions expressed in *Yellowstone Science* are the authors' and may not reflect either National Park Service policy or the views of the Yellowstone Center for Resources. Copyright © 2000, the Yellowstone Association for Natural Science, History & Education. Support for *Yellowstone Science* is provided by the Yellowstone Association for Natural Science, History & Education, a non-profit educational organization dedicated to serving the park and its visitors. For more information about the Yellowstone Association, including membership, write to P.O. Box 117, Yellowstone National Park, WY 82190.

Yellowstone Science is printed on recycled paper with a linseed oil-based ink.



Windows into Yellowstone

An Interview with Geologist and Geophysicist

Robert B. Smith

Dr. Robert B. “Bob” Smith has been associated with Yellowstone geology for four decades. Bob is a professor of geology and geophysics at the University of Utah. He has conducted research in the park since 1959 and has operated the Yellowstone seismic and GPS networks since 1982. He is a former president of the Seismology Section and a fellow of both the American Geophysical Union and the Geological Society of America. A lively speaker who talks about the many connections of features and resources in what he calls a greater Yellowstone “geocosystem,” Bob graciously spoke with senior editor Sue Consolo Murphy in 1999 during one of his many trips to the park. Windows into the Earth: The Geologic Story of Yellowstone and Grand Teton National Parks is his new book with co-author Lee J. Siegel (Oxford University Press 2000; 240 pages, 69 illustrations).

Yellowstone Science (YS): How did you get interested in geology?

Robert Smith (RS): I actually got started here in Yellowstone; I worked in 1956 as a GS-0. I think that’s the truth—maybe it was a 1.

YS: No pay?

RS: Very little. It was a great year because my job was the lowest GS level they had. I was stationed at Lake working for the U.S. Fish and Wildlife Service. They brought us on in late February; we drove “weasels” across Hayden Valley. These were the first snowmobiles, these little army weasels, horrid things.

There used to be a grayling fish hatchery at Grebe Lake, west of Canyon. My first job was to ski in and open up this building and get the water flowing and then install fish traps and wait for the fish



Bob Smith

to spawn and be captured for study. When we were taking graylings, grizzlies would come to our cabin because they could smell fish eggs inside the building. I was sitting in my bed one night, and I heard this roar and pounding on the cabin. After that I slept with a two-bitted ax across my bed the rest of the time. I figured they were going to come right through the door.

I then helped map the tributaries of Yellowstone Lake that could support fish spawn. I did surveys of water chemistry, salinity, and sediment conditions. I think I walked every mile of the drainage that summer. Monday they put a pack on my back and said, “See you Friday.” There were no radios, no GPS (Global Positioning Systems), old maps, nothing, you just went. I would go up every stream, every tributary. I lived that summer at Fern Lake, upper Pelican, and we had cabins at Clear Creek, down at Trail Creek, and at Peale Island. We worked our way around Yellowstone Lake. That was really a fantastic experience.

They also had me assist with surveying lake bathymetry and limnology. We had an old surplus navy boat with a depth bottom sounder on it from which we did seismic profiling of the lake. We also lowered water and bottom sampling devices down the water column. All the way along, the sounder recorded data from beneath the lake bed with echoes of rock sediments beneath it. “Hey,” I’d look at my boss, “what is all this?” He said, “Mind your own business. You’re supposed to worry about fish, not about rocks.” But I thought it was pretty neat. That was 1956.

I didn’t finish high school, actually. I was admitted to college early, but I left that year after the opportunity came for me to work in Yellowstone. I ended up at Madison Junction that fall doing stream chemistry and creel censuses, all these things about fishing. Then the Hebgen Lake earthquake ripped off in 1959, and I switched into geology. That really got me interested. We students went up to the Hebgen Lake area and saw the aftermath of this major earthquake, including fault mapping and scarp measurements.

YS: You weren’t here at the time? You didn’t experience the quake?

RS: No. I was just finishing a summer geology field course in southern Idaho. At around midnight the ground started shaking as we said, “It’s a big earthquake.” It’s what really got me interested in this mixture of geophysics—a combination of physics and geology. I also like the biological side of things because I started out doing that in Yellowstone. I went on and got degrees in geology, a Ph.D. in geophysics, and I started doing lots of other things; I went to pilot training in the Air Force, I put seismographs all over Europe to snoop on Russian nuclear testing, and




Figure 1. Space view of Grand Teton and Yellowstone national parks from satellite images overlaid on digital elevation maps. The 8,000-foot-high Yellowstone caldera was produced by a giant volcanic eruption 630,000 years ago. The caldera occupies a 45-by-30-mile-wide area of central Yellowstone. The Teton fault bounds the east side of the Teton Range and raised the mountains high above Jackson Hole's valley floor. (Image by E. V. Wingert.)

Figures 1, 2, 3, 5, and 7 for this article are from *Windows into the Earth: The Geologic Story of Yellowstone and Grand Teton National Parks* by Robert B. Smith and Lee J. Siegel, copyright 2000 by Robert B. Smith and Lee J. Siegel. Used by permission of Oxford University Press, Inc.




Figure 2. Path of the Yellowstone hotspot. Yellow ovals show volcanic centers where the hotspot produced one or more caldera eruptions—essentially “ancient Yellowstone”—during the time periods indicated. As North America drifted southwest over the hotspot, the volcanism progressed northeast, beginning in northern Nevada and southeast Oregon 16.5 million years ago and reaching Yellowstone National Park two million years ago. A bow-wave or parabola-shaped zone of mountains (browns and tans) and earthquakes (red dots) surrounds the low elevations (greens) of the seismically quiet Snake River Plain. The greater Yellowstone “geosystem” is outlined in blue.

was chosen as the American exchange scientist to the British Antarctic Survey and went to the Antarctic—lots of really kind of wild things.

YS: You spent a large portion of your career working with other folks to expand the state of the knowledge from what was just vaguely recognized as a volcano, a volcanic caldera, in Yellowstone, to what is now recognized as nearly the largest one in the world.

RS: The largest active hotspot on the continents and maybe in the oceans. We geophysically mapped the third dimension, that is, the subsurface geology with depth, and we studied “extinct” volcanic centers all the way from Boise, Idaho, to Yellowstone.

YS: When you first came to work on Yellowstone geology, what was the level of knowledge?

RS: It was somewhat limited, especially in terms of understanding the volcanic and tectonic processes in a plate tectonic framework. I finished my Ph.D. in 1967 and went to Columbia University to do post-doctorate research. There I went back through all of their old seismic records for western U.S. earthquakes, but focused on learning more about the Hebgen Lake earthquake. I also went to the University of California at Berkeley, because that was a famous seismological institute, and said, “I want all your data on this great earthquake at Hebgen Lake.” We went down in the basement and this guy said, “They used to be here in boxes.” Didn’t find *one*...

About a month later a technician called me up and he said, “Dr. Smith, there’s a pile of stuff here under dust and garbage, is this what you want?” It was like finding a gold mine! I now had all the world’s records for the Hebgen Lake earthquake and its aftershocks. I started working with those. This really heightened my interest. I started coming up to the Hebgen Lake area, putting out seismographs and studying Yellowstone’s fault and volcanic features in the 1960s.

Mapping of geology in Yellowstone was initiated in the 1870s by Ferdinand V. Hayden, the famous naturalist-geologist whose pioneering work helped get Yellowstone named as the first national park. Hayden made a prophetic statement from on top of Mount Washburn looking

out across the Yellowstone Plateau saying, “This basin has been called by some travelers the vast crater of an ancient volcano...” But not many paid attention to his writings in the sense of the extent of the system or the youthfulness of Yellowstone’s volcanism.

In 1922, Professor Jagger at Massachusetts Institute of Technology rode through Yellowstone on horseback on his way to Hawaii, where he founded the Hawaiian Volcano Observatory. He observed Yellowstone’s geology and topography and made a famous statement, “Anyone who has spent summers with pack-train in a place like Yellowstone comes to know the land to be leaping... The mountains are falling all the time and by millions of tons. Something underground is shoving them up.” He recognized that Yellowstone was a dynamic geologic system. Then after another long hiatus, a Ph.D. student named Joe Boyd of Harvard in the late 1950s mapped and outlined the detail of the Yellowstone caldera.

But it was in the mid-1960s that a modern and major effort to study Yellowstone’s volcanic system was initiated by the USGS and funded by NASA, which was training astronauts to go to the moon. They were searching for places that had moonish, volcanic rocks—Craters of the Moon, deserts. They funded the USGS research on geology of Yellowstone because it was a big volcanic center. In the mid ‘60s, they were doing mapping here and we were starting our first installations of portable seismographs for earthquake studies. That’s when I met up with Bob Christiansen of the USGS Volcano Hazards Branch. He and I became friends and close colleagues because our research really dovetailed together. I would develop some new information that would fit his ideas and vice versa. The integration really paid off. The sum of the two of us was much greater than individuals working alone. Also, Dave Love of the USGS, who had mapped in and around Yellowstone, collaborated with me, starting on fault and earthquake studies in the late ‘60s (Figure 1).

YS: You were at the University of Utah by then?

RS: Yes. I had started doing earthquake installations and detailed fault mapping in Yellowstone about 1967. The

USGS installed the first permanent seismographs in 1973. It was also then that we got our first research grants. We put portable seismographs all over Yellowstone and the Tetons. We started our first survey at Norris, then studied the Hebgen Lake fault zone near West Yellowstone, Yellowstone Lake, and the Beartooth Plateau; then we went down and did the Teton fault. These were part of a long-term plan to analyze the Quaternary fault and volcanic history of the region.

We also built a boat to do seismic profiling, bottom-sediment coring, and heat flow measurements. From this vessel we ran seismic profiles of Yellowstone Lake and Jackson Lake. The piston cores allowed us to determine the composition and ages of the lake sediments from which we subsequently determined the first estimates of the past 7,000-year history of Yellowstone Lake. Bob Christiansen and his colleagues were also putting together the volcanic framework of Yellowstone at the same time, and Bob Fournier, also of the USGS, was doing his hydrothermal work along with Don White. Our data and ideas all came together roughly at the same time in the early ‘70s.

I wrote a couple of papers in 1974 that described the properties of Yellowstone as a “hotspot.” Remember, plate tectonics didn’t come into vogue until the late ‘60s, so there was no framework to even think about a hotspot until 1972 when a Princeton geologist plotted all the Earth’s volcanic centers and recognized their pattern relating to plate motions.

YS: Is the hotspot considered to be contiguous with the caldera?

RS: “Caldera” is a Spanish word for a cooking pot called a caldron. When a large volume of magma is removed from beneath a volcano, the ground subsides or collapses into the emptied space, to form a depression called a caldera. They can range in size from a kilometer to tens of kilometers long, like Yellowstone’s. “Hotspot” is a term used to denote an area of concentrated volcanism on the earth’s surface with a deep mantle source of magma and heat. As the ascending molten rock migrates through the earth’s mantle, some of the magma gets entrained on the base of the overlying plate, while part of the magma leaks upward

into the crust, melting surrounding rocks and creating a shallow heat source. That magma feeds Yellowstone's magma chambers whose tops are located at depths of about 8 to 10 km and extend to depths of about 16 km.

This magma in turn provides Yellowstone's immense heat flow. It is not so much that Yellowstone's ground temperatures are high, but it is the flow of heat coming out the earth's surface that is 30 to 40 times higher than the heat flowing anywhere else in North America. Yellowstone is like an immense heat radiator.

There aren't a lot of big calderas around. Toba in the southwest Pacific is an example of a large caldera about the size of Yellowstone's. However, it's poorly known because it's so remote. As related to the giant eruptions and the calderas that occur elsewhere in the world, the Yellowstone caldera is a giant—50 km long by nearly 40 km across. This is the dimension of the roof that collapsed into the magma system.

YS: Tell me about mapping the young Yellowstone caldera and pursuing the bigger picture of how it relates to older volcanic activity across the western U.S.

RS: You can't just study Yellowstone in the context of nothing else. You have to do it in terms of how it fits into the world. I have prepared a map of the locations of the Yellowstone and the Snake River Plain calderas, the older calderas along the track of the hotspot (e.g., the shift in the relative position of the hotspot as a result of continental drift). The map also shows how the topography, earthquakes, and faults were related to the Yellowstone hotspot track. That's when we first began thinking about the overall pattern of the effects of the hotspot on the surrounding area and its evolution, but more importantly, how it created the volcanism, earthquakes, and how it tied to the faulting—the energetics of a hotspot (Figure 2).

The USGS had mapped most of the pieces of Yellowstone by 1970. And a paper on a global hotspot and plume was published by a professor at Princeton in 1973. I published two papers in 1974 in which I described the effects of the Yellowstone hotspot and its volcanism. A professor at Yale, Dick Armstrong, first

noted "old Yellowstone" volcanic centers along the Snake River Plain. He dated volcanic rocks, rhyolites, scattered along the floor of the Snake River Canyon; the rocks get older and older down the Snake River Plain from Yellowstone. But they were buried beneath the young basalts. Now, the Snake River Plain is a broad topographic depression, and we reasoned that there had to be mountains there before. You just don't blow away Rocky Mountains. Something destroyed them. Destruction is a product of explosion plus foundering of the mountain roots back into the magma system. Armstrong showed the progressive age of the volcanic rocks, oldest in southwestern Idaho and northwestern Nevada, and youngest in Yellowstone.

Plate tectonics had just hit. So in 1972 I calculated the North American plate's interaction with the Pacific plate. I said, "Let's assume that the source of Hawaii volcanism is fixed deep in the Earth and compare how Yellowstone relates to Hawaii." The model predicted the southwest motion of the North American plate at Yellowstone. Its trace, the 800-km track of the progressively younger volcanic centers of the Snake River Plain towards Yellowstone, fit this model of a plate overriding a magma source anchored deep in the earth, sometimes called a plume. Hawaii is over a hotspot beneath the Pacific plate, and we are over a hotspot beneath the North American plate.

Armstrong dated the rocks by potassium argon methods and showed that the oldest were to the southwest and the youngest to the northeast. That gave a plate velocity of 4 1/2 centimeters per year of movement to the southwest. I calculated the motion of the North American plate, using Hawaii as a reference frame, and I added in some extension, and it fit Armstrong's data within the margin of error. The light went on: the volcanic activity at Yellowstone is from a fixed Earth's mantle, and the progressive volcanic ages are just the record of the plate motion across this source. You can't see old Yellowstone calderas too well in the Snake River Plain because they got covered by younger basalts. But you can infer roughly where they are because of the ages of the rhyolites that are mapped. For the same reason, most of

the Yellowstone caldera has all been covered up. Lisa Morgan and Ken Pierce of the USGS and Mike Perkins of the University of Utah have detailed the volcanic history of the Snake River Plain and delineated the details of many of its volcanic centers.

Thus we determined the track of the plate over the hotspot, and from seismic data we determined the size and location of its deep magma system. The magma that makes up the spread-out hotspot on the base of the plate is only 3 to 6 percent melt; the rest is solid rock. By integrating all available data from geophysics, geology, mapping, and dating, it all started to fall together.

YS: And the plate—where Yellowstone currently is—moves relative to this hotspot of liquid rock under the Earth's surface.

RS: You have to think about the framework. The mantle is fixed. The magma comes up and interacts with the overlying Earth's plates that are moving. It's like moving your hand across a burning candle. The flame leaves a line of burns on your hand and, if you leave it there long enough, the candle flame burns a hole through your hand.

Beneath southern Idaho, we've had a candle flame made up of magma burning upwards into the plate moving over it, starting down in the Boise area 16 million years ago. And the plate has moved from northeast to southwest since then. The youngest rocks are at Yellowstone (Figure 3).

YS: And so what is cold now, the rock that you map, was once a hot piece of rock.

RS: There were old Yellowstones all the way from Boise up here, but they are now inactive, cold and buried beneath basalt. Of course, the surface rocks in Yellowstone cool rapidly after exposure to the Earth's atmosphere.

YS: And it all became rhyolite, the rock we often see on the surface of the park?

RS: At the Idaho National Engineering Laboratory near Idaho Falls, 15 or so years ago, they wanted to learn about the subsurface geology beneath the site. They drilled a deep borehole, and low and behold, they drilled through surface basalts into rocks that we call rhyodacites. These are similar in composition to




Figure 3. A cross section of Yellowstone reveals molten rock under the caldera at depths of about three to eight miles. Heat emitted by the molten rock powers Yellowstone's geysers and hot springs.




Figure 4. Crustal deformation of Yellowstone from GPS measurements. Three-dimensional GPS station velocities for Yellowstone from 1987–95. Arrows show horizontal velocity vectors at stations; color contours represent vertical velocities. Large arrows indicate direction of regional extension across the Yellowstone volcanic field. Courtesy Bob Smith, University of Utah, Yellowstone Hotspot Project.

Yellowstone's rhyolites. The rhyolites have been covered by younger basalts that you see when you drive south from Ashton to Idaho Falls to Pocatello. They are ragged black rocks that make up the surface. The inference then, from these and our geophysical data, is that the rhyolites actually make up a much thicker component of the Snake River Plain but they are buried by the basalts, which are just a thin layer at the top.

YS: You moved on, to monitoring the movement of Yellowstone—the breathing of the caldera, so to speak.

RS: We got into crustal deformation. I recognized from a return visit to the south end of Yellowstone Lake in the early '70s that there was something strange going on here; things didn't look right. The trees at the shoreline appeared to be inundated by rising lake water, and parts of Peale Island, where I had worked in 1956, were under water. I reasoned that the lake was tilting to the south, inundating its southern reaches and uplifting its northern parts. This effect would also increase the height of land at the north end of the lake, rising and expanding the beach behind the Fishing Bridge Visitor Center. We were witnessing the effect of a tilting toward the south of a bathtub ring, its shoreline, around Yellowstone Lake.

It was then that I realized that if we did precise measurements of the elevation of benchmarks originally established when roads were built in Yellowstone in 1923 and 1934, and we went back and re-observed those marks, we could see if they had moved vertically or not. We were contracted by the USGS and, with one of their crews, we surveyed and compared the data for three summers. Our first year we went across the caldera from Canyon to Lake. Our surveyor had the original surveyors' notes from 1923, and he said to me, "There's something really wrong here—we're way off from their elevations, I mean, we're like a foot and a half off."

I thought, boy, we've done something wrong; we've got to go back and redo our survey. No, we were doing even more precise surveying than the 1923 surveys. Excluding the errors that could have been in the 1923 survey, we showed that this whole portion of the Hayden Valley was going up. We ran a survey line from West

Thumb to Old Faithful to Madison Junction, and we also went across the old road, from Nez Perce Creek over the top of Mary Mountain to Hayden Valley. That is how we connected the two profiles together. Altogether these measurements revealed that the Yellowstone caldera was rising, like a giant bulging stomach of a breathing creature.

This unprecedented discovery revealed what I called a *living* caldera. It had risen 75 cm—3/4 of a meter over a caldera that's 50 kilometers long. It really was unprecedented, seeing deformation this big, greater than most anywhere within a continent that we knew of with the exception of active volcanoes such as Rabaul in the southwest Pacific and the Phlegrean volcanic field near Mt. Vesuvius volcano, Italy. Continued leveling of the points by Dan Dzurisin of the USGS and our new GPS measurements, however, showed a cessation of the caldera uplift, returning to subsidence about 1985 (Figure 4).

It was at the same time that we received an NSF grant to employ the new technology of Global Positioning Systems (GPS) to study Yellowstone. With this new method we didn't have to be on roads and were able to go all over the backcountry, essentially putting a grid of GPS benchmarks across Yellowstone. And we re-observed them every other year, from '87 to '95. These measurements revealed that the caldera had indeed reversed motion and began moving down at about 1.5 cm per year, at nearly the same rate as the uplift and over the same uplifted area. What, is this thing breathing? We were all excited about that. In looking at our '95 survey data, we noticed things were starting to bottom out. A couple of GPS stations around Old Faithful and LeHardy had come back up a little bit. But we didn't have any more money to continue our study. Starting in the mid '90s, Wayne Thatcher and Charles Wicks of the USGS used Interferometric Synthetic Aperture Radar (InSAR) that suggested the caldera began rising in 1994—another major change in the caldera dynamics, although our new continuous GPS data up to summer 2000 do not corroborate this uplift (Figure 5).

Nonetheless, we were lucky to have seen a giant caldera change from a period

of uplift to subsidence, and perhaps another uplift in our lifetime. In a parallel effort, we studied the most intense earthquake swarm in Yellowstone's recorded history and found that the earthquakes occurred at the greatest rate during the change from caldera uplift to subsidence in late 1985 and continued into 1986. So we have this great correlation of earthquakes and changes in crustal deformation. I then coined the phrase a "living, breathing caldera."

YS: Do you have any idea, from your work done here or elsewhere, whether deformation has anything to do with the predictability of volcanic eruptions?

RS: We'd like to think it does...in Hawaii, where they have predicted eruptions on the basis of earthquakes, they can see the correlation of earthquakes related to migrating magmas which eventually erupt to the surface. But those are basaltic magmas—they flow much faster, they're not as explosive as Yellowstone's much more viscous rhyolitic magma and there's no precedent, no historic example to understand this behavior.

Eruptions in Rabaul, New Guinea, were preceded by uplift and subsidence and unusual periods of seismicity. On the other hand, there was no eruption in or near the Bay of Naples, Italy, during the period that land rose and subsided several feet, so that at one time some beautiful Italian buildings were buried under the water. Now they're back out of the water. They came up in the 1950s and '60s, when the ground did a lot of huffing and puffing—you know, it's also a caldera. It's erupted before. And of course, Vesuvius is nearby with three million people living in the area.

We've had to envision analog models from the basaltic cases as a working model for Yellowstone's rhyolitic eruptions. The rhyolitic magma would be more viscous and retain fluids and gases, causing uplift and subsidence with changes in pressure. Another reasonable model is one with large volumes of hydrothermal fluids underlying the caldera—the ones that feed its geysers, hot springs, fumaroles. These more easily running fluids pressurize their chambers, uplifting the ground then draining out its sides, and dropping the ground—a mechanism that also explains mechanics and numbers of earthquakes

that we observed in the 1985 northwest caldera swarm. Above all we are dealing with a large rhyolitic volcanic system fed by a hotspot. Nowhere else does such a feature exist on a continent.

YS: So right now we're in a period of uplift again?

RS: Perhaps we are back into uplift. That does not necessarily mean a pending volcanic eruption. But remember, we've had 30 or so smaller but still explosive eruptions since the last giant eruption 630,000 years ago, the youngest only 70,000 years ago that occurred on the Pitchstone Plateau. It was however a giant, catastrophic eruption that created the Yellowstone caldera and blew ash all over much of the West. These post-caldera eruptions were smaller, but were tens to hundreds of times bigger than the Mt. St. Helens eruptions. And, based on Bob Christiansen's USGS work, they increased in frequency around 125,000 years ago. But there have been no volcanic eruptions for 70,000 years.

We've also looked carefully at the alignment of Yellowstone's post-caldera volcanic vents that line up northwest-southeast. These are smaller volcanoes, along with our new earthquake epicenters in the caldera, and they both line up; they're sitting there parallel one to another. We think the vents are along vertical dikes, if you wish. These are active magma systems just below the surface, and they create earthquakes, and they create volcanoes.

At the time of the big earthquake swarm in 1985, we called the situation to the attention of the Park Service. The earthquakes were coming at a very high rate. This was on the northwest side of the park, just beyond the caldera. It began in October, peaked about the first week of December, and continued through March 1986. We studied the sequence very carefully. The earthquakes progressed from the caldera outward to the northwest and going deeper as the sequence progressed. We interpreted the earthquakes as related to motion of fluid along a vertical dike, propagating fluid to the northwest.

It doesn't have to be magma to cause this effect; hydrothermal fluids may have been the responsible mechanism. My impression is that it could have been water moving outward from the caldera, leav-

ing it to subside as supporting fluids were removed. As the caldera is subsiding it's got to get rid of the volume at about 0.02 cubic km per year. That means you're taking a volume roughly the size of Mammoth—the hot springs terraces, or the entire Mammoth developed area, wide and high. Interestingly, that is about the rate that magma would need to be injected into the crust to create the caldera uplift from 1923 to 1985 and to sustain its high heat flow.

And then the earth's surface started going down. The earth doesn't let you push fluid back down in it, so we surmise that it is being squeezed out the sides. We've hypothesized that caldera fluids, either hydrothermal or magma, could be migrating radially outwards from the caldera along dikes or vertical sheets of fluid. But Yellowstone's a big place. The stuff could leak out, especially if there is a lot of gas in it, and you may never see them if they are hydrothermal fluids. That mechanism is something reverse to uplift.

One of the nice things about our observations is the synchronicity of the uplift and subsidence between Hayden Valley and Old Faithful. They're 20 miles apart, yet they go up and down together. That implies you have a connected plumbing system. A "pipe" from Hayden Valley must be connected to the Old Faithful area at depth. That's probably the top of the magma system. So where we mapped the magma, which is actually a partial melt, that's the magma chamber. This body gives off heat that's coming up and creating the high heat flux, and it is what's heating the groundwater that makes the geysers. This system must extend under most of the caldera. But it shallows under the southeastern corner and the northeastern caldera. And one place where it seems to come shallowest, northeast of Sour Creek, is north of the Hot Springs Basin country, where it looks like there's a connection of these low-velocity magma bodies above the surface and a shallow hydrothermal system (Figure 6).

YS: Does the shallowness of the magma necessarily relate to where a next eruption might be?

RS: Oh, I think it would. You've got the two main pods in the middle, the southeast and northeast beneath the

domes; if I'd be laying bets, I'd be thinking it probably wants to come up in the northeast. On the other hand, the geologic mapping shows the oldest post-caldera flows in the northeast, and they get progressively younger toward the Madison Plateau. So if you count on the past 150,000 years of volcanic history, you'd say the biggest potential is in the southwest plateau, along the caldera's southwest rim.

But I would look to the geophysical evidence, such as seismic images of magma and of where the earth's surface is moving from GPS measurements, and see if magma or hydrothermal fluids may be coming up on the northeast side. We just don't know the physics of these fluids well enough to predict that.

YS: You're talking about the shallow magma under the Mirror Plateau, the northeast edge of the caldera, and yet the hottest spot is under Norris Geyser Basin.

RS: Norris Geyser Basin has the hottest *water reservoir* temperature, but it is only probably 1 to 3 km deep. You have to differentiate between temperature and heat. You can have a concentrated blob of hot, hot water that's 450° to 600° Fahrenheit in a geyser reservoir, but it's an isolated body with a high temperature. Whereas the area of the caldera, on average, has a higher release of heat per unit area—that's heat flux.

YS: Now, describe how you map this magma. How long does it take to do that? And theoretically, can you retake a snapshot over time?

RS: We use the methodology used in medicine called CAT or MRI scans to do the same for the Earth, but using earthquake recordings of seismic waves passing through the earth. CAT scans are just a way of sending x-rays into the body, and they get reflected back from different parts of the body to produce an image of the body. X-rays transmit easily through soft tissues, but harder material like bones more easily reflect the rays. You've had CAT scans, right? A radiologist takes his little device and puts the gel on your belly and moves it around. He's sending rays in so he gets coverage. Lots of rays go through the whole volume and you get good coverage, then they are brought together in a computer to create a picture of your internal organs.





Figure 5. Earthquakes of the Yellowstone-Teton region. Epicenters of earthquakes from 1973 to 1996 are shown by red dots. Most of the quakes were under magnitude 5. The most intense earthquake activity is in the northwest corner of Yellowstone between Norris Geyser Basin and the Hebgen Lake fault. The Teton fault now is seismically quiet. Active faults are shown as black lines and post-caldera volcanic vents as orange stars.

Figure 6. The Yellowstone magma chamber. Cross-section of the Yellowstone caldera from seismic images of the P-wave velocity using local earthquake tomography. It reveals the location of magma chambers beneath Yellowstone. The magma chambers are composed of partially molten rock containing 10–30 percent melted rocks. Warm color at depths of 8 to 16 km are hot rocks, blue colors are cold rock (from Miller and Smith, 1999).



Geologists apply the same method that we call tomography—seismologists developed it before the medical profession did. We use seismic rays that go into the earth. When the seismic wave encounters a hot rock, its speed of propagation slows down; when it encounters a cold rock, it speeds up. So if you have enough earthquakes in a region, recorded on enough seismographs, then you can reconstruct the ray paths of where they're fast and where they're slow. That's what we've done for Yellowstone's upper 15 km. We made a three-dimensional image of its structure. This is the method that we used to prepare the figure of Yellowstone's magma system.

We found magma, here 10 to 30 percent of melted rock, in a porous space of solid rock at depths as shallow as 8 to 10 km beneath the Earth's surface. It extends the length of the caldera with a conduit aimed toward the surface at the northeast side of the caldera. We do not have data that will provide the same kind of images deeper into the lower crust. But with our new NSF project focused on the dynamics and detailed mapping of the Yellowstone hotspot, we hope to probe as deep as 1,000 km beneath the surface and map the magma conduit all the way from the hotspot to the surface.

YS: And you do this taking advantage of the natural seismicity?

RS: We use the naturally occurring earthquakes. In 1978–1980, we recorded seismic waves generated by explosives in drill holes along the Snake River Plain to study the track of the hotspot all the way from Twin Falls to the Beartooth Plateau. We used our own earthquakes (we made them very small magnitude). And we also relied upon natural earthquakes. Natural earthquakes pose the problem that you don't know exactly where they are. So we have to calculate the location of the earthquake plus the velocity field. It's a more difficult mathematical problem. But if you have a few places where you've got a controlled source, like an explosion, and you know exactly where it is, that helps us calibrate it. We just put slices through the velocity model, and the low velocities map out the hydrothermal and magma systems compared to colder, higher velocity earth.

YS: So your mapping can show not

only the spread of the magma horizontally, but the depth. Does it vary a lot?

RS: Not within the chamber, now, that's the very-near surface. It seems to be normal down to about 50 miles (80 km). That is where magma associated with the real hotspot begins. We do not know if the hotspot magma originates at the core-mantle boundary (at 2,700 km deep) or is the result of decompression melting or rock at much shallower depths of 100 to 200 km deep. Our new experiment should discern that model.

Regardless, magma is generated in the earth's mantle. Part of it leaks through the overlying lithosphere into the crust, melting surrounding rocks and producing a melt that resides in upper crustal magma chambers. This is what feeds Yellowstone's volcanism and enormous heat flow. However, most of the hotspot magma is sheared off on the bottom of the moving plate spreading out to the southwest beneath the Snake River Plain. We imaged that just recently, all the way from southern Idaho to Yellowstone, and it's about 100 km deep.

You asked an important question before: do things change with time? Well, geologists say that they do. I proposed an idea to the USGS volcano hazards group. If you went to an active volcano and magma was moving, as the magma came up it would heat the rocks around it and slow down the velocities of the seismic waves traveling through them, so you could do the tomography in real-time, like a doctor does. As magma ascends it slows down the seismic velocity and creates earthquakes. After the magma passes, the seismicity ceases and the velocity increases as the rock cools. I couldn't do it on hourly scales, but I could do it on daily to monthly intervals and see how the rocks are affected by heat creating different types of earthquakes and changing the rock velocity. I'm talking about an active volcano like Hawaii or some of the Alaskan or the Aleutian ones. Yellowstone would not be so practical because it is just so big and does not have the higher extent of rapidly moving magma. Remember, this technology is brand new. The ideas are brand new. It takes a lot of computing power. It takes modern and reliable real-time data.

YS: Up until now you just mapped it

once?

RS: Once. We took one snapshot in time.

YS: But with this new work you hope to do it on repeat intervals?

RS: Right. That's why adding corroborating data from such methods as GPS is so important. GPS tells you how fast the ground is going up and down or sideways, due to magma or hydrothermal fluid migration. This motion must be differentiated from the overall global plate motions to ascertain how fast the ground might be moving as it builds up energy on faults or in its magma chambers. Seismic data also tells you the geometry of the magma body, so you can actually work out the dynamics. Because we map pressures and we can infer from pressures of the magma, we can say how fast it's actually deforming.

We run the Yellowstone seismic and GPS network. It contains 22 seismic stations—18 in Yellowstone and four outside the park along the Hebgen Lake fault, because they are integral to the interaction between the caldera and the fault mechanism. The seismic stations continuously transmit data by radio links via Mt. Washburn, to Sawtelle Peak, and from there on an FAA line to our Salt Lake City recording laboratory. We also employ satellite telemetry from our cooperative university-USGS Lake station that is sent to Golden, Colorado, then on to Salt Lake City via the Internet.

YS: So when you're down there in Utah, and something is happening here in Yellowstone, it instantaneously gives you a picture of what's going on.

RS: Yes. If there's an earthquake, it takes about 10 seconds to calculate the magnitude and location. That is broadcast to me and others via automatic telephone paging systems and sent to our online web site.

YS: I felt the Borah Peak, Idaho, earthquake when I was at Old Faithful in 1983. Why do I recall it took geologists a while to figure out exactly where the epicenter was?

RS: Because we didn't have the fast computers then, nor did we expect such a large quake in central Idaho and did not have an array of seismographs there. We didn't have the data coming in real time. We have no excuse not to do it now.

YS: Is it a triangulation process?

RS: Exactly. It's just surveying with seismic waves. But it's a much tougher problem, because the land surveyor transmits his signals through the air electronically. We have to transmit through this crummy earth. There are fast rocks and slow rocks. The surveyor points his eye at something and he assumes it's along a straight line. In the earth, it bends. We have to calculate all the bends. This new method of tomography allows us to calculate the earthquakes in this very heterogeneous earth.

YS: So, you're down there in Salt Lake City, and there's been an earthquake in Yellowstone, and it is "x" magnitude, and here's the epicenter. What does the GPS network add?

RS: The Yellowstone GPS network is made up of receivers over benchmarks on the ground. They continuously record transit times of radio waves from GPS satellites. It transmits these data back to our lab in the same way as the seismic data. Every thousandth of a second the seismographs are all transmitting data. We sample the GPS every 15 seconds. This type of recording provides an accuracy at the centimeter level.

All these data are dumped into fully dedicated computers that calculate the coordinate of that benchmark on the surface. We compare the coordinates of the point with time to see how fast it is moving. Now, the majority of the earth's motion isn't associated with earthquakes; only about 1 percent or less of the earth's motion is released as the energy in earthquakes. Earthquakes are just the creaking and groaning. But the earth is moving across the hotspot continuously. The rest of the motion, we call *aseismic* motion. It reflects the slowly deforming earth that moves more like silly putty, it is plastic. Plastically it's not going to create earthquakes, but it is what records the slow motions of earth's processes—such as magma movement, bending the rock before an earthquake, or uplifting the ground over magma. We subtract out the amount of movement related to earthquakes and get the total amount of deformation that's due purely to the plasticity, the volcanic mechanism. We can measure both uplift and horizontal movement with GPS to accuracies of millimeters now.

NSF just awarded us a multiple-year collaborative research grant, "Geodynamics of the Yellowstone Hotspot," between the University of Utah and the University of Oregon. The objective is to understand how the Yellowstone hotspot works, how magma gets from hotspot to the surface, and how it changes the topography as well as how it changes the pressure on its faults. To do this, we will conduct a GPS and seismic survey of the whole Yellowstone system. We're going to look at the effects of the hotspot across a broad region from Casper to Boise to Helena to Salt Lake. We're putting in permanent and portable GPS stations. There's a permanent GPS station right over here at the baseball field in Mammoth. They are also at Lake Junction and Old Faithful. And we've installed two in the backcountry in cooperation with the USGS, one in the lower Hayden Valley and one on the Sour Creek Dome. We're going to have about a dozen eventually, just like the seismic network. We will operate this network in continuous recording, just like our seismograph network.

Also in 2000, we're going to bring in about 80 portable seismographs and place them around the Yellowstone hotspot from as far away as 200 miles on a 30-mile grid. Then we will do tomography of the much deeper earth, just like we did it for the crust of Yellowstone, and we will be able to resolve the source and depth of the Yellowstone hotspot.

I feel like I'm just an earth internist doctor who's running his CAT scan—I just do it a little bit slower. We're going to record all the earthquakes, record all the GPS, find out what the structure is to depths of about 1,000 miles. Then we will add in the data on fault movements and information on Yellowstone's magma systems and determine from computer models what to expect on the Earth's surface, and perhaps what to expect in the future. So we'll really be able to define the form of the hotspot. We will use the GPS to measure the ground motion, how fast it's moving over a big region, not just Yellowstone park. Then we will put all these new observations together with Yellowstone volcanic history in a mathematical model and create a mathematical image of the hotspot.

We're going to put in all the faults and let the them rupture at the rate they want to. We're going to let this thing step through time. Probably in an hour of computing we can simulate 10,000 years and let things move according to the rates we see today. We can then try and predict what's happening, where the magma is, how big it is. We're going to try to calculate the magma reservoir sizes, the temperatures. We'll get all the physical characteristics we want out of this body. We're just doing internal medicine. Same thing. That tells us how active it is. The Yellowstone hotspot is a global community—remember it's the biggest one on the continents. It's affected 20 percent of the northwestern U.S. in its 16-million-year history. It's a big feature. It's much bigger than the National Park Service.

YS: Tell your story about Peale Island.

RS: In the summer of 1956, we had fish-research stations at Chipmunk and Grouse creeks. I lived at the cabin on that island in the South Arm of Yellowstone Lake. One incident I remember is that as we ran out of food—we had a few pounds of cheddar cheese and nothing else; we were eating fish and cheese. We were catching about 1,000 fish a day in the fish traps. We were so sick of eating fish. I never wanted to see another one.

I said to my partner, "This is enough. I'm through with this." So we took our little boat over to the shore, then walked west in the melting snow and muddy ground. It must have been in early June. We hiked about 14 miles to Heart Lake. We were really post-holing in the snow. We thought a grizzly bear would chew us up. And we finally worked our way to the road over by Shoshone Lake. Someone picked us up and took us back to Lake. There our boss said, "Here, take some food and get back to work."

I've been back at Peale Island several times since. I went back with Ken Diem [*of the University of Wyoming*] in about 1974, and he said, "Hey, we can't park our boat at the dock." Well, the boat dock was partly under water. And many of the trees around the south shore looked like they were being inundated. I reasoned that the only way to do that is to "tilt the bathtub back." That's why at Fishing Bridge you have this emergent beach all the way over to Storm Point; it's an

emergent beach in oceanographic terms. It's a beach that's rising because the uplift of the Yellowstone caldera is centered to the north, and that process of uplift and subsidence has no doubt been going on for thousands of years. The net effect is uplift of the Sour Creek Dome and the surrounding area, producing the damming of Lake Yellowstone at Le Hardy rapids.

YS: In the short-term, you don't expect to see the beach disappear and the dock come back up?

RS: No, I do not. That's the other thing about Yellowstone—the caldera is a pimple on the overall deformation of the entire Yellowstone Plateau. The caldera itself is moving up and down, but the whole region up to 300 miles wide has been uplifted 500 meters. The Yellowstone Plateau goes well beyond the boundary of Yellowstone Park—it goes out for 200 kilometers or more; it encompasses the greater Yellowstone ecosystem. That's a whole region of uplifted topography that probably wouldn't be there if the hotspot wasn't there. So you have the broad uplift of the hotspot that's very slow, and it's different from this little pimple that goes up and down.

YS: What is the relative rate of seismicity compared to other places in the country?

RS: Very high. Yellowstone seismicity, including the Hebgen Lake earthquake, is certainly the highest in the Rocky Mountains in historic time. If you calculate the amount of energy per square kilometer, it's higher than anywhere else in the lower 48 states except the San Andreas fault and related faults in California. Certainly within the interior of the continent it has the highest rate of energy use.

YS: And yet, the rate of "felt" earthquakes varies quite a bit from year to year?

RS: It varies, but when it's active there are a lot of felt earthquakes.

YS: How many did we have in 1998, for example?

RS: I think there were 11 or so. But back in 1985, there were 30 or more earthquakes over magnitude 3.5. In 1995, they were being felt pretty routinely. When we had the swarm on July 3rd, I thought, "Wow, July 4th is going to be real




Figure 7. Depths of volcanic ash that could be deposited by future caldera eruptions (gray) and by smaller eruptions (white oval) at Yellowstone. Prevailing winds would determine actual ashfall patterns. Contour lines show ash depths in feet. (Michael Perkins.)

fireworks."

YS: In your book you get into questions of emergency preparedness.

RS: We point out the need for preparedness planning in the sense of the awareness of its potential volcanic and earthquake hazards. I have suggested people prepare emergency response plans accordingly.

YS: Is that based on projected trends of an increasing rate of seismicity?

RS: No. We're saying that all the agencies, the Park Service, Forest Service, the surrounding communities, should be aware of potential geologic disasters that can happen in time frames that they're responsible for and should be planning for. Most people in emergency management deal with a 24-hour clock or, at best, about a year ahead, as far as budgets are estimated. But remember, we have had the largest historic earthquake in the Intermountain West, the magnitude 7.5 Hebgen Lake earthquake that killed 28 in 1959. This gives us an idea of what to expect in the future.

FEMA (the Federal Emergency Management Agency) considers both short and long-term effects. The volcanic or the earthquake threat for Yellowstone is

very low, in a human time frame. The public has got more important things to worry about, like getting creamed on the road or having the stock market fall. But the agencies ought to take, I think, a much longer-term view, that says we realize there's a much lower probability, but when it does happen it can be catastrophic, beyond things you've even thought about.

YS: This long-term uplift wouldn't necessarily be associated with a greater likelihood of a more serious event?

RS: We just don't know. The Yellowstone deformation field is a situation like that of a blind man coming up to the elephant. He's never seen an elephant before. He touches this thing and he feels it breathing and he says, "What is this? Is it an organism? Is it a tree that's moving?" We (the scientific community) have never seen an eruption or a major earthquake inside of a caldera in historic time. So we cannot say what to expect, but we can wisely estimate its effect by extrapolating observations from other volcanoes and earthquakes and using the geologic record to estimate the rates of occurrence. These data, along with real-time seismic and GPS observations, will provide us with a good working model and ideas of

the expectations about precursory earth activity.

When we first discovered the uplift, people said, "Oh, boy, Yellowstone's in uplift and if it keeps uplifting it's gonna blow away." I'm very careful, and I thought, well, we don't know. We saw a 10-year period of uplift, subsidence, and uplift. We've seen a complete cycle of *something*. We don't know what the *something* is yet.

YS: You've said there was a 0.01 percent chance on an annual basis of either a volcanic eruption or a 7.5 earthquake.

RS: The actual probability is even lower than that. I was calculating the ground motion. People want us to predict things. Well, we can't predict things, we can predict the *effects* of things. And the effect of things that is most easy to predict is how the ground is going to move. So I predict the ground motion by predicting the acceleration of the ground. I can't predict when the fault's going to go off. But I can predict that *if* the fault goes off it's going to shake the ground over here a certain amount. Volcano prediction here is so far in its infancy no one knows what to predict. If you look at Hawaii, you can see that preceding so many eruptions the ground was slowly moving. There they have nice, runny basalts. And they have a lot of seismographs. They can actually see the earthquakes coming up with the magma and the ground rising. When the seismologists see anything unusual or starting to change, they radio the scientists working in the field to get them out. And they get people out. You can't do that in a rhyolite system because the motion is far too slow.

YS: In terms of emergency preparedness, then, you can't really tell us what's going to happen.

RS: We can tell you what will probably happen in a time frame of, at best, days, but mostly in months to years. We can give you a deterministic view—a scenario of the worst thing to expect.

YS: And how soon in advance of an event do you think you could do that?

RS: Oh, I could give you a scenario today—here's what could happen with a big eruption, a little eruption, and a tiny eruption. And I could say, "Give these ideas to the emergency management folks and plan around these scenarios." I ask

the questions such as: Do you have built-in road escape? What about when something happens in the middle of Yellowstone and all the roads/canyons are closed? How likely are accompanying landslides? How vulnerable are medical facilities? Are outside groups prepared to assist? What are you going to do with 30,000 people on Sunday night during a busy summer season?

YS: When you say a "tiny" eruption, you're not really talking little, are you?

RS: I'm talking the size of a Mt. St. Helens eruption at the smallest, to maybe an eruption 1,000 times bigger. Or perhaps it may be a phreatic or a pure steam eruption. These do not have magma; phreatic eruptions are hot water and steam eruptions that, for example, blew out Mary Bay and Indian Pond on the north side of Yellowstone Lake.

YS: If we were to have even one of those little eruptions, would we have notice in terms of hours? Weeks? Years?

RS: I think we'd have notice in terms of weeks, if they're rhyolite. Perhaps shorter for basalt or phreatic eruptions, with a context of a modern seismic array, modern GPS, and bringing in the geochemists who can study the chemistry of the fluids. The USGS was doing chemical monitoring here, and they stopped it because of budget cuts. But a combination of monitoring would probably give you reasonable lead-time, on the order of days, weeks, months, because these things are slow. They're big; they're catastrophic in the sense that they're this gooey stuff. They build up so much pressure that when they finally go they're really explosive.

YS: If it were one of the big ones, wouldn't the scale of it be so large that one could argue that you couldn't be prepared anyway? You'd have to evacuate the entire western U.S. It's the end of the world as we know it (Figure 7).

RS: You're right. If it was a catastrophic caldera-forming eruption, yeah, like, who cares? Well, it would certainly create a globally significant change. You'd have pyroclastic flows from the volcanic vents destroying and cooking everything in their way for tens of miles from the volcano. In the surrounding area, you'd have 10 to 20 feet of ashfall that could decrease in thickness but could

extend for hundreds of miles. What do you do with 10 feet of snow? Imagine turning it into ash—it ain't going to melt!

YS: Even in Salt Lake you'd get a foot of ash.

RS: A foot. Imagine a foot down in those clogged freeways.

YS: Why won't any of you even speculate on the next giant earthquake or volcanic eruption?

RS: Because we don't have a basis for their understanding yet. This whole science is so new, remember I'm the blind man coming up to the elephant. I finally figured out that the elephant is alive. I've kind of got its dimensions. I walked from one side to the other. And I've probably figured out it's an elephant. But I don't know if it's standing up ready to fall on me, or if it's laying down breathing, or if it's a rogue or what. I don't know if it's trained or if it's wild. So, we're just learning. Yellowstone and rhyolitic volcanism and the relationship to big earthquakes are so unique that we don't have a basis of experience to build on.

YS: Someday, when the hotspot is under Billings or wherever, Red Lodge, what's Yellowstone going to look like then?

RS: I would guess first it'll look like Island Park: lower elevation, much less hydrothermal activity, no geysers. It'll die away. Then it'll look like Ashton, Idaho. Then you'll start growing potatoes on it! See how the topography of the Snake River Plain falls away to the southwest? The hotspot has raised the ground up here; it's moving north, but behind it the land is collapsing in, creating a lower elevation and a depression. That fills in with basalts. And the basalts then produce the soils and the soils produce potatoes.

YS: Where do the basalts come from?

RS: The basalts are derived from the hotspot. They are the last thing that comes out of it. They're going to be more like Hawaii eruptions. They'll be exciting and they'll be on television, but they're not going to kill a lot of people.

YS: We don't have to quite worry about moving the Old Faithful Visitor Center yet.

RS: No, it'll move itself eventually. You've got to get a new one anyway.



Architecture of Yellowstone

A Microcosm of American Design

by Rodd L. Wheaton

The idea of Yellowstone National Park—the preservation of exotic wilderness—was a noble experiment in 1872. Preserving nature and then interpreting it to the park visitors over the last 125 years has manifested itself in many management strategies. The few employees hired by the Department of the Interior, then the U.S. Army cavalrymen, and, after 1916, the rangers of the National Park Service needed shelter; hence, the need for architecture. Whether for the purpose of administration, employee housing, maintenance, or visitor accommodation, the architecture of Yellowstone has proven that construction in the wilderness can be as exotic as the landscape itself and as varied as the whims of those in

charge. Indeed, the architecture of America's first national park continues to be as experimental as the park idea.

Many factors contributed to Yellowstone's search for an architectural theme. In 1872, the park was remote and the choice of building materials was generally limited to using what was readily available—logs. James McCartney, who was encamped in the park just prior to its designation, built his earliest visitor accommodation, McCartney's Hotel, in the true pioneer spirit. This structure was soon equaled by the construction of Philetus Norris' so called "Blockhouse," built atop Capitol Hill in 1878 when it



The burl logs of Old Faithful's Lower Hamilton Store epitomize the Stick style. NPS photo.

became painfully obvious that a governmental presence was needed to match that of the first concessioner and also to handle vandals and poachers in the new park. Designed to serve as a lookout point from which the park administration could protect itself from the (real or imagined) threat of attack by local American Indian tribes, it is no coincidence that the blockhouse was built on the highest point of ground above the Mammoth Terraces, and that it had a pioneer defensiveness design. Norris' struggle to manage the park during this era led directly to the U.S. Army taking over management to battle the insurgents and usurpers of park

lands. The army's effort began from the newly established Camp Sheridan, constructed below Capitol Hill at the base of the lower terraces at Mammoth Hot Springs.

Beyond management difficulties, the search for an architectural style had begun. The Northern Pacific Railroad, which spanned Montana, reached Cinnabar with a spur line by September 1883. The direct result of this event was the introduction of new architectural styles to Yellowstone National Park. The park's pioneer era faded with the advent of the Queen Anne style that had rapidly reached its zenith in Montana mining communities such as Helena and Butte. In Yellowstone the style spread throughout

the park and found its culmination in the National Hotel, constructed in 1882 and 1883 at Mammoth. The Queen Anne style, often co-mingled with the Eastlake style, also manifested itself in an early version of the Lake Hotel in 1889. It used strips of wood for decorative purposes, and is also seen in the much later Tower Junction residence, originally built in 1926 as a road camp dormitory. At Fort Yellowstone, the successor to Camp Sheridan, the U.S. Army also was experimenting with the Queen Anne style in the development of new structures such as the Officers' Row duplexes. Here the style is characterized less by an animated and



The Shingle-style Old Faithful Inn combines Adirondack rusticity with Queen Anne animation. NPS photo.

turreted skyline than by steeply pitched roofs and eyebrow dormer windows. The porch bracketing and the steep roof of the now-demolished Haynes House at Mammoth also carried the style into the early twentieth century.

Elsewhere in the country, nearly hand-in-hand with the Queen Anne, the architectural style of the Richardsonian Romanesque symbolized power and dominance through stone masonry. It wasn't until 1903 that this style entered Yellowstone, with the construction of the Roosevelt Arch at the north entrance to the park. Possibly designed by resident "wonder boy" architect of the park, Robert C. Reamer (of whom we shall soon read more), and by U.S. Engineer Hiram Chittenden, the structure announced the park with an adaptation of a triumphal arch—symbolizing the triumph over the natural environment.

Like the two earlier eclectic styles of the 1880s and 1890s, the aptly named Stick style represented the idea that diagonal bracing can be construed as architectural ornament. One of the earliest forms is the use of burls and gnarled poles and logs for diagonal bracing on the Lower Hamilton Store at Old Faithful. The building, constructed in 1894 and rusticated in the 1920s, represents the epitome of the Stick style masquerading as rustic in an early attempt to blend it with the natural

environment. At this early date the park concessioners were searching for an architectural theme that would, in the 1920s and 1930s, be extended into the post-Stick style of vertical and diagonal log applications, such as were seen in the now-demolished Old Faithful Cafeteria and in the surviving Lake Yellowstone fish hatchery structures.

When the structural form is hidden behind shingled surfaces, we have the Shingle style, and Yellowstone boasts one of the most original Shingle style buildings in the United States. The Old Faithful Inn, designed by Robert C. Reamer and constructed during the winter of 1903–1904, took the Shingle style to a new height—nearly 100 feet to the ridge. It wrapped the structure in a veneer of elegant shingle patterns and applied East Coast Adirondacks-style rusticity. In addition, Reamer, while certainly under the influence of the Queen Anne style, provided an animated skyline by cleverly contorting a basically symmetrical building with crazy quilt detailing. Similar emphasis on shingled wall surfaces for a rustic atmosphere is experienced at the Lake Store, begun in 1919. The formality of the octagonal towered structure is barely masked by the use of shingles and a stone masonry fireplace shaft to provide an air of rusticity.

From Pioneer-Rustic to Classic Structures

The eclecticism of the late nineteenth century and early twentieth century was reflected in the search for an appropriate architectural style in the park. Standard American late-nineteenth century conventions such as have been described thus far could easily be adapted to the rustic wilderness, as was demonstrated by the Old Faithful Inn. However, the architectural design conventions of America after the great World's Columbian Exposition of 1893 in Chicago also suggested the power of classicism in all of its variant forms, derived from eighteenth century American Georgian architecture. The neo-classicist Colonial Revival was reflected in the remodeling of the Lake Hotel in 1922 and 1923, when three Ionic porticoes were added to the facade. This classicism, complete with its egg-and-dart moldings, clearly expressed the American ideal of subjugation of nature in the style of Greece and Rome, rather than the blending with nature. Reamer, ever the resourceful architect, also designed the new wing for the National Hotel—now the main wing of the Mammoth Hotel—in the Neo-classical style by applying columnar orders to window frames and cornices.

The U.S. Army, taking its cue from the concessioner's structures and responding to the fact that Fort Yellowstone was the second-most-visited military post in the United States, embarked on its own expansion program of upgrading their facilities. Of a pure Colonial Revival Style, the Commissary Building (today called the Canteen, housing offices and a federal credit union), built in 1905, has a templed facade with a major fan-lighted entranceway, all derived from classical detailing. Similar design inspiration entered into the detailing of the Bachelor Officers' Quarters of 1909 (now the Albright Visitor Center) and the Cavalry Barracks also of 1909 (the current park headquarters building). These stone masonry structures are redolent in their airs of classicism and hence suggest the authority of government.

On a more local scale, and at a more intimate level, the Colonial Cottage, a

derivative of the classical style seen in the urbanization of cities across the west, also is well represented in the development of the park's architecture. The U.S. Commissioner's residence (still today occupied by the resident park magistrate) represents an example in stone masonry to match nearby Fort Yellowstone. In the backcountry, the U.S. Army built the Bechler River Soldier Station complex of 1910 in this style. Well beyond the bounds of the central offices, classicism prevailed over the flora and fauna.

Like the rest of the nation, the park lurched forward, searching for an architectural style and exploring any number of Academic styles—those attempting to suggest the triumphs of other civilizations. The U.S. Army, not content with just imitating the architecture of democracy, evidently felt in 1913 that not only was the Gothic style appropriate for a religious edifice, the post chapel, but that it would also help Fort Yellowstone equal its architectural rival, West Point. The chapel set the tone into the early twentieth century for additional architectural stylistic adventures.

Experimenting with International Styles

As early as 1903 the U.S. Engineer's Office, designed by the Minnesota twin cities architectural firm Reed and Stemm, was designed in a vaguely Chinese style. Indeed, the upward curve of the green tile roof eaves has caused the building ever since to be referred to as the "Pagoda." Later, Reamer set a French tone with the inclusion of a Mansard roof on the west wing of the Old Faithful Inn in 1927. This provided a decided incongruity on his landmark building. France again entered the Yellowstone scene with the construction in 1939 of the United States Post Office at Mammoth. The French style was tempered only by the inclusion of sculptural elements representing pieces of the local environment (such as the bears that flank the front porch).

The international search for an appropriate style extended to England. With the construction of the half-timbered 1936 Mammoth apartment building, a Works Progress Administration project, one can



The Arts and Crafts movement is reflected in the logs and stone masonry of Old Faithful's Upper Hamilton Store. NPS photo.

wonder: Was the exposed half timbering meant to be English Rustic? As examples of other early American architecture with European antecedents, one could refer to the William Nichols House at Mammoth (south of the current gas station) as Dutch Colonial with its gambrel roof.

Back to Nature

While America searched for an architectural theme, one style was emerging that lent itself exceptionally well to Yellowstone's environment, simply because nature was the inspiration. The first inkling of nature as a value in architectural design came with the work of Frank Lloyd Wright. His early works in and around Chicago were referred to as the Prairie style because of their response to the flat, horizontal qualities of the prairie. Wright's masterpiece, the Robie House of 1907, was surely an inspiration for Robert Reamer's Harry Child's residence, built in 1908 at Mammoth. All of the horizontal design elements of a Wrightian structure are evidenced in the Child's Residence (also called the Executive House); all that is missing is the prairie. Reamer was so enraptured by this new design inspiration that he employed the

Prairie style in the construction of the Canyon Hotel in 1910. The same horizontal design elements spread over the structure as it sprawled up the hillside on the site of the current horse stables. It enclosed magnificent interior spaces that made much use of the geometry of the structural elements spanning enormous spaces. Sadly, the demolition of this building (it was sold for salvage in 1959 but accidentally burned in 1960) is one of the great architectural losses in Yellowstone National Park.

One of the interesting adjuncts of early twentieth century architecture which took nature as an inspiration was the Arts and Crafts movement that swept the industrialized world. In Yellowstone, this ideal of handmade or "back-to-nature" is exemplified in the 1908 construction of the Norris Soldier Station, designed by none other than Robert Reamer. Reamer chose the local material, logs, but inventively massed them into a bungalow-like structure that served the Army's backcountry patrol efforts. This bungalow form, an offshoot of the Arts and Crafts style, was also the design inspiration for Reamer's Mammoth Hotel Cottages, built in 1938.

In 1929, Reamer designed the Upper Hamilton Store in the Old Faithful area.

This building reflects the ideals of the Arts and Crafts movement, particularly in the elegant handling of the stone masonry piers of the porticoes. It is interesting to speculate on the design origins of this building when the record indicates that a Spanish-style store was originally designed for this site. However, then-Superintendent Horace Albright objected and requested a concrete log building patterned after the Awahnee Hotel in Yosemite, which was designed by Gilbert Stanley Underwood, who had also designed the 1927 stone masonry and log elevations of the Old Faithful Lodge.

The Arts and Crafts style of the concessioner buildings was further enhanced with the introduction of another residence at Mammoth in 1927 that utilized shingles and heavy timbers. Simultaneously, the National Park Service was beginning to realize that there just might be a theme drifting in the wind when Dan Hull designed the 1922 community building at Lake Yellowstone. This octagonal log structure with its projecting wings not only pushed the envelope in environmental design, but also offered an interesting beginning to the idea of interpretation in the park by attracting the visitors to fire-side chats around the central fireplace. This idea of rustic buildings for a national park had been a kindle for several years when the National Park Service designed, in 1923, a standard log ranger station that was to find its way to several parks, including Yellowstone at the Fishing Bridge area. It represented the style of Neo-Rustic Revival, which was based on the concept of hearth and home.

The Rise of “Parkitecture”

All of these new rustic ideas were combined in the works of Herbert Maier, who designed four museums that were financed by the Laura Spelman Rockefeller Foundation. In addition to providing interpretation at key locations, the museums, three of which remain, launched the style which is now referred to as “Parkitecture.” Maier’s brilliant Norris Museum, which serves as the gateway to the Porcelain Geyser Basin, set the pace in the use of stone masonry and log construction. Built in 1929, this museum

helped define the Park Service’s six principles of what rustic buildings should be in a rustic environment.¹ One principle is that buildings should be in harmony with the natural surroundings and should be secondary to the landscape rather than primary, as in a city or town. Two, all buildings in any one area should be in harmony—that is, similar materials should be used in the design, roof slopes should be about the same, and type of roof should be similar. Three, horizontal lines should predominate in National Park Service buildings, rather than vertical, which is found more in cities. Maier’s design for Madison Museum, also built in 1929, reflects principle number four: it is advisable to avoid rigid, straight lines when possible, creating the feeling that the work was executed by pioneer craftsmen. This applies to log ends, ironwork, hardware, and other design aspects. The construction of Lake Museum near Fishing Bridge in 1930–31 exemplified the fifth principle: stone work, log work, and heavy timber work should be in scale, providing a well-balanced design. And, six, in some cases it is necessary to make the stone work and log work a little oversize so that large rock outcroppings and large trees do not dwarf the buildings, giving the impression of underscale.

Maier’s designs set the tone for the 1930s decade of the Works Progress Ad-

ministration and the Civilian Conservation Corps. Notable examples in Yellowstone emulated the six principles in design and provided the introduction of a unifying theme beyond park headquarters at Mammoth. By 1931, interpretation of various sites along the Grand Loop Road were supported by elegant kiosks such as the one that still exists at Obsidian Cliff. Ranger stations, including the 1922 structure at West Yellowstone, used locally obtained materials (logs) to integrate buildings with their surroundings. Structures such as the Northeast Entrance Station, designed by the NPS Branch of Plans and Design in 1935, eloquently evoked a sense of entry into a special natural area. The log work of this structure was equaled in a master stroke by the buttressed crowning of the adjacent residence, built in 1936. Carefully chisel-pointed as a suggestion of pioneer work, the projecting crowns sweep to the roof eaves. Logs can have elegance, too.

Going Modern

While the Arts and Crafts style flourished and mellowed into Parkitecture away from headquarters, new buildings, at Mammoth in particular, got a new look. Modernism arrived direct from the centers of Art Deco and Art Moderne,



The Norris Museum exemplifies “Parkitecture,” and helped define ideals of rusticity in the national parks. NPS photo.



The Canyon Visitor Center was built in the Modern style during the Mission 66 period. NPS photo.

particularly where there was a ready access to terracotta, which lent itself easily to the use of fluting, chevrons, and geometric shapes. Everything was soon “up-to-date” at Mammoth with the reconstruction of the fire-damaged hulk of the old National Hotel. The remains of the hotel were redesigned in the Art Deco style in 1936 by the Yellowstone master of all styles, Robert C. Reamer. Reamer clad the hotel structure in stucco, fluted columns, and cast-composition rosette blocks. The new style was fully expressed by foliate iron work.

At Gardiner, near the north entrance to the park, the concessioner built warehouses in an adaptation of the Art Moderne style, a streamlined version of Art Deco. The warehouses, designed by Link and Haire of Helena, Montana, expressed the solidity of the style in concrete. Conversely, the Moderne style is represented in frame construction at the 1928–29 Haynes headquarters building (today’s Hamilton Nature Store) at Mammoth, designed by Fred Willson of Bozeman, Montana. Here, planes of shingling without ornament echoed the new styles of modernism. This was in stark contrast to the development of rustic buildings in the heart of the park that were the glory of the WPA-CCC days, all of which came to an end with the

advent of World War II.

The war years halted construction throughout the nation. Yellowstone was no exception; gasoline was rationed, the hotels closed until the end of war, trains were commandeered for military rather than passenger use, and the overall effect was a decline in tourism and maintenance. Even after the war, interest in reopening the facilities lagged.

The rise of a new touring public

prompted some refurbishing by 1950, but mostly it demonstrated how woefully inadequate the park facilities were to meet travelers’ needs. Visitors had changed in the interim. They drove their own cars, demanded more interpretation of resources, and sought better accommodations. Yellowstone, like most of the national parks, was ill-prepared for the second half of the twentieth century. To meet the needs of a new public, the Mission 66 program for new construction was initiated in 1956 to remedy deficiencies in park facilities by 1966. The new program was unabashedly responsive to modernism in order to “fast track” the massive construction effort.

In Yellowstone this new modernism led directly to the construction of developed areas such as at Bridge Bay which, in a modern sense, took on a contemporary look of a fishing village. The visitor center at Canyon employed slump block as a new, vaguely rustic building material that defined a stylistic progression to a watered-down version of the Miesian style based on the ideas of architect Mies van der Rohe. A new visitor center replaced Herbert Maier’s old Rustic-style visitor center at Old Faithful. Its Expressionistic-style roof structure floats over a Formalist-style facade. In an effort to blend tortured modernism into a compatible whole, the architect clad the surfaces



Postmodernism came to Yellowstone with the Grant Village development (dining room pictured). NPS photo.

with shingles in homage to Old Faithful Inn and produced a building caught in a time warp. The struggle for a new park style continued through the Mission 66 building boom only to go dormant when the money ran out by the end of the 1960s.

By the mid-1970s the park's older hotels were derelict and the situation launched a new era of upgrading the facilities. A new park architecture emerged that set the stage for a few early attempts at design compatibility, though some now seem heavy handed, such as the boldly expressed modern style stair towers on the Old Faithful Inn. Perhaps one can now view these as a Deconstructionist style when viewed in contrast to the earlier structure. The search for a compatible modern style spilled over into the design of the modular Mammoth dormitory adjacent to Mammoth Hotel. Here the modern style is masked by gabled roofs and rough-sawn siding used to "relate" a large sprawling building to a park environment.

Subsequently, the Post-Modern style moved into the park through the architecture of Spenser and Associates of Palo Alto, California, with the design of new visitor facilities at Grant Village. The dining room building is characterized by a massive roof, multi-mullioned windows, and shingling. The registration building was designed in a more sculptural form, but the architects continued to masquerade the buildings as traditional rustic with the use of shingle cladding. An idea of natural buildings in a natural environment was once again in the germinating stage. These buildings are grand statements in the Yellowstone search for a style, but unfortunately fell short in unifying the building collection of Grant Village.

Back to the Future

The park and its concessioners' struggles for architectural identity focused on marketing their own history. As a consequence, since the early 1980s, the park hotel facilities have been and are being rehabilitated following the trends of the country, incorporating input from the NPS, its concessioner partners, and



The new Old Faithful Snow Lodge is typical of 1990s neo-traditionalism. NPS photo.

independently contracted cultural resource professionals and architects. This rehabilitation movement has given rise to the last architectural style of the twentieth century: Neo-Traditionalist—the mark of the 1990s. The Park Service has followed suit and taken a further step with the construction of new log buildings at various areas in the park to capture a style of Neo-Rustic Revival. Buildings such as the South Entrance Ranger Station exemplify this trend of attempting to recapture a unique park experience. At strategic points, park management has made a statement that Yellowstone is a special place with special architecture. This idea is best illustrated by the construction of the new Old Faithful Snow Lodge, designed by A & E Architects of Billings, Montana. In combining the best of Old Faithful Inn and Old Faithful Lodge, the architects have clearly expressed the idea that any new building in Yellowstone should be subordinate to its historic neighbors, as infill within a historic district. The new Snow Lodge stands out in this context, yet is surely to someday join the ranks of its exalted neighbors as a National Historic Landmark.

The Snow Lodge demonstrates that the twentieth century struggle for a Yellowstone style has been brought to a conclusion. There is no one park style but, like

America as a whole, the richness of the fabric that characterizes the architecture at once unites the park with the rest of the country and also makes it a very special place.

Rodd L. Wheaton is Assistant Regional Director for Cultural Resources and Partnerships for the Intermountain Region of the National Park Service. He holds a Bachelor of Architecture degree from the University of Idaho and a Master of Architectural History degree from the University of Virginia, and has worked with the architecture of Yellowstone since serving as regional historical architect in 1974. The Old Faithful Inn is one of his favorite buildings in the Intermountain Region. He is currently involved in the preservation of modern architecture representing the Mission 66 era throughout the region, and is stationed in Denver, Colorado. ❁

NOTES


¹ Thomas C. Vint, "Report on the Building Program from Allotments of the Public Works Administration," National Park Service Western Division, 1933–1937, compiled by Edward A. Nickel, pp. 12–13.

Windows into the Earth:

The Geologic Story of Yellowstone and Grand Teton National Parks

by Robert B. Smith and
Lee J. Siegel

Book review by
Mike Thompson



Oxford University Press, Inc., New York, 2000, 242 pages, \$29.⁹⁵

Recently, while instructing beginning students in chemistry in the Geology Room at the Portland Community College, Sylvania, campus, I noticed that the geology instructor had numerous articles pertaining to hot spots, volcanism, and Yellowstone pinned to the wall. Having worked on the collection, analysis, and interpretation of Yellowstone's thermal fluids for over 20 years, I inquired about the possibility of teaching a summer session class on Yellowstone. I envisioned a two-week lecture class followed by a two-week field trip. It was an easy sell to the geology instructor. But I needed a textbook.

Almost simultaneously, I received a request from *Yellowstone Science* to review Smith and Siegel's new book, *Windows into the Earth*. I am familiar with some of Smith's work in and about the

park. He was instrumental in setting up portable seismometers throughout Yellowstone's backcountry regions and had instigated the resurveying of the park's elevation benchmarks in 1984. This led to the discovery that the park had been uplifted about three feet since 1927. This result was so unexpected that the initial reference marker had to be changed because the uplift was so pervasive that almost the entire park was affected. Smith is an important, knowledgeable, and influential Yellowstone research scientist.

I had heard rumors sometime ago that Smith was writing a book on Yellowstone, and I expected a monograph on Yellowstone and Smith's science in the park. Fortunately for all those who dearly love Yellowstone, *Windows into the Earth* is **not** such a book. This book is valuable to all, from the curious park visitor to the experienced park researcher. It is well written and easy to read, understand, and

appreciate.

In the first chapter, the authors begin with the Hebgen Lake earthquake of 1959. After discussing some survivor stories of the quake, they quickly move on to the geologic events of that night of terror: ruptures along the Hebgen and Red Canyon faults, the large vertical displacements (scarps) that occurred, the huge Madison Canyon landslide that dammed the river to make Quake Lake, and other events occurring that night. The authors also discuss the effects inside Yellowstone National Park, both to visitors, roads, and facilities and to subterranean paths of water flow for geysers and hot springs—both active and dormant—that reacted immediately to the earthquake stimuli. After reading over the references, I am somewhat surprised that the authors did not cite U.S. Geological Survey Professional Paper 435¹ on the Hebgen Lake earthquake. I am perplexed about why this important resource was overlooked.

In the second chapter, the authors discuss both oceanic and continental hot spots. Importantly, they describe how the Yellowstone hotspot originated, migrated, and differs from the more typical oceanic hotspot. Also detailed are other hot spots of the solar system, showing that hotspots are not limited to Earth. I especially enjoyed the discussions pertaining to the origin of the Yellowstone hotspot, whether or not the Columbia River basalts are part of it, and the track of the hotspot over time.

Chapter three concerns the three calderas that formed in the Yellowstone region. The emphasis is placed on the third, most recent caldera, created approximately 630 million years ago. Included in this chapter are discussions and diagrams about caldera collapse as the eruptions proceeded. Additionally, the authors discuss post-caldera eruptions—resurgent domes and lava flows inside the caldera. They end with a description of steam and water explosions (hydrothermal eruptions) and examples of such features.

If chapter three is concerned with caldera formation and eruptions, then chapter four is about heat flow and the two major mechanisms for transferring heat from rock to water and how it is eventually released at the surface in the form of fumaroles, geysers, and hot springs. In other words, this chapter is about the thermal features of Yellowstone. The authors briefly describe what makes fumaroles, acidic hot springs and mud pots, and neutral hot springs and geysers. The subsurface plumbing for such systems is also explained as it was inferred from previous borehole investigations in the park.

This is one chapter with which I have some concerns, the first of which is relatively minor. To my knowledge, the deepest borehole in the park is the 1,081-foot deep “Y-12” at Norris Geyser Basin;² it is not “almost 1,500 feet,” as the authors state at the top of page 68. The other pertains to recharge of the hydrothermal system. Isotopic measurements of deuterium, oxygen-18, and tritium all indicate that the deeper hydrothermal water is isotopically “lighter” than surrounding meteoric water and is depleted in tri-

tium.³ This has been interpreted by Fournier and others (op. cit.) to mean that the source of the deep water is higher than the present elevation of the thermal basins and must be older than the atmospheric nuclear testing that occurred in the mid-twentieth century. Smith and Siegel, page 73, imply that rain and snow-melt are the source of the thermal water.

Chapter five discusses the spectacular rise of the Teton Range and the geologic development of Jackson Hole. Of course, the Teton region is dependent on the 13 million-year-old Teton fault. The authors discuss the historical progress of this fault and present evidence that it may be more than 30 million years old. This whole region is being influenced by the thinning and stretching of the Basin and Range Province, which gives rise to the north-south trending faults, valleys, and mountains.

Chapter six discusses the effects of glaciations on the entire region. The Yellowstone region, sitting higher than the Teton region, apparently was the source of large regional glaciers; however, they were not part of the continental glaciers further north. These large glaciers arose and flowed south from Yellowstone, filling Jackson Hole with glacial debris. Numerous alpine glaciers in the Teton Range also transported more glacial debris into the valley. Such debris created the abundant moraines which formed lakes along the west side of Jackson Hole. These glaciers also cut the U-shaped valleys that allow access into the Teton Range. Not only did the glaciers cut the U-shaped valleys of both Yellowstone and Grand Teton national parks, but in Jackson Hole the glacial debris may also have filled the valley some 10,000 or more feet. The retreating glaciers also left terminal and lateral moraines which influenced the valley’s topography, hydrology, pond and lake development, and drainage of streams and rivers.

It’s interesting to note that although these large glaciers originated in Yellowstone, the Grand Canyon of the Yellowstone was neither affected nor sculpted by ice; rather, it was just filled with ice. That the canyon filled with ice during the last glaciations is evident from the glacial erratic boulder at the head of the Seven

Mile Hole trail. As the glaciers retreated and melted, the melt water increased the flow of the Yellowstone River and, consequently, the rate of erosions of the hydrothermally altered canyon. (The altered material erodes more easily than volcanic rock.) This erosion continues today. But the area was glaciated; the large U-shaped valleys of the Yellowstone River below the Grand Canyon of the Yellowstone bear evidence of that.

Chapter seven pertains to possible future earthquake and volcanic events. The hazards of a fourth, caldera-forming volcanic eruption seem remote for now. Because the interval between the first and second was 0.7 million years and the interval between the second and third is currently 0.63 million years, it may be another 0.1 million years before the next eruption. However, “smaller” eruptions are harder to predict. For comparison, the tremendous volcanic explosion that created the Crater Lake, Oregon, caldera was just slightly larger than the one that created the West Thumb caldera. Yet the West Thumb caldera is a “smaller” eruption. For earthquakes, the situation is different. Based on average recurrence intervals, the Teton fault is overdue for a significant tremor. As the authors indicate, trying to determine the probability of such events is difficult at best. Using the geologic record to ascertain the frequency of such events may be misleading, especially if the events were clustered in the past. In trying to predict significant earthquakes, I am reminded of the Parkfield experiment along the San Andreas fault. Based on recurrence intervals, an earthquake having a magnitude of about 6 was predicted to occur there between 1987 and 1992. However, as of the year 2000 such an earthquake has not occurred—but it will. Earthquake predictions are a qualitative, not a quantitative science.

The last two chapters describe geologic tours through both parks. In chapter eight, the authors suggest beginning the tour at Jackson, Wyoming. The tour proceeds north into Grand Teton National Park and loops west to Jenny Lake. I was impressed by the authors’ selection of viewpoints, usually off the heavily traveled highway. The photos from some of



The northwest rim of the Yellowstone caldera north of Madison Junction. The steep south-facing rim formed when the caldera floor (foreground) sank downward during the most recent giant eruption 630,000 years ago. Mount Holmes, a 10,336-foot peak (background), is part of the Gallatin Range, the southern end of which was destroyed by Yellowstone's first caldera-forming eruption two million years ago. From Windows into the Earth: The Geologic Story of Yellowstone and Grand Teton National Parks, by Robert B. Smith and Lee. J. Siegel.

them are simply spectacular. They also conveniently note optional stops and viewpoints between major stops on the tour.

The Madison River canyon slide of 1959 was not the only deadly slide in the Yellowstone region. Another even larger landslide happened in Gros Ventre Canyon in 1925. The stop overlooking the Gros Ventre slide—where the mountain slid and built a natural dam of the Gros Ventre River, which subsequently failed and flooded the town of Kelly, killing six people—made me wonder why the authors did not focus more on the fact that landslides are potential hazards in the region. According to the authors, the earthquakes that caused the Gros Ventre slide were a series of small, insignificant tremors, not a single-event major earthquake such as happened in the Madison River Canyon. Also, it would have been helpful if the pronunciation of “Gros Ventre” were placed earlier in the book.

Continuing north from Grand Teton National Park into Yellowstone National Park brings one to the South Entrance and the beginning of chapter nine. The first stop, at West Thumb Geyser Basin, is located at the intersection of the South Entrance Road and Grand Loop Road. From West Thumb Geyser Basin the tour proceeds west to the Upper Geyser Basin (Old Faithful), Midway and Lower geyser basins, and Firehole Canyon loop road before continuing on to West Yellowstone, Montana, where the first day's tour ends. Depending on time of arrival

in West Yellowstone, one can continue with the optional tour to the Hebgen Lake fault viewpoints, start with them at the beginning of the next day, or skip them entirely. Whether or not the Hebgen Lake fault is visited, the Yellowstone tour continues by traveling to Norris Geyser Basin, from there north to Mammoth Hot Springs, east towards Tower Junction and Tower Falls, then south over Dunraven Pass to Canyon and on to Fishing Bridge, and finally east to Lake Butte to end the tour.

At the beginning of this review, I related how I was attempting to “sell” a Yellowstone field class. This book provides me and any other Yellowstone field instructor with a perfect geologic text that includes not only important references but also Internet resources. I have no hesitation recommending this book to all serious Yellowstone researchers and to any park visitors interested in learning about the geology of Yellowstone and Grand Teton national parks. The language is somewhat technical, but the authors write clearly and define geologic terms. They carefully guide the reader through the geologic processes of hotspot volcanism, basin and range geology, Yellowstone volcanism, and massive regional glaciations. They also assess future earthquake, volcanic, and other geologic hazards. Each chapter can stand alone so that one can either jump all over the book, reading only the most pertinent parts, or read it straight through. This book is a treasure. Get it! 🍷

Mike Thompson is currently an instructor of chemistry at Portland Community College and an adjunct instructor of organic chemistry at Warner Pacific College, both located in Portland, Oregon. He previously was a chemist for the USGS before retiring in 1995. He worked closely with R. O. Fournier and R. A. Hutchinson collecting and analyzing thermal fluids from all the various hot springs and geyser basins, both major and minor, in Yellowstone National Park. He has also authored or co-authored numerous research reports on the chemistry and interpretation of the park's thermal waters.

NOTES

- ¹ U.S. Geological Survey. 1964. *The Hebgen Lake, Montana, earthquake of August 17, 1959: U.S. Geological Survey Professional Paper 435*. U.S. Government Printing Office.
- ² White, D.E., R.O. Fournier, L.J.P. Muffler, and A.H. Truesdell. 1975. *Physical results of research drilling in thermal areas of Yellowstone National Park, Wyoming: U.S. Geological Survey Professional Paper 892*, 54–57. U.S. Government Printing Office.
- ³ Fournier, R. O., R.L. Christiansen, R.A. Hutchinson, and K.L. Pierce. 1994. *Yellowstone National Park field trip: Volcanic, hydrothermal, and glacial activity in the Yellowstone region: U.S. Geological Survey Bulletin 2099*, 4. U.S. Government Printing Office.



Aubrey Haines

August 30, 1914 – September 10, 2000

by Paul Schullery

On September 10, 2000, Yellowstone lost one of its most devoted and important friends with the passing of Aubrey Haines, historian. Those many who knew him will remember him not merely for his unique and extraordinary knowledge of the park's history and lore, but also for his unflinching generosity in sharing a lifetime's hard-earned wisdom.

Aubrey Leon Haines was born on August 30, 1914, in Portland, Oregon. He began his National Park Service (NPS) career in the mid-1930s as a seasonal fire lookout in Mount Rainier National Park. On December 8, 1938, he became a permanent ranger in Yellowstone, where he later also held the position of assistant park engineer, and finally, in the early 1960s, park historian. By the time he retired in 1969, he had also served stints at Mount Rainier and Big Hole National Battlefield. Through his Park Service career and after, it seemed he never missed an opportunity to turn the time he spent at any location into distinguished scholarship.

As a published historian, Aubrey produced a series of scholarly milestones. Perhaps the best known is his already-classic *The Yellowstone Story* (Boulder:

Colorado Associated University Press and the Yellowstone Library and Museum Association), published in 1977. Yellowstone archivist Lee Whittlesey and I agreed long ago that by any objective measure, this must be the most important book, on any subject, ever published about the park. But had he only written his 1974 documentary history,

Yellowstone National Park: Its Exploration and Establishment (Washington: U.S. Government Printing Office, 1974), his reputation as a great Yellowstone scholar could not be contested. Of course, Aubrey produced much more than these two classics. Another essential Yellowstone title is *Yellowstone Place Names: Mirrors of History* (Niwtot: University Press of Colorado, 1996). Smaller works included *A History of The Yellowstone National Park Chapel (1913–1963)* (Yellowstone National Park: Superintendent's Church Committee, 1963), which honored and celebrated the history of the building where, on April 14, 1946, he and Wilma (the dedication to her in one of his books read, "She is the light of my life") were married; and *The Bannock Indian Trail* (Yellowstone National Park: Yellowstone Library and Museum Association, 1964).

Aubrey also edited or resurrected three essential early accounts of the Yellowstone region: *Osborne Russell: Journal of a Trapper* (Portland: Oregon Historical Society, 1955); Nathaniel Langford's *The Discovery of Yellowstone National Park, Journal of the Washburn Expedition to the Yellowstone and Firehole River in the Year 1870* (Lincoln: University of

Nebraska Press, 1972); and *The Valley of the Upper Yellowstone: An Exploration of the Headwaters of the Yellowstone River in the Year 1869* (Norman: University of Oklahoma Press, 1965). His terms of duty at Mount Rainier and Big Hole Battlefield resulted in two more milestones, *Mountain Fever: Historic Conquests of Rainier* (Portland: Oregon Historical Society, 1962), and *Elusive Victory: the Battle of the Big Hole* (West Glacier: Glacier Natural History Association, 1991). After his retirement, Aubrey was commissioned by the NPS to produce an inventory of historic sites along the Oregon Trail. This resulted in a limited-circulation, unpublished NPS report in 1973. More important, the work eventually grew into *Historic Sites along the Oregon Trail* (Gerald, Missouri: The Patrice Press, 1981), a massive and typically thorough volume, liberally illustrated with photographs by Aubrey's son Calvin.

Between the book projects, Aubrey seemed never to stop churning out shorter works. There were professional papers, reports, book and encyclopedia chapters, journal articles, and an almost uncountable number of shorter in-house works, covering a wide range of western historical topics. The best thing that can happen to a modern researcher wanting information on some minor Yellowstone history topic is to cruise the many shelf-feet of historian's files in the archives and find that Aubrey once wrote one of his concise, thoroughly-researched letters to some inquiring citizen on that very subject. There are also at least three book-length works that were completed, or nearly so, at the time of his death; his family intends to see these things through,

so we will be reading new works from Aubrey for quite a while.

The books and articles are, of course, only the most visible part of Aubrey's contribution, and it could be argued that even they are not the most important part. His work creating the Yellowstone archives in the 1960s may have meant even more. This was not some sedentary administrative task of merely sorting through a lot of old boxes and putting them in new boxes with nice labels. It was a heroic white-collar guerilla action against a careless and willfully unconcerned bureaucracy. By the 1960s, the NPS had earned a horrible reputation among archivists nationwide for its almost violent disregard for the raw materials of its own history. Here is a brief excerpt from Aubrey's entertaining and frightening description of the process by which he put the archives together:

The bulk of the boxed incoming correspondence was found in the first-floor washroom of the old Administration Office (across the Esplanade-stone bldg. with green tile roof). There, the boxes were stored on a high shelf above the john. It is my understanding that former Supt. Edmund B. Rogers had the boxes placed there after he had snatched them back from the Mammoth dump where they were to be burned. Several boxes show scorching and I have always wondered if some did go up in smoke. A few boxes, and some of the large ledgers, were in a little storage shed—a frame structure which used to stand behind the Paint Shop. We called it the “red shed” and it was a storage for junk belonging to the naturalists: a place of dust, cobwebs, and mouse droppings. The roof leaked quite generously and some of the records stored there had been wetted. There was another cache in the basement of the Museum bldg., in a storeroom (now gone) known as the “rock room” because its purpose was to hold geological specimens. Soldier Station logs, and the various record books from entrances and some ranger station logs were there.

And, of course, the collection has grown hugely since Aubrey retired, as a succession of park historians and others have

made important finds in the modern equivalents of washrooms and closets, reaching farther and farther from the park for materials at the same time as they struggled to make park staff aware of what a wonderful documentary treasure they were generating in their day-to-day work. But all of this is built on the foundation Aubrey provided.

In the 1950s and 1960s, while researching Yellowstone, Aubrey investigated and discredited the park's “creation myth,” in which members of the Washburn Expedition had supposedly cooked up the idea of creating Yellowstone National Park while sitting around a campfire at Madison Junction in September, 1870. Aubrey's work in clarifying the park's origins and dismantling this beloved legend angered some powerful forces in and beyond the NPS. Among those with a heartfelt, if uncritical, affection for this simple (almost simple-minded) story was former NPS director Horace Albright, then still a powerful opinion maker in American conservation. Lee Whittlesey and I have just completed a book on the campfire myth and its effect on the NPS, so I won't go into the story here except to say that the outrage was so strong you would have thought Aubrey had assassinated Santa Claus and used his funeral pyre to roast the Easter Bunny for lunch. As odd as it may seem today that grownups could get so worked up and vicious over the scholarly reconsideration of national park history, they did. And they were mean about it; the last years of Aubrey's career with the NPS were effectively ruined by opponents of the truth he had revealed.

But three decades later, the episode became just another proof of what a fine, gentle soul Aubrey was at heart. Looking back on those troubled years from the late 1990s, Aubrey displayed a characteristic goodhearted generosity, preferring to emphasize that it all turned out okay. As he saw it, his books were eventually published and his views prevailed. He even enjoyed fond memories of how not only Yellowstone's leadership but also the other historians in the NPS, including



Aubrey and Wilma Haines. NPS photo.

Chief Historian Bob Utley, rallied around him to shield him from the worst anger of the “old guard” in the agency.

Aubrey gave us an example of how history should be done, and how the past should be honored, but he was also a brave symbol of how history, and therefore Yellowstone itself, must be faced squarely, despite its flaws and ours, despite the perils of admitting our own troubled past. In that, even more than in the wonderful tales his books told and the bottomless well of historical riches they revealed, he was an inspiration we must always honor.

Aubrey is survived by his wife Wilma, and his sons Alan Aubrey Haines and Calvin Leo Haines and their families. He was preceded in death by his daughter, Betsy Aurelia Haines Johanesen. Gifts in Aubrey's memory may be given to the Saguaro Christian Church Aubrey Haines Fund (8302 East Broadway, Tucson, AZ 85710) or to your local hospice program.



Paul Schullery himself is a widely published author and historian. These remarks were adapted in part from a shorter article prepared for “Montana, the Magazine of Western History.”

New Archeological Finds

Two exciting new archeological discoveries were made in the park this summer. The first is the identification of new sources of stone used by prehistoric people to manufacture tools. It had been assumed that the agates/chalcedonies and cherts in Lamar and Yellowstone river sites were coming from sources north of the park such as Pine Creek. But archeologists found veins of these materials in the Hellroaring valley and in Hellroaring Creek gravels inside the park. Discarded materials and modified cobbles indicate that prehistoric people worked these locations; some of the gold chert is identical to that in Pine Creek cobbles. Researchers hope to use such information to model the movements and travel routes of early park users.

A second discovery came from re-examining a site first recorded in 1958, but which had not been revisited since. An archeology professor and eight students from Wichita State University examined a site called Osprey Beach, which was eroding into Yellowstone Lake. Working with archeologists from the Museum of the Rockies, they unearthed evidence that the site was used by prehistoric people from a culture known as the Cody Complex some 9,400–10,000 years ago. These people were bison hunters on the plains, although there is no evidence yet of that activity in the park. Intact deposits from this and other sites may reveal much about early people, plants, and animals in post-glacial Yellowstone.

New Publications Available

Several new reports are available this fall from the Yellowstone Center for Resources. One is a 36-page, full-color report on *Wetland Resources of Yellowstone National Park* by Chuck Elliott of the U.S. Fish and Wildlife Service and Mary Hektner of Yellowstone National Park. Also available are the *Yellowstone Wolf Project Annual Report, 1999* by Douglas Smith, Kerry Murphy, and Debra Guernsey, and the *1999 Yellowstone Bird Report* by Terry McEneaney. Printed copies of any of these reports may be

obtained while they last by calling (307) 344-2203; all three reports are also available in pdf format on the park's website at <http://www.nps.gov/yell/publications>.

Housing Available for Researchers

Yellowstone Ecosystem Studies (Y.E.S.), a non-profit research and education organization headquartered in Bozeman, Montana, has developed a full-time field station in Silver Gate, Montana, just outside the northeast entrance to the park. They are actively looking for researchers who need housing. The facility has a total of 12 rentable units, most with kitchens, and several units are available for the fall/winter/spring season. The cabins can house up to three persons each at very reasonable rates. A meeting room, storage area, and computer work areas are available as well. Interested parties may contact Science Director Bob Crabtree at (406) 587-7758 or email: crabtree@yellowstone.org.

Thermophilic Algae May Help Cut Greenhouse Emissions

Using blue-green algae collected from Yellowstone hot springs, researchers at Ohio University hope to eventually develop cleaner, cheaper ways to remove carbon dioxide from coal-fired power plants. The U.S. Department of Energy has provided a \$1.07 million grant to study how algae and sunlight absorb carbon dioxide after coal is burned.

Initially, researchers will use algae from the park because its natural environment—the near-boiling extreme conditions found in hot springs—is similar to the climate of a coal-fired power plant. Researchers plan to emit sunlight into a bioreactor, helping the algae to photosynthesize using the carbon dioxide in the reactor for fuel. As the algae grow, they fall to the bottom of the reactor where they could be harvested for other uses, such as fertilizer, soil stabilizers, or a hydrogen source. David Bayless, the project's lead researcher, estimates that a typical power plant could process 20 percent of its carbon dioxide emissions using this technology, while producing

200,000 tons or more of algae each year. The researchers have received permission to collect small algae samples from the park, but eventually hope to create technology that can use any abundant type of algae in the world.

Varley Honored for Fisheries Work

On October 2, 2000, at the Wild Trout VII conference at Old Faithful, YCR Director John Varley was presented with the Conservation Award of the Federation of Fly Fishers for his lifetime achievements in the field of fisheries management. The presentation emphasized John's many contributions to the worldwide development and popularization of special regulations as a tool for managing fishing harvest while maintaining healthy wild fish populations as part of ecological communities. John is regarded as one of the modern pioneers of special regulations management in the world of trout.

Greater Yellowstone Area Parks to Begin Inventory Effort

Yellowstone and Grand Teton national parks and Bighorn Canyon National Recreation Area will soon benefit from a servicewide initiative to improve baseline inventories of natural resources. The three parks, combined as the greater Yellowstone network, submitted a plan to complete priority inventory work for vertebrates and vascular plants in the region. An inventory coordinator will be hired and, though stationed in Yellowstone, will oversee projects in all three parks, including efforts to improve baseline knowledge of exotic and native plant distributions, reptiles, bats, and fishes in alpine lakes. The network expects to receive approximately \$700,000 for projects to be completed in three to four years.

Errata

In the last issue, *Yellowstone Science* 8 (3), we printed a photo of the Canyon Visitor Center with a caption stating that it is eligible for the National Register. It is a portion of Canyon Village that is now eligible. We regret the error. 🌲